

F E B R U A R Y / 2 O 1 3 / C S G

Tender Notification No. February/2013/CSG

COMPUTER SUPPORT GROUP Item No. 11 : LCD/DLP Projectors

BIDDER'S COPY

INSTRUCTIONS TO BIDDERS

1. This document set contains the following:

a) Terms and conditions of the Tender - Pages 2 & 3
b) Details of the Firm offering this Quote - Page 4
c) Technical Compliance & Quotation form (Price Bid) - Page 5 to 18
d) NIT-T's check list copy - Page 19

- 2. The bidder's copy is for your future records. Please fill in and return only NIT-T's copy (page 2 to 19).
- 3. Read through the terms and conditions given and affix your signature and seal if you find them acceptable. Any deviations may be recorded. Read carefully the list of specifications that we have enclosed.
- 4. Fill in the guestionnaire regarding the Firm.
- 5. The downloaded documents 'Technical Compliance Form' and 'Quotation Form (Price Bid)' should be TYPE WRITTEN OR FILLED USING CAPITAL LETTERS ONLY. At the time of filling the "Quotation Form (Price Bid)" make sure that you have not missed anything. Specify the model number & specification for each item. The form should be filled in item-wise. Do not leave blank fields. If you are not quoting for a specific item, you should specify "NOT QUOTING".
- 6. **Do not use** ambiguous terms like "yes", "complied" or "available". Specifically mention the matching specification of the product offered by you. Make sure that you have affixed your signature with date and seal on all the documents.
- 7. Please send the tenders in a sealed envelope superscribed as "QUOTATIONS AGAINST TENDER NOTIFICATION NO: FEBRUARY/2013/CSG Item No. 11: LCD/DLP Projectors" so as to reach "The Head, Computer Support Group, CSG, National Institute of Technology, Tiruchirappalli 620 015, Tamilnadu, India" on or before March 28, 2013 at 2.30 p.m. along with a Softcopy of the Technical Compliance form & Quotation Forms in MS-Excel or MS-Word file format in a CD/DVD or USB drive.
- 8. For any further clarifications, contact by E-Mail: purchase@nitt.edu or by written request to "The Head, Computer Support Group, National Institute of Technology, Tiruchirappalli 620 015, Tamilnadu, India"

9. DO NOT VISIT US WITHOUT OUR CONCURRENCE.

Last Date for receipt of tender at NIT-T : March 28, 2013 at 2.30 PM Opening Date for Tender : March 28, 2013 at 3.30 PM

CHECKLIST TO BE FILLED IN BY BIDDER	
List of documents to be enclosed	Completed & Signed
1. Terms and Conditions form	YES / NO
2. Details of the Firm offering this Quote	YES / NO
3. NIT-T's Quotation form (Technical & Price Bid)	YES / NO
4. Other technical specifications & pamphlets	YES / NO

Note: 1. "Cover" should contain the following:

- a. Form of "Acceptance of Terms and Conditions".
- b. Form of "Firms details"
- c. Pamphlets, if any.
- 2. Quotation Form (Technical & Price Bid)

Please retain this page alone with you for your future reference.

BIDDER'S COPY





COMPUTER SUPPORT GROUP

Item No. 11: LCD/DLP Projectors

"TERMS AND CONDITIONS FORM"

IMPORTANT: READ ALL THE FOLLOWING TERMS AND CONDITIONS AND SIGN THE ACCEPTANCE CLAUSE FOLLOWING IT

- 1. The offers should be addressed to "The Head, Computer Support Group, National Institute of Technology, Tiruchirappalli 620015, India" and should be sent in a sealed envelope superscribed "QUOTATIONS AGAINST TENDER NOTIFICATION No.: FEBRUARY/2013/CSG Item No. 11: LCD/DLP Projectors" so as to reach us on or before 2.30 p.m. on March 28, 2013 along with a Softcopy of the Technical Compliance form and Quotation Forms in MS-Excel or MS-Word file format in a CD/DVD or USB drive. However, if there is any dispute between Hard copy and Soft copy, Hard copy will be taken.
- 2. Each offer should be sent in a sealed cover with the tender documents. <u>Tenders received through email or</u> FAX will not be considered.
- 3. The tenders will be opened on **March 28, 2013 at 3:30 p.m.** in the presence of the vendors present with authorization letter from the respective companies / firms. Suppliers intending to attend the tender opening should intimate us in advance.
- 4. Full technical specifications and pamphlets should be sent along with the tenders. <u>Offers without proper</u> technical specifications will be rejected.
- 5. All offers should indicate the taxes and duties applicable, if any. Additional charges for packing, forwarding, freight, insurance etc., if any, should be clearly mentioned. Clearance at Customs will be arranged by us.
- 6. NIT-T is paying concessional Customs & Excise duty under Government of India Notification No.51/96 for Central Customs and 10/97 for Central Excise Duty vide Certificate No.TU/V/RG-CDE(183)/2011 dt.10.10.11. Currently the purchaser is paying 5% Basic Customs Duty and 4% Import Additional Duty. In addition to that NITT is paying 2% Educational Cess and 1% Higher Education Cess on Basic Customs Duty and Import Duty.
- 7. The Institute is not authorized to issue C and D forms of Sales tax certificate.
- 8. In case the offered items are to be imported, the rates should be quoted in foreign currency on C & F Chennai Airport, Insurance Cover should be up to National Institute of Technology, Tiruchirappalli (i.e. The Cost and Freight is up to Chennai airport and the insurance cover should be up to National Institute of Technology, Tiruchirappalli). NIT-T shall pay Customs duty if any.
- 9. If the price quoted is in foreign currency and if the order value is more than US\$10,000 then 100% payment will be made through Letter of Credit (LC) at sight on acceptance. If the order value is less than US\$10,000, then 100% payment will be through a Telegraphic Transfer (TT). The bank charges outside India should be borne by the Supplier / Beneficiary. Part shipment not allowed. If the price quoted is in Indian Rupees, then 100% payment will be made only after installation and commissioning. No advance payment will be made.
- 10. No revision of the price bid will be allowed once the price bids are opened.
- 11. No increase in price will be allowed after our firm orders are placed.
- 12. The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty should also be mentioned.
- 13. Quote should come from authorized dealer or distributor or reseller for each of the product quoted. An authorization letter from OEM should accompany your quote for each product quoted, otherwise it may lead to rejection.
- 14. The delivery period and other terms should be clearly mentioned.
- 15. Eligibility: Quotation from registered firms/company's / manufacturer under TNGST/CST / other statutory bodies alone be considered. Any Manufacturer / Supplier / Dealer who has been declared ineligible by World Bank/government of India shall not be eligible to participate in this bid. Any fraudulent practices including concealing of facts at the time of submission of bid and there after shall lead to disqualification. List of beneficiaries especially from Educational Institutions / R & D Institutions should also be enclosed with the quotations.



NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI - 620015



COMPUTER SUPPORT GROUP

Item No. 11: LCD/DLP Projectors

- 16. Complete user, technical and service documentation, and spare parts catalogue are to be provided along with the supply of the item.
- 17. The vendors are informed that they should not call us over phone or contact us in person. All clarifications can be obtained through E-Mail/FAX/Post. Vendors shall not make attempts to establish unsolicited and unauthorised contact with us after the opening of the offers and prior to the notification of the award. Any attempt by any vendor to bring to bear extraneous pressures on us shall be sufficient reason to disqualify the vendor.
- 18. Delay / loss in postal transit or due to other reasons will not be NIT-T's responsibility.
- 19. We are not responsible for accidental opening of the covers that are not properly superscribed and sealed before the time scheduled for opening.
- 20. The tender should be made only on the "Technical compliance form" & "Quotation form" which is available in our website, otherwise it shall lead to rejection. The technical compliance form & Quotation form should be duly filled up (preferably TYPE WRITTEN OR FILLED IN CAPITAL LETTERS) and should clearly mention the features offered by the bidder against each specification.
- 21. Authorized signatory should sign on all the pages. Bids without authorized signatures will be rejected.
- 22. The manufacturers of the quoted make of the product must be of national / international repute and having ISO certificate.
- 23. **Liquidated damages:** If the bidder/supplier, after accepting the Purchase Order, fails to deliver any or all of the Goods within the period specified in the Order, NIT-T shall, without prejudice to its other remedies under the Rules of Purchase, proceed to cancel the order or agree to accept a delayed delivery on the condition of payment of liquidated damages by the bidder / supplier a sum equivalent to 0.50% of the total cost as indicated in the Purchase Order (which will be deemed as agreed price) for each week or part thereof of delay until actual delivery or performance is completed and such penal charges shall be limited to a maximum of 5% of the total cost. Once the maximum is reached NIT-T may proceed on its own to consider the termination / cancellation of the order.
- 24. The vendors are informed that they should sign a stamp paper agreement with us, for Warranty, AMC, etc. as per our terms & conditions. 5% of purchase order value should be provided in the form of bank guarantee towards performance security if the order value exceeds rupees five lakhs within the rate contact period of one year. The bank guarantee will be returned to the supplier after the successful completion of supply, installation, and the warranty period.
- 25. No Earnest Money Deposit (EMD) or processing fee is required for submitting this rate contact.
- 26. Failure to comply with all the terms and conditions mentioned herein would result in the tender being summarily rejected.
- 27. Vendors are informed that once the companies are shortlisted based on the technical specification, only then the price bids of the firms that meet NIT-T's Technical specification / requirements would be compared.
- 28. The rate contract period should be valid for one year, until April 30, 2014. This is for new requirements / expansion as and when it arises. The vendors participated in the tender are expected to renew their offers whenever requested. The quoted prices should be valid for the entire rate contract period.
- 29. NIT-T reserves the right to modify or alter the specifications after short listing of tenderers.
- 30. NIT-T reserves the right to change the order quantity or split the orders among multiple vendors without assigning any reason(s) whatsoever.
- 31. NIT-T reserves the right to reject any or all the tenders without assigning any reasons whatsoever.
- 32. Apart from the above General Terms and Conditions, item-wise terms and conditions are enlisted in the Technical compliance form and Quotation form.

ACCEPTANCE

We accept the above terms and conditions and shall comply with them strictly.

NAME OF THE VENDOR:

ADDRESS:

SIGNATURE WITH DATE





NATIONAL INSTITUTE OF TECHNOLOGY **TIRUCHIRAPPALLI - 620015**

COMPUTER SUPPORT GROUP

Item No. 11 : LCD/DLP Projectors "DETAILS OF THE FIRM OFFERING THIS QUOTE"

(Write or print or type in block letters and please answer all the questions)

1.	Name of the firm? 2. Date of incorporation?
3.	Nature of the company - Government / Public / Private Company / Partnership / Proprietorship:
4.	Specify the number of years in this line of activity by the Company :.
5.	Quantity of sales in the last three years for the LCD/DLP Projectors (same model that you have quoted)? 2009-2010 2011-2012
6.	Turn over in the last three years (Figures should be in Indian Rupees in Lakhs) duly supported by the audited annual accounts reports of respective years: 2009-2010 2010-2011 2011-2012
7.	Provide the postal address, telephone & fax numbers, and email address of the nearest service center.
	A) Number of service engineers in the above location trained on the product quoted along with their educational
qua	alification, certification and designation and B) Assured response time for service calls in hours:
	A) B)
9.	What would be the delivery period in days from the date we place an official purchase order.
10.	Enclose the list of customers to whom you have supplied "LCD/DLP Projectors" during the last 3 years ending 31/03/2012 with full postal address and name of the contact person with phone, FAX numbers, and E-Mail id. Certificate regarding satisfactory performance of the "LCD/DLP Projectors" from the minimum three end users should be furnished.
11.	Are you the authorized dealer or distributor or reseller for the products quoted:
12.	Have you supplied "LCD/DLP Projectors" to National Institute of Technology, Tiruchirappalli is the last 3 years? If yes, specify the quantity supplied in the last 3 years and last PO reference
13.	Was there any elapse or delay in supplying the goods ordered or any service related issue during the warranty period for the products ordered by NIT-T with your firm? If yes, provide details.
14.	On Manufacturer's Side to whom NITT have to contact in case of delayed supply and other issues committed by the authorized dealer / distributor / reseller :
	Contact Person Name : Address : E-mail ID : Telephone / Cell Phone :

SIGNATURE WITH DATE



Item No. 11 : LCD/DLP Projectors
TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

CONFIGURATION-1: 2500 ANSI Lumens LCD/DLP/3LCD Projectors

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
1.	Specify Make / Brand name	
2.	Specify Model Number	
3.	Type of Projection (LCD or 3LCD or DLP)	
4.	Drive System / Technology (TFT active matrix, etc.)	
5.	Image Brightness : Min. 2500 ANSI Lumens or higher	
6.	Image Contrast Ratio 2000:1 or higher	
7.	Image Aspect Ratio (like 4:3, 16:9 etc.)	
8.	Number of Pixels	
9.	Diagonal Image / Screen Size range in Inch (minimum 40" to 150" required)	
10.	Projection / throw distance range in meters (minimum 1m to 8 m required)	
11.	Zoom ratio (eg.1:1.1), specify	
12.	Digital Zoom, (specify in x if available)	
13.	Lens Power/ focal length, f, Specify f in mm	
14.	Projection Lens Aperture, Specify in F	
15.	True XGA resolution 1024x768 (native resolution)	
16.	Maximum resolution supported by the projector under compressed / resize mode. Should support UXGA resolution 1600 x 1200	
17.	Horizontal resolution, min. 550 TV lines (optional)	
18.	Max Sync Rate / Scanning Frequency (V x H) in Hz	
19.	Number of Colors (24-bit, 16.7 Million)	



COMPUTER SUPPORT GROUP

Item No. 11 : LCD/DLP Projectors
TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

CONFIGURATION-1: 2500 ANSI Lumens LCD/DLP/3LCD Projectors

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
20.	Inbuilt Speakers, specify speakers output watt	
21.	Lamp Type & Watt	
22.	Life of the lamp in hours, should be 3000 hours or more	
23.	Color System PAL / SECAM / NTSC / HDTV	
24.	Control Panel on unit & Menu Driven	
Input	s (Necessary interface cables for the quoted LCD Proje	ector should be provided along with the Projector)
25.	2 x VGA Inputs (2x15 pin D-sub connectors)	
26.	VGA output (1x15 pin D-sub connectors) for loop-through	
27.	HDMI –in (Optional)	
28.	Video – in (1x RCA jack for CVBS signal)	
29.	S-Video – in (1x 4-pin mini-DIN for Y/C signal) Optional	
30.	Audio – in and Audio – out (1x 3.5 mm stereo mini phone jack)	
31.	USB port (for presentation remote)	
32.	Presentation Remote Control with wireless receiver unit required for changing slides	
33.	Remote should have the following features Power on/off, Menu, Volume up/down, Page up / Page Down (for changing slides), Keystone correction, Source selection, Blank Screen	
34.	Vertical Digital Keystone Correction, min. ± 30° required	
35.	Horizontal Digital Keystone Correction, min. ± 30° required (Optional)	



Item No. 11 : LCD/DLP Projectors <u>TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)</u>

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

CONFIGURATION-1: 2500 ANSI Lumens LCD/DLP/3LCD Projectors

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
36.	Power Supply, 200-240V, 50Hz	
37.	Operational Power Consumption in Watts, Should be less than 400 W at Full Power	
38.	Dimensions W x L x H in mm	
39.	Weight in kg (should be less than 3.0 kg)	
40.	Soft Carrying case should be provided.	
41.	Environmental Parameters: a. Operating temperature (5 to 35° C) b. Humidity (up to 80%) c. Noise Level, should be less than 35 dBA	
42.	3 Years Comprehensive On-site Warranty	
43.	Lamp, should be provided with min 3 months warranty	
44.	PRICE (Inclusive of 3 years onsite warranty & all taxes)	
45.	Spare Lamp Price (per unit)	
46.	Price for any other optional item	

Note: The Vendor should give an undertaking stating that they would supply the Spare Lamp as and when requested for a period of minimum 7 years.

The OEM should give an undertaking that Projector Spare Lamp and Service Support would be there for minimum 7 years.



Item No. 11 : LCD/DLP Projectors
TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

CONFIGURATION-2: 3500 ANSI Lumens LCD/DLP/3LCD Projectors

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
1.	Specify Make / Brand name	
2.	Specify Model	
3.	Type of Projection (LCD or 3LCD or DLP)	
4.	Drive System / Technology (TFT active matrix, etc.)	
5.	Image Brightness : Min. 3500 ANSI Lumens or higher	
6.	Image Contrast Ratio 2000:1 or higher	
7.	Image Aspect Ratio (like 4:3, 16:9 etc.)	
8.	Number of Pixels	
9.	Diagonal Image / Screen Size range in Inch (minimum 40" to 300" required)	
10.	Projection / throw distance range in meters (minimum 2 m to 10 m required)	
11.	Zoom ratio (eg.1:1.2), specify	
12.	Digital Zoom, (specify in x if available)	
13.	Lens Power/ focal length, f, Specify f in mm	
14.	Projection Lens Aperture, Specify in F	
15.	True XGA resolution 1024x768 (native resolution)	
16.	Maximum resolution supported by the projector under compressed / resize mode. Should support UXGA resolution 1600 x 1200	
17.	Horizontal resolution, min. 550 TV lines (optional)	
18.	Max Sync Rate / Scanning Frequency (V x H) in Hz	



Item No. 11 : LCD/DLP Projectors
TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

CONFIGURATION-2: 3500 ANSI Lumens LCD/DLP/3LCD Projectors

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
19.	Number of Colors (24-bit, 16.7 Million)	
20.	Inbuilt Speakers, specify speakers output watt	
21.	Lamp Type & Watt	
22.	Life of the lamp in hours, should be 3000 hours or more	
23.	Color System PAL / SECAM / NTSC / HDTV	
24.	Control Panel on unit & Menu Driven	
Input	s (Necessary interface cables for the quoted LCD Proj	ector should be provided along with the Projector)
25.	2 x VGA Inputs (2x15 pin D-sub connectors)	
26.	VGA output (1x15 pin D-sub connectors) for loop-through	
27.	HDMI –in (HDCP compliant)	
28.	Video – in (1x RCA jack for CVBS signal)	
29.	S-Video – in (1x 4-pin mini-DIN for Y/C signal)	
30.	RS232 – in (1x mini-DIN 6-pin)	
31.	RJ45 connector for control of projector through network	
32.	Audio – in and Audio – out (1x 3.5 mm stereo mini phone jack)	
33.	USB port (for presentation remote)	
34.	Presentation Remote Control with wireless receiver unit required for changing slides	
35.	Remote should have the following features Power on/off, Menu, Volume up/down, Page up / Page Down (for changing slides), Keystone correction, Source selection, Blank Screen	



Item No. 11 : LCD/DLP Projectors <u>TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)</u>

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

CONFIGURATION-2: 3500 ANSI Lumens LCD/DLP/3LCD Projectors

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
36.	Vertical Digital Keystone Correction, min. ± 30° required	
37.	Horizontal Digital Keystone Correction, min. ± 30° (Optional)	
38.	Power Supply, 200-240V, 50Hz	
39.	Operational Power Consumption in Watts, Should be less than 400 W at Full Power	
40.	Dimensions W x L x H in mm	
41.	Weight in kg (should be less than 3.0 kg)	
42.	Soft Carrying case should be provided.	
43.	Environmental Parameters: a. Operating temperature (5 to 35° C) b. Humidity (up to 80%) c. Noise Level, should be less than 35 dBA	
44.	3 Years Comprehensive On-site Warranty	
45.	Lamp, should be provided with min 3 months warranty	
46.	PRICE (Inclusive of 3 years onsite warranty & all taxes)	
47.	Spare Lamp Price (per unit)	
48.	Price for any other optional item	

Note: The Vendor should give an undertaking stating that they would supply the Spare Lamp as and when requested for a period of minimum 7 years.

The OEM should give an undertaking that Projector Spare Lamp and Service Support would be there for minimum 7 years.



COMPUTER SUPPORT GROUP Item No. 11: LCD/DLP Projectors

TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

CONFIGURATION-3: 4250 ANSI Lumens LCD/DLP/3LCD Projectors

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
1.	Specify Make / Brand name	
2.	Specify Model	
3.	Type of Projection (LCD or 3LCD or DLP)	
4.	Drive System / Technology (TFT active matrix, etc.)	
5.	Image Brightness : Min. 4250 ANSI Lumens or higher	
6.	Image Contrast Ratio 2000:1 or higher	
7.	Image Aspect Ratio (like 4:3, 16:9 etc.)	
8.	Number of Pixels	
9.	Diagonal Image / Screen Size range in Inch (minimum 40" to 350" required)	
10.	Projection / throw distance range in meters (minimum 2 m to 10 m required)	
11.	Zoom ratio (eg.1:1.2), specify	
12.	Digital Zoom, (specify in x if available)	
13.	Lens Power/ focal length, f, Specify f in mm	
14.	Projection Lens Aperture, Specify in F	
15.	True WXGA resolution 1280 x 800 (native resolution)	
16.	Maximum resolution supported by the projector under compressed / resize mode. Should support UXGA resolution 1600 x 1200	
17.	Horizontal resolution, min. 550 TV lines (optional)	
18.	Max Sync Rate / Scanning Frequency (V x H) in Hz	

NATIONAL INSTITUTE OF TECHNOLOGY **TIRUCHIRAPPALLI - 620015**



COMPUTER SUPPORT GROUP

Item No. 11 : LCD/DLP Projectors
TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

CONFIGURATION-3: 4250 ANSI Lumens LCD/DLP/3LCD Projectors

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
19.	Number of Colors (24-bit, 16.7 Million)	
20.	Inbuilt Speakers, specify speakers output watt	
21.	Lamp Type & Watt	
22.	Life of the lamp in hours, should be 2000 hours or more	
23.	Color System PAL / SECAM / NTSC / HDTV	
24.	Control Panel on unit & Menu Driven	
Input	s (Necessary interface cables for the quoted LCD Proje	ector should be provided along with the Projector)
25.	2 x VGA Inputs (2x15 pin D-sub connectors)	
26.	VGA output (1x15 pin D-sub connector) for loop-through	
27.	RS-232 input, mini-DIN 6-pins	
28.	Video – in (1x RCA jack for CVBS signal)	
29.	S-Video – in (1x 4-pin mini-DIN for Y/C signal)	
30.	Audio – in and Audio – out (1x 3.5 mm stereo mini phone jack)	
31.	1x HDMI 1.3 (HDCP compliant)	
32.	1x RJ45 connector for networking	
33.	1x USB-A for USB Viewer	
34.	1x USB-B for USB Display	
35.	1x mini USB-B slave for remote support and firmware update	
36.	Presentation Remote Control with wireless receiver unit required for changing slides	



Item No. 11 : LCD/DLP Projectors <u>TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)</u>

FIRM'S NAME & ADDRESS:

FIRM'S REF:

DATE:

CONFIGURATION-3: 4250 ANSI Lumens LCD/DLP/3LCD Projectors

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
37.	Remote should have the following features Power on/off, Menu, Volume up/down, Page up / Page Down (for changing slides), Keystone correction, Source selection, Blank Screen	
38.	Vertical Digital Keystone Correction, min. ± 30° required	
39.	Horizontal Digital Keystone Correction, min. ± 30° required (Optional)	
40.	Power Supply, 200-240V, 50Hz	
41.	Operational Power Consumption in Watts, Should be less than 400 W at Full Power	
42.	Dimensions W x L x H in mm	
43.	Weight in kg (should be less than 3 kg)	
44.	Soft Carrying case should be provided.	
45.	Environmental Parameters: a. Operating temperature (5 to 35° C) b. Humidity (up to 80%) c. Noise Level, should be less than 40 dBA	
46.	3 Years Comprehensive On-site Warranty	
47.	Lamp, should be provided with min 6 months warranty	
48.	PRICE (Inclusive of 3 years onsite warranty & all taxes)	
49.	Spare Lamp Price (per unit)	
50.	Price for any other optional item	

Note: The Vendor should give an undertaking stating that they would supply the Spare Lamp as and when requested for a period of minimum 7 years.

The OEM should give an undertaking that Projector Spare Lamp and Service Support would be there for minimum 7 years.

COMPUTER SUPPORT GROUP Item No. 11: LCD/DLP Projectors

TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

CONFIGURATION-4: 4000 ANSI Lumens LCD/DLP/3LCD Projectors with PC-Less Presentation

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
1.	Specify Make / Brand name	
2.	Specify Model	
3.	Type of Projection (LCD or 3LCD or DLP)	
4.	LCD Size in Inch	
5.	Drive System / Technology (TFT active matrix, etc.)	
6.	Image Brightness : Min. 4000 ANSI Lumens or higher	
7.	Image Contrast Ratio 2000:1 or higher	
8.	Image Aspect Ratio (like 4:3, 16:9, 16:10 etc.)	
9.	Number of Pixels, specify	
10.	Diagonal Image / Screen Size range in Inch (minimum 40" to 250" required)	
11.	Specify Projection / throw distance range in meters (minimum 2 m to 10 m required)	
12.	Zoom ratio (eg.1:1.2), specify	
13.	Digital Zoom, (specify in x if available)	
14.	Lens Power/ focal length, Specify in f	
15.	Projection Lens Aperture, specify in F	
16.	True WXGA resolution 1280x800 (native resolution)	
17.	Maximum resolution supported by the projector under compressed / resize mode. Specify	
18.	Horizontal resolution, specify in TV lines	
19.	Max Sync Rate / Scanning Frequency (V x H) in Hz	

Item No. 11 : LCD/DLP Projectors

TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS:	FIRM'S REF

DATE:

CONFIGURATION-4: 4000 ANSI Lumens LCD/DLP/3LCD Projectors with PC-Less Presentation

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
20.	Number of Colors (24-bit, 16.7 Million)	
21.	Inbuilt Speakers, specify speakers output watt	
22.	Lamp Type & Watt	
23.	Life of the lamp in hours, should be 3000 hours or more	
24.	Color System PAL / SECAM / NTSC	
25.	VGA Input (1x15 pin D-sub connectors)	
26.	VGA output (1x15 pin D-sub connectors) for loop-through (Optional)	
27.	DVI - in (HDCP compliant) or HDMI	
28.	RS-232 input, mini-DIN 6-pins (Optional)	
29.	Video – in (1x RCA jack for CVBS signal)	
30.	S-Video – in (1x 4-pin mini-DIN for Y/C signal)	
31.	Audio – in and Audio – out, 1 x 3.5 mm stereo mini jack	
32.	1x HDMI 1.3 (HDCP compliant)	
33.	USB Pen Drive Presentation with USB port (Type A) for PC-less presentation	
34.	Presentation Remote Control with wireless receiver unit required for changing slides with USB port (Type B)	
35.	Remote should have the following features Power on/off, Menu, Volume up/down, Page up / Page Down (for changing slides), Source selection, Blank Screen	
36.	Control Panel on unit & Menu Driven	

Item No. 11: LCD/DLP Projectors

TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS:	FIRM'S REF:
------------------------	-------------

DATE:

CONFIGURATION-4: 4000 ANSI Lumens LCD/DLP/3LCD Projectors with PC-Less Presentation

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
37.	Digital Keystone Correction, if available	
38.	Power Supply, 200-240V, 50Hz	
39.	Operational Power Consumption in Watts, Should be less than 400 W	
40.	Dimensions W x L x H in mm	
41.	Weight in kg (should be less than 3.0 kg)	
42.	Soft Carrying case should be provided.	
43.	Environmental Parameters: a. Operating temperature (5 to 35° C) b. Humidity (up to 80%) c. Noise Level, should be less than 40 dBA	
44.	3 Years Comprehensive On-site Warranty	
45.	Lamp, should be provided with minimum 6 months warranty	
46.	PRICE (Inclusive of 3 years onsite warranty & all taxes)	
47.	Spare Lamp Price (per unit)	
48.	Price for any other optional item	

Note: The Vendor should give an undertaking stating that they would supply the Spare Lamp as and when requested for a period of minimum 7 years.

The OEM should give an undertaking that Projector Spare Lamp and Service Support would be there for minimum 7 years.

Item No. 11 : LCD/DLP Projectors

OPTIONAL ACCESSORIES / SPARE LAMP FOR EXISTING PROJECTORS

SI#	NIT-T's specifications	Firm's Offer (All the details should be specified)
	Price for Optional Accessories	PRICE
1.	Ceiling Mount kit for the projectors	
2.	10 meters (~32 feet) VGA interface cable	
3.	15 meters (~49 feet) VGA interface cable	
4.	20 meters (~65 feet) VGA interface cable	
5.	50 feet VGA Male-to-Female Extension Cable	
6.	100 feet VGA Male-to-Female Extension Cable	
7.	100 feet S-Video cable	
8.	100 feet RCA composite cable	
9.	100 feet VGA to component cable (RCA out)	
10.	Wall mount Screen (Approx. 6 feet x 4 feet)	
11.	Wall mount Screen (Approx. 8 feet x 6 feet)	
12.	Motorized Screen (Approx. 8 feet x 6 feet)	
13.	Motorized Screen (Approx. 12 feet x 9 feet)	
14.	Spare Lamp for Sanyo PLC SW15 / SW20A	
15.	Spare Lamp for Sanyo SW30	
16.	Spare Lamp for Sanyo PLC XF40	
17.	Spare Lamp for Epson Power Lite S1 (EMP S1)	
18.	Spare Lamp for Liesegang ddv2100	
19.	Spare Lamp for Dell 2400MP	
20.	Spare Lamp for Dell 1800MP	
21.	Spare Lamp for Dell 1410X	
22.	Spare Lamp for Dell 1510X	
23.	Spare Lamp for DELL 4320	



Item No. 11: LCD/DLP Projectors

TECHNICAL COMPLIANCE & QUOTATION FORM (PRICE BID)

FIRM'S NAME & ADDRESS: FIRM'S REF:

DATE:

SI #	NIT-T's specifications	Firm's Offer (All the details should be specified)
	Price for Spare Lamp for existing projectors	PRICE
24.	Price for 10m Power Cable for the Projector (Three Core 2.5 Sq mm)	
25.	Price for 15m Power Cable for the Projector (Three Core 2.5 Sq mm)	
26.	Price for 20m Power Cable for the Projector (Three Core 2.5 Sq mm)	
27.	Price for Spare remote	
28.	Price for Wireless Networking for Projector	
29.	Price for any other optional item	
30.	Buy back option for Sanyo SW15 or SW20 Projector	
31.	Buy back option for Old Epson Power Lite S1 Projector	
32.	Buy back option for Old Liesegang ddv2100 Projector	
33.	Buy back option for Old Dell 2400MP	
34.	Buy back option for Old Dell 1800MP	

- a) Please note that NIT-T already has Sanyo, Epson, Liesegang, Infocus and Dell Projectors. This tender is for new requirements / expansion as and when it arises. The order will be based on the actual requirement at the time of ordering.
- b) If the Prices are in foreign currency, it should be C.I.F. Chennai Airport basis, :
- c) Currency quoted:
- d) If the rates are quoted in Indian Rupees, the rates should be quoted on Door Delivery (F.O.R. N.I.T.T.) Basis.
- e) Enclose the Distributor / Reseller / Retailer certificate with the validity date. The offers received without the certificate will be rejected.
- f) Projectors should be supplied as per our indent as per our actual requirement within the contract period.
- g) Price protection: If the market price is lower than the quoted price, the market price should be applicable. If there is any hike in market price, the quoted price should be applicable.
- h) Selected Vendor should sign a stamp paper agreement with regard to supply of the projectors.
- i) Payment of Bills will be after the acceptance of the projectors and after the receipt of the bills / invoices along with advance stamped receipt.
- The quoted price should be valid for minimum one year i.e. up to April 30, 2014.
- k) The offer should be authorised by the Manufacturer.

SIGNATURE WITH DATE



Item No. 11: LCD/DLP Projectors

NIT-T'S COPY (To be filled in and submitted)

Last Date for receipt of tender at NIT-T : March 28, 2013 at 2.30 PM Opening Date : March 28, 2013 at 3.30 PM

CHECKLIST TO BE FILLED IN BY BIDDER (Please make sure that these pages are filled and send duly signed)		
List of documents to be enclosed	Completed & Signed	
1. Terms and Conditions form	YES / NO	
2. Details of the Firm offering this Quote	YES / NO	
3. NIT-T's quotation form (Price Bid)	YES / NO	
4. Other technical specifications & pamphlets	YES / NO	

SEAL OF THE BIDDER

SIGNATURE WITH DATE

FOR NIT-T USE ON	LY
Name of the Vendor Address (Location):	
Terms and Conditions form duly signed	YES / NO
2. Details of the Firm offering this Quote	YES / NO
3. NIT-T's quotation form (Price Bid)	YES / NO
4. Other technical specifications & pamphlets	YES / NO
6. No. of enclosures	
7.Status of tender	Accepted for evaluation / Rejected
	REGISTRAR

SIGNATURE WITH DATE