

Tender Notification No. NITT/CSG/OCT/2016 COMPUTER SUPPORT GROUP

Item No. 8 : Surveillance Cameras

"TERMS AND CONDITIONS FORM"

IMPORTANT : READ ALL THE FOLLOWING TERMS AND CONDITIONS AND SIGN THE ACCEPTANCE CLAUSE FOLLOWING IT

- The offers through post or hand delivery should be addressed to "The Head, Computer Support Group, National Institute of Technology, Tiruchirappalli 620015, Tamilnadu, India" and should be sent in a sealed envelope superscribed "QUOTE AGAINST TENDER NOTIFICATION No.: NITT/CSG/OCT/2016 Item No. 8 : Surveillance Cameras" so as to reach us on or before 2.30 p.m. on November 10, 2016. Quotations / bids received after deadline will be rejected summarily.
- 2. The quote should also accompany along with a <u>covering letter</u> in your company letterhead with contact information such as contact person name, postal address, email id, and mobile number with signature, along with a <u>Softcopy</u> of the filled in Tender document (Technical Compliance Forms) in MS-Word format in a CD/DVD media or USB drive. However, if there is any dispute between Hard copy and Soft copy, Hard copy will be taken.
- 3. Each offer should be sent in a sealed cover with the tender documents. <u>Tenders received through email or</u> <u>FAX will not be normally considered.</u>
- 4. The tenders will be opened on **November 10, 2016 at 3:00 p.m.** in the presence of the bidders present with authorization letter from the respective companies / firms. Bidders (vendors participating in the tender) intending to attend the tender opening should intimate us in advance.
- 5. If in any case, unscheduled holiday occurs on prescribed closing / opening date, the next working day shall be the prescribed date of closing / opening.
- 6. Full technical specifications such as make, model number, warranty should be specified and sent along with the tenders. <u>Offers without these details will be rejected.</u>
- 7. All offers should indicate the NET price (including taxes) or if required taxes and duties separately, if any. Additional charges for packing, forwarding, freight, insurance etc., if any, should be clearly mentioned.
- NIT-T is paying concessional Customs & Excise duty under Government of India Notification No.51/96 for Central Customs and 10/97 for Central Excise Duty vide Certificate No.TU/V/RG-CDE(183)/2011 dt.10.10.11. Currently the purchaser is paying 5% Basic Customs Duty, 2% Educational Cess on Basic Customs Duty, 1% Higher Education Cess on Educational Cess, and 4% Import Additional Duty.
- 9. Our institute has Department of Scientific & Industrial Research (DSIR) certificate valid till 31-08-2021 for claiming Central Customs Duty and Central Excise Duty Exemption.
- 10. The Institute is not authorized to issue C and D forms of Sales tax.
- 11. If the price quoted is in Indian Rupees, then 100% payment will be made only after delivery at NIT-T. <u>No advance payment will be made</u>. The payment will be normally made by the institute (for plan or project purchase) within 30 days of the receipt of the Surveillance Cameras along with invoice / bill.
- 12. No revision of the price bid will be allowed once the price bids are opened.
- 13. No increase in price will be allowed after the arrival of NIT-T rate contract.
- 14. <u>Price protection</u>: If the market price is lower than the approved price, the market price will be applicable. If there is any hike in market price, the quoted price should be applicable.
- 15. Quote should come from authorized dealer or distributor or reseller for each of the product quoted. An authorization letter from OEM should accompany your quote, otherwise it may lead to rejection.
- 16. The delivery period and other terms should be clearly mentioned.
- 17. Eligibility: Quotation from firms / company's / manufacturer registered under TNVAT/CST/sales tax laws of other states alone be considered. Any Manufacturer / Supplier / Dealer who has been declared ineligible by World Bank / Government of India shall not be eligible to participate in this bid. Any fraudulent practices including concealing of facts at the time of submission of bid and thereafter shall lead to disqualification.



Item No. 8 : Surveillance Cameras

- 18. The bidders/vendors are informed that they should not call us over phone or contact us in person. All clarifications can be obtained through E-Mail/FAX/Post. Vendors shall not make attempts to establish unsolicited and un-authorised contact with us after the opening of the offers and prior to the notification of the award. <u>Any attempt by any bidder/vendor to bring extraneous pressures on us shall be sufficient reason to disqualify the bidder/vendor.</u>
- 19. Delay / loss in postal transit or due to other reasons will not be NIT-T's responsibility.
- 20. Authorized signatory should sign on all the pages. Bids without authorized signatures will be rejected.
- 21. We are not responsible for accidental opening of the covers that are not properly superscribed and sealed before the time scheduled for opening.
- 22. <u>The tender should be made only on the "Technical compliance form" which is available in our website, otherwise it shall lead to rejection</u>. The technical compliance form should be duly filled up (preferably TYPE WRITTEN IN CAPITAL LETTERS) and should clearly mention the make, model number & warranty by the bidder against each specification.
- 23. The bidders are not allowed to make addition or alteration in the tender document.
- 24. If no warranty period is specified then the default warranty will be assumed as three years.
- 25. The manufacturers of the quoted make of the product must be of national / international repute and having ISO / BIS certificate.
- 26. Liquidated damages: If the bidder/supplier, after accepting the Purchase Order, fails to deliver any or all of the Goods within the period specified in the Order, NIT-T shall, without prejudice to other remedies under the Rules of Purchase, proceed to cancel the order or agree to accept a delayed delivery on the condition of payment of liquidated damages by the bidder / supplier a sum equivalent to 0.50% of the total cost as indicated in the Purchase Order (which will be deemed as agreed price) for each week or part thereof of delay until actual delivery or performance is completed and such penal charges shall be limited to a maximum of 5% of the total cost. Once the maximum is reached NIT-T may proceed on its own to consider the termination / cancellation of the order.
- 27. No Earnest Money Deposit (EMD) or processing fee is required for submitting this NIT-T rate contact tender
- 28. Failure to comply with all the terms and conditions mentioned herein would result in the tender being summarily rejected.
- 29. This is a single bid system. Both the technical specification and price bids would be opened at the same time. Bidder/Vendors are informed that the prices will be compared only if it meets NITT technical specifications.
- 30. The bidders are expected to renew their offers whenever requested. The quoted prices should be valid for the entire one year NIT-T rate contract period with a validity till November 31, 2017. Orders will be placed as and when required during this period.
- 31. Incase the quoted model is declared end-of-life (EOL) or if the OEM stops the production or if the specification changes during the NIT-T rate contact period, then in that case the next equivalent replacement model should be supplied subject to condition that the purchase committee accepts to this. The replacement model should have the same specification or higher specification, and should be in no way inferior. The same should be notified in writing to NIT-T as and when the model or specification changes. The decision of the committee is final.
- 32. The order will be based on the actual requirement at the time of ordering and it may be 1 number or in lots depending on the department requirements, optional items such as NVR may also be ordered based on the actual requirements if any. Not quoting for some of the optional items may result in disqualification for that category of items ordered.

Contd...





- 33. Preventive Maintenance should be performed by the supplier or their authorized service person twice every year during the first week of January and July during the 3 year on-site comprehensive warranty period, to lessen the likelihood of the Surveillance Cameras failing. Preventative maintenance should be performed while the Surveillance Cameras is still working, so that it does not break down unexpectedly. While performing Preventive Maintenance the service person should come with all the required tools (such as blower, etc). Preventive Maintenance includes cleaning the Surveillance Cameras hardware for accumulated dust, updating the NVR firmware / drivers with the latest version.
- 34. The downtime should be less than 48 hours. If the downtime exceeds 48 hours at a stretch then the duration of such downtime will be added to the warranty period and the warranty shall be extended accordingly.
- 35. The warranty start and end date will be counted from the date of installation and not from the date of shipment / billing.
- 36. The supply should be in original OEM's packing. The packing should not be tampered. If tampered or if found duplicate, action will be taken against your firm and your firm's name will be deleted from our suppliers list.
- 37. The invoice / bill should have all the required details like PO#, Make, Model, Price, Serial number, and Warranty.
- 38. All departments are empowered to raise the purchase order with your firm and you are requested to supply the same as per this NIT-T rate contract and purchase order.
- 39. Components such as Ethernet Cable, Poles, PVC Pipes, RJ 45 Jack, and Power Source (with POE Switch or POE Injector or Power Sockets) near the camera will be in NIT-T scope. If NIT-T is not able to provide the same, then it would be at bidder scope at additional cost, hence also quote for optional items.
- 40. "Comprehensive on-site warranty with on-site support and service for both Parts and Labour" means that your engineer should visit the site / location where the problem is reported, then troubleshoot & identify the problem and replace the faulty part. NIT-T will not provide or do any troubleshooting at our end.
- 41. Enclose the Distributor / Reseller / Retailer certificate with the validity date. The offer should be authorised by the Manufacturer. The offers received without the certificate and authorization will be rejected.
- 42. NIT-T reserves the right to modify or alter the specifications after short listing of tenderers.
- 43. NIT-T reserves the right to split the orders among multiple bidders/vendors if the prices are same.
- 44. NIT-T reserves the right to reject any or all the tenders without assigning any reasons whatsoever.
- 45. In case of dispute, the matter will be subject to Tiruchirappalli, Tamil Nadu Jurisdiction only.
- 46. <u>Eligibility Criteria</u>: The bidder should have supplied at least 10 numbers of Surveillance Cameras in a single PO to any of the reputed institutions or government organizations in India in the last 3 years. Please fill in the firms details in the last page.

ACCEPTANCE

We accept the above terms and conditions and shall comply with them strictly.

NAME OF THE BIDDER:

POSTAL ADDRESS :

MOBILE:

EMAIL ID:



Tender Notification No. NITT/CSG/OCT/2016 COMPUTER SUPPORT GROUP

Item No. 8 : Surveillance Cameras

<u>"TECHNICAL COMPLIANCE FORM"</u>

CONFIGURATION-1: 2MP FULL HD HIGH SPEED NETWORK PTZ OUTDOOR DOME CAMERA FIRM'S NAME AND ADDRESS: FIRM'S REF:

| SI . # | NIT-T's specifications | Firm's Offer (All the details should be specified) |
|-----------|--|---|
| 1) | Make | |
| 2) | Model | |
| 3) | Specify the Optical Zoom (Minimum 20x) | |
| 4) | Video Resolution Should be 1920x1080 | |
| 5) | Minimum Illumination (0.15 Lux Color) | |
| 6) | Pan travel (Should be 360° endless) | |
| 7) | Tilt travel (Should be -15° to 190°) | |
| 8) | Frame Rate (1080p @ 30fps) | |
| 9) | Video Codec (Should be H.264/MJPEG) | |
| 10) | Video Streaming (H.264) | |
| 11) | Specify Audio Codec | |
| 12) | Ethernet (10/100 Mbps or above) | |
| 13) | Supported Protocols | |
| 14) | Specify Supported Web browsers | |
| 15) | Power Input | |
| 16) | Maximum Power Consumption (Less than 70 Watts with Heater ON) | |
| 17) | Operating Temperature (Should be 10°to 55° C) | |
| 18) | Humidity (20% to 80% non-condensing) | |
| 19) | IP 66 Water Proof Standard | |
| 20) | Weight in Kgs | |
| 21) | Dimension in mm | |
| 22) | Specify the Accessories comes with the product | |
| 23) | 3 Years Comprehensive on-site warranty | |
| 24) | Specify the Compatible NVR Model to Store Data | |
| 25) | Price of the Unit | |



NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI - 620015

Tender Notification No. NITT/CSG/OCT/2016 COMPUTER SUPPORT GROUP

Item No. 8 : Surveillance Cameras

<u>"TECHNICAL COMPLIANCE FORM"</u>

CONFIGURATION-2: 2MP HD OUTDOOR FIXED NETWORK IP CAMERA(BOX)

FIRM'S NAME AND ADDRESS:

| SI . # | NIT-T's specifications | Firm's Offer (All the details should be specified) |
|-----------|---|---|
| 1) | Make | |
| 2) | Model | |
| 3) | Video Resolution Should be 1920x1080 | |
| 4) | Minimum Illumination (0.15 Lux Color) | |
| 5) | Frame Rate (1080p @ 30fps) | |
| 6) | Video Codec (Should be H.264/MJPEG) | |
| 7) | Video Streaming (H.264) | |
| 8) | Specify Audio Codec | |
| 9) | Ethernet (10/100 Mbps or above) | |
| 10) | Supported Protocols | |
| 11) | Specify Supported Web browsers | |
| 12) | Power Input (Specify if PoE is Available) | |
| 13) | Maximum Power Consumption (Less than 10 Watts using PoE) | |
| 14) | Operating Temperature (Should be 10°to 40° C) | |
| 15) | Humidity (20% to 80% non-condensing) | |
| 16) | IP 66 Water Proof Standard | |
| 17) | Weight in Kgs | |
| 18) | Dimension in mm | |
| 19) | Specify the Accessories comes with the product | |
| 20) | 3 Years Comprehensive on-site warranty | |
| 21) | Specify the Compatible NVR Model to Store Data | |
| 22) | Unit Price | |



Tender Notification No. NITT/CSG/OCT/2016 COMPUTER SUPPORT GROUP

Item No. 8 : Surveillance Cameras

<u>"TECHNICAL COMPLIANCE FORM"</u>

CONFIGURATION-3: INDOOR FIXED IP DOME CAMERA

FIRM'S NAME AND ADDRESS:

| SI. | NIT-T's specifications | Firm's Offer |
|-----|--|---------------------------------------|
| # | | (All the details should be specified) |
| 1) | Make | |
| 2) | Model | |
| 3) | Video Resolution Should be 1280x720 | |
| 4) | Minimum Illumination (0.8 Lux Color) | |
| 5) | Frame Rate (720p @ 30fps) | |
| 6) | Video Codec (Should be H.264/MJPEG) | |
| 7) | Specify Audio Codec | |
| 8) | Ethernet (10/100 Mbps or above) | |
| 9) | Supported Protocols | |
| 10) | Specify Supported Web browsers | |
| 11) | Power Input (Specify if PoE is Available) | |
| 12) | Maximum Power Consumption (Less than 10 Watts) | |
| 13) | Operating Temperature (Should be 10°to 40° C) | |
| 14) | Humidity (20% to 80% non-condensing) | |
| 15) | Weight in Kgs | |
| 16) | Dimension in mm | |
| 17) | Specify the Accessories comes with the product | |
| 18) | 3 Years Comprehensive on-site warranty | |
| 19) | Specify the Compatible NVR Model to Store Data | |
| 20) | Unit Price | |



NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI - 620015

Tender Notification No. NITT/CSG/OCT/2016 COMPUTER SUPPORT GROUP

Item No. 8 : Surveillance Cameras

<u>"TECHNICAL COMPLIANCE FORM"</u>

CONFIGURATION-4: INDOOR PTZ IP DOME CAMERA RESS: FIRM'S REF:

FIRM'S NAME AND ADDRESS:

| SI . # | NIT-T's specifications | Firm's Offer |
|-----------|---|---------------------------------------|
| 1) | Make | (All the details should be specified) |
| 2) | Model | |
| 3) | Specify the Optical Zoom (Minimum 15x) | |
| 4) | Video Resolution Should be 1280x720 | |
| 5) | Minimum Illumination (0.8 Lux Color) | |
| 6) | Pan travel (Should be 0 to 350°) | |
| 7) | Tilt travel (Should be -30° to +90°) | |
| 8) | Frame Rate (720p @ 30fps) | |
| 9) | Video Codec (Should be H.264/MJPEG) | |
| 10) | Video Streaming (H.264) | |
| 11) | Specify Audio Codec | |
| , 12) | Ethernet (10/100 Mbps or above) | |
| , 13) | Supported Protocols | |
| , 14) | Specify Supported Web browsers | |
| 15) | Power Input (Specify if PoE is Available) | |
| 16) | Maximum Power Consumption (Less than 10 Watts using PoE) | |
| 17) | Operating Temperature (Should be 10°to 55° C) | |
| 18) | Humidity (20% to 80% non-condensing) | |
| 19) | Weight in Kgs | |
| 20) | Dimension in mm | |
| 21) | Specify the Accessories comes with the product | |
| 22) | 3 Years Comprehensive on-site warranty | |
| 23) | Specify the Compatible NVR Model to Store Data | |
| 24) | Unit Price | |





Item No. 8 : Surveillance Cameras

<u>"TECHNICAL COMPLIANCE FORM"</u>

CONFIGURATION-5: ENTRY LEVEL INDOOR FIXED NETWORK IP CAMERA (CUBE/BOX) FIRM'S NAME AND ADDRESS: FIRM'S REF:

| SI. | NIT-T's specifications | Firm's Offer |
|-----|--|---------------------------------------|
| # | | (All the details should be specified) |
| 1) | Make | |
| 2) | Model | |
| 3) | Video Resolution Should be 1280x720 | |
| 4) | Minimum Illumination (1.0 Lux Color) | |
| 5) | Frame Rate (720p @ 30fps) | |
| 6) | Video Codec (Should be H.264/MJPEG) | |
| 7) | Specify Audio Codec | |
| 8) | Ethernet (10/100 Mbps or above) | |
| 9) | Supported Protocols | |
| 10) | Specify Supported Web browsers | |
| 11) | Power Input (Specify if PoE is Available) | |
| 12) | Maximum Power Consumption (Less than 5 Watts without PoE) | |
| 13) | Operating Temperature (Should be 10°to 40° C) | |
| 14) | Humidity (20% to 80% non-condensing) | |
| 15) | Weight in Kgs | |
| 16) | Dimension in mm | |
| 17) | Specify the Accessories comes with the product | |
| 18) | 3 Years Comprehensive on-site warranty | |
| 19) | Specify the Compatible NVR Model to Store Data | |
| 20) | Unit Price | |





Item No. 8 : Surveillance Cameras

<u>"TECHNICAL COMPLIANCE FORM"</u>

CONFIGURATION-6: ENTRY LEVEL OUTDOOR FIXED NETWORK IP CAMERA (BOX) FIRM'S NAME AND ADDRESS: FIRM'S REF:

| SI. | NIT-T's specifications | Firm's Offer |
|-----|--|---------------------------------------|
| # | | (All the details should be specified) |
| 1) | Make | |
| 2) | Model | |
| 3) | Video Resolution Should be 1280x720 | |
| 4) | Minimum Illumination (0.6 Lux Color) | |
| 5) | Frame Rate (720p @ 30fps) | |
| 6) | Video Codec (Should be H.264/MJPEG) | |
| 7) | Specify Audio Codec | |
| 8) | Ethernet (10/100 Mbps or above) | |
| 9) | Supported Protocols | |
| 10) | Specify Supported Web browsers | |
| 11) | Power Input (Specify if PoE is Available) | |
| 12) | Maximum Power Consumption (Less than 10 Watts) | |
| 13) | Operating Temperature (Should be 10°to 40° C) | |
| 14) | Humidity (20% to 80% non-condensing) | |
| 15) | IP 66 Water Proof Standard | |
| 16) | Weight in Kgs | |
| 17) | Dimension in mm | |
| 18) | Specify the Accessories comes with the product | |
| 19) | 3 Years Comprehensive on-site warranty | |
| 20) | Specify the Compatible NVR Model to Store Data | |
| 21) | Unit Price | |



TT/CSG/0CT/2016

Tender Notification No. NITT/CSG/OCT/2016

COMPUTER SUPPORT GROUP

Item No. 8 : Surveillance Cameras

<u>"TECHNICAL COMPLIANCE FORM"</u>

CONFIGURATION-7: 64 CHANNEL NETWORK VIDEO RECORDER (NVR)

FIRM'S NAME AND ADDRESS:

| SI. | NIT-T's specifications | Firm's Offer |
|-----|--|---------------------------------------|
| # | | (All the details should be specified) |
| 1) | Make | |
| 2) | Model | |
| 3) | Supported Cameras (Specify the Models) | |
| 4) | Supported Image Format (Should be H.264, MJPEG, MJPEG-4) | |
| 5) | Supported Image Resolution (Minimum 1280x960) | |
| 6) | Specify Supported Audio Format | |
| 7) | Maximum Number of Cameras (Minimum 64) | |
| 8) | Hard drive Type (1TB x 3, Should be SATA 3.0)* | |
| 9) | Specify the Maximum Number of Hard drive Slots. | |
| 10) | RAID (Should be RAID 5) | |
| 11) | Frame Rate (Should be 30fps) | |
| 12) | Number of Ethernet Interface (10/100/1000 Mbps) (Minimum 2) | |
| 13) | Supported Protocols | |
| 14) | Specify Supported Web browsers for GUI | |
| 15) | Specify the number of Simultaneous Users (Minimum 15 Users) | |
| 16) | Number of VGA Interface | |
| 17) | Number of HDMI Interface (Minimum 2) | |
| 18) | Number of USB Interface (Minimum 2 in front side and 2 in Back Side) | |
| 19) | Number of Composite Video Interface | |



Item No. 8 : Surveillance Cameras

| SI . # | NIT-T's specifications | Firm's Offer (All the details should be specified) |
|-----------|---|---|
| 20) | Number of RS232 Interface (Optional) | (All the details should be specified) |
| 21) | Number of MicroSD Slots (Optional) | |
| 22) | DVD RW SATA Optical Drive | |
| 23) | Power Input | |
| 24) | Maximum Power Consumption (Less than 200 Watts) | |
| 25) | Operating Temperature (Should be 10°to 55° C) | |
| 26) | Humidity (20% to 80% non-condensing) | |
| 27) | Weight in Kgs | |
| 28) | Dimension in mm | |
| 29) | Specify the Accessories comes with the product | |
| 30) | 3 Years Comprehensive on-site warranty | |
| 31) | *Unit Price for the above specification with 3TB (1TB SATA Harddisk x 3 numbers) | |
| 32) | *Unit Price for the above specification with 8TB (2TB SATA Harddisk x 4 numbers) | |



COMPUTER SUPPORT GROUP Item No. 8 : Surveillance Cameras

"TECHNICAL COMPLIANCE FORM"

CONFIGURATION-8: 16 CHANNEL NETWORK VIDEO RECORDER (NVR)

FIRM'S NAME AND ADDRESS:

| SI. | NIT-T's specifications | Firm's Offer |
|-----|--|---------------------------------------|
| # | | (All the details should be specified) |
| 1) | Make | |
| 2) | Model | |
| 3) | Supported Cameras (Specify the Models) | |
| 4) | Supported Image Format (Should be H.264, MJPEG, MJPEG-4) | |
| 5) | Supported Image Resolution (Minimum 1280x960) | |
| 6) | Specify Supported Audio Format | |
| 7) | Maximum Number of Cameras (Minimum 16) | |
| 8) | Hard drive Type (1TB, Should be SATA 3.0)* | |
| 9) | Specify the Maximum Number of Hard drive Slots. | |
| 10) | Frame Rate (Should be 30fps) | |
| 11) | Number of Ethernet Interface (10/100/1000 Mbps) (Minimum 1) | |
| 12) | Supported Protocols | |
| 13) | Specify Supported Web browsers for GUI | |
| 14) | Specify the number of Simultaneous Users (Minimum 4 Users) | |
| 15) | Number of VGA Interface | |
| 16) | Number of HDMI Interface (Minimum 1) | |
| 17) | Number of USB Interface (Minimum 2) | |
| 18) | Number of Composite Video Interface (Optional) | |



| SI. | NIT-T's specifications | Firm's Offer |
|-----|--|---------------------------------------|
| # | | (All the details should be specified) |
| 19) | Number of RS232 Interface (Optional) | |
| 20) | Number of MicroSD Slots | |
| 21) | DVD RW SATA Optical Drive | |
| 22) | Power Input | |
| 23) | Maximum Power Consumption (Less than 60 Watts) | |
| 24) | Operating Temperature (Should be 10°to 55° C) | |
| 25) | Humidity (20% to 80% non-condensing) | |
| 26) | Weight in Kgs | |
| 27) | Dimension in mm | |
| 28) | Specify the Accessories comes with the product | |
| 29) | 3 Years Comprehensive on-site warranty | |
| 30) | *Unit Price for the above specification with 1TB (1TB SATA Harddisk x 1 number) | |
| 31) | *Unit Price for the above specification with 4TB (2TB SATA Harddisk x 2 numbers) | |



Tender Notification No. NITT/CSG/OCT/2016

COMPUTER SUPPORT GROUP

Item No. 8 : Surveillance Cameras

<u>"TECHNICAL COMPLIANCE FORM"</u>

CONFIGURATION-9: 8 CHANNEL NETWORK VIDEO RECORDER (NVR)

FIRM'S NAME AND ADDRESS:

| SI. | NIT-T's specifications | Firm's Offer |
|-----|--|---------------------------------------|
| # | | (All the details should be specified) |
| 1) | Make | |
| 2) | Model | |
| 3) | Supported Cameras (Specify the Models) | |
| 4) | Supported Image Format (Should be H.264, MJPEG, MJPEG-4) | |
| 5) | Supported Image Resolution (Minimum 1280x960) | |
| 6) | Specify Supported Audio Format | |
| 7) | Maximum Number of Cameras (Minimum 8) | |
| 8) | Hard drive Type (1TB, Should be SATA 3.0)* | |
| 9) | Specify the Maximum Number of Hard drive Slots. | |
| 10) | Frame Rate (Should be 30fps) | |
| 11) | Number of Ethernet Interface (10/100/1000 Mbps) (Minimum 1) | |
| 12) | Supported Protocols | |
| 13) | Specify Supported Web browsers for GUI | |
| 14) | Specify the number of Simultaneous Users (Minimum 4 Users) | |
| 15) | Number of VGA Interface | |
| 16) | Number of HDMI Interface (Minimum 1) | |
| 17) | Number of USB Interface (Minimum 2) | |
| 18) | Number of Composite Video Interface (Optional) | |



Item No. 8 : Surveillance Cameras

| SI . # | NIT-T's specifications | Firm's Offer |
|-----------|---|---------------------------------------|
| | | (All the details should be specified) |
| 19) | Number of RS232 Interface (Optional) | |
| 20) | Number of MicroSD Slots | |
| 21) | DVD RW SATA Optical Drive (Optional) | |
| 22) | Power Input | |
| 23) | Maximum Power Consumption (Less than 40 Watts) | |
| 24) | Operating Temperature (Should be 10°to 55° C) | |
| 25) | Humidity (20% to 80% non-condensing) | |
| 26) | Weight in Kgs | |
| 27) | Dimension in mm | |
| 28) | Specify the Accessories comes with the product | |
| 29) | 3 Years Comprehensive on-site warranty | |
| 30) | *Unit Price for the above specification with 1TB (1TB SATA Harddisk x 1 number) | |
| 31) | *Unit Price for the above specification with 4TB (2TB SATA Harddisk x 2 numbers) | |



Tender Notification No. NITT/CSG/OCT/2016 COMPUTER SUPPORT GROUP Item No. 8 : Surveillance Cameras

NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI - 620015

Optional Items:

| SI. # | NIT-T's specifications | Firm's Offer (All the details should be specified) | Unit Price |
|----------|---|--|------------|
| 1) | Indoor Surveillance Camera Installation | | |
| 2) | Outdoor Surveillance Camera Installation | | |
| 3) | POE 8-port Switch | | |
| 4) | POE 4-port Switch | | |
| 5) | POE Injector | | |
| 6) | 15 feet steel pole 1.5" dia for outdoor surveillance cameras (including steel post fixing cost) | | |
| 7) | 20mm PVC Pipe 3m length | | |
| 8) | 10 meter Cat 6 UTP Ethernet Cable with RJ45 jacks at both ends | | |
| 9) | 20 meter Cat 6 UTP Ethernet Cable with RJ45 connectors at both ends | | |
| 10) | 30 meter Cat 6 UTP Ethernet Cable with RJ45 connectors at both ends | | |
| 11) | 40 meter Cat 6 UTP Ethernet Cable with RJ45 connectors at both ends | | |
| 12) | 20 meter Cat 6 STP Ethernet Cable with RJ45 connectors at both ends for along with Stay wire | | |
| 13) | 40 meter Cat 6 STP Ethernet Cable with RJ45 connectors at both ends for along with Stay wire | | |
| 14) | 60 meter Cat 6 STP Ethernet Cable with RJ45 connectors at both ends for along with Stay wire | | |
| 15) | 80 meter Cat 6 STP Ethernet Cable with RJ45 connectors at both ends for along with Stay wire | | |
| 16) | Any other relevant items | | |



Tender Notification No. NITT/CSG/OCT/2016

| | COMPUTER SUPPORT GROU | P |
|--|-----------------------|---|
|--|-----------------------|---|

Item No. 8 : Surveillance Cameras "DETAILS OF THE FIRM OFFERING THIS QUOTE"

(Write or print or type in block letters and please answer all the questions)

| 1. | Name of the firm: | |
|----|-------------------|--|
|----|-------------------|--|

- 2. Date of incorporation:
- 3. Nature of the company Government / Public / Private Company / Partnership / Proprietorship:
- 4. Specify the number of years in this line of activity by the company.
- 5. Quantity of sales in the last three years for the SURVEILLANCE CAMERAS (on rate contract basis):

2013-2014 2014-2015 2015-2016

6. Turn over in the last three years (Figures should be in Indian Rupees in Lakhs):

| 2013-2014 | 2014-2015 | 2015-2016 |
|-----------|-----------|-----------|
| | | |
| | | II |

- 7. Provide the postal address, telephone & fax numbers, and email address of the nearest service center.
- 8. What would be the delivery period in days from the date of placement of an official purchase order.
- Enclose the list of customers to whom you have supplied "Surveillance Cameras" during the last 3 years ending 31/03/2016 with full postal address and name of the contact person with phone, FAX numbers, and E-Mail id. Certificate regarding satisfactory performance of the "Surveillance Cameras" from the minimum three end users should be furnished.
- 10. Are you the manufacturer / authorized dealer / distributor / reseller for the product quoted:
- 11. Have you supplied any Surveillance Cameras to National Institute of Technology, Tiruchirappalli is the last 3 years? If yes, specify the quantity supplied in the last 3 years and last PO
- 12. Was there any elapse or delay in supplying the goods ordered or any service related issue during the warranty period for the products ordered by NIT-T with your firm? If yes, provide details.
- 13. On Manufacturer's Side to whom NITT have to contact in case of delayed supply and other issues committed by the authorized dealer / distributor / reseller :

| Contact Person Name : | |
|-----------------------|--------------------------|
| Address : | |
| E-mail ID : | Telephone / Cell Phone : |