# NATIONAL INSTITUTE OF TECHNOLOGY

## TIRUCHIRAPPALLI – 15

### DEPARTMENT OF MECHANICAL ENGINEERING

Web: www.nitt.edu Phone: 0431 – 250 3423



# TENDER DOCUMENT

Tender Notification No.:NITT/F-No: UG-MOD 022/PLAN 2013-14/MEC

Dated: 03.12.2013

Name of the Equipment : Single cylinder two stroke petrol engine

Quantity required : 02

EMD Amount : **Rs.20,000**/-

Cost of the Tender Document : Rs.150/-

Delivery : 3 weeks from PO

Last Date of submission of Tender : 03.01.2014 up to 3.00 p.m.

Address for submission of Tender : The Director,

National Institute of Technology-Tiruchirappalli,

Tiruchirappalli – 620015, Tamilnadu, India

Kind ATTN to: Dr. R. Anand& Dr. V. Arul MozhiSelvan

Asst. Professor(s)/ Mech. Engg.,

Date of opening of bid : **03.01.2014 at 3.30p.m** 



### NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI – 15

### **DEPARTMENT OF MECHANICAL ENGINEERING**

Tender Notification No.:NITT/F-No: UG-MOD 022/PLAN 2013-14/MEC Dated: 03.12.2013

### NOTICE INVITING TENDER

The National Institute of Technology, Tiruchirappalli (NITT) is an autonomous body under MHRD, GOI, imparting Technical Education and engaged in Research Activities. It is proposed to procure the following component for the departmental academic/research activities.

Sealed Quotations under *two bid system are* invited for the following equipment subject to the following terms and conditions, from the reputed manufacturers or their authorized dealers so as to reach this office on or before scheduled date and time. The technical cover will be opened on the same day in the presence of bidders or their authorized agents who may choose to be present.

Name of the Equipment :Single cylinder two stroke petrol engine

Quantity required : 02

EMD Amount : **Rs. 20,000**/-

Cost of the Tender Document :Rs.150/-

Delivery : 3 weeks from PO

Last Date of submission of Tender :03.01.2014up to3.00 p.m.

Tender to be submitted at the following address :The Director,

National Institute of Technology-Tiruchirappalli,

Tiruchirappalli – 620015, Tamilnadu, India

Kind ATTN to: Dr. R. Anand& Dr. V. Arul MozhiSelvan

Asst. Professor(s)/ Mech. Engg.,

Place, Date and time of opening of bid

<u>Date:</u> 03.01.2014 <u>Time:</u> 3.30 P.M. <u>Venue:NITT Store Room</u>

**Note:** The Institute shall not be responsible for any postal delay about non-receipt / non delivery of the bids or due to wrong addressee.

### **INSTRUCTIONS TO BIDDERS**

- 1. This document set contains the following:
  - a) Terms and conditions of the Tender
  - b) Details of the Firm offering this Quote
  - c) Technical Compliance Form
  - c) Quotation form (Price Bid)
  - d) Currency Form(quoted on behalf of the foreign suppliers)
  - d) NIT-T's check list copy
- 2. The bidder's copy is for your future records. Please fill in and return only NIT-T's copy.
- 3. The bidder should give details of their technical soundness and provide list of customers of previous supply of similar items to Universities, Institutes or Government Departments/Undertakings/public sectors with contact details. The details of the agency/profile should be furnished along with the copy of all related documents.
- 4. Read through the terms and conditions given and affix your signature and seal if you find them acceptable. Any deviations may be recorded. Read carefully list of specifications that we have enclosed.
- 5. Fill in the questionnaire regarding the Firm.
- 6. The downloaded documents 'Technical Compliance Form' and 'Quotation Form (Price Bid)' should be TYPE WRITTEN USING CAPITAL LETTERS ONLY. At the time of filling the "Quotation Form (Price Bid)" make sure that you have not missed anything. Specify the model number & specification for each item. The form should be filled item-wise. Do not leave blank fields. If you are not quoting for a specific item, you should specify "NOT QUOTING".
- 7. **Do not use** ambiguous terms like "yes", "complied" or "available". Specifically mention the matching specification of the product offered by you. Make sure that you have affixed your signature with date and seal on all the documents.
- 8. Please send the tenders in a sealed envelope super scribed as "QUOTATIONS AGAINST TENDER NOTIFICATION NO: NITT/F-No: UG-MOD 022/PLAN 2013-14/MECItem No.: 3so as to reach "The Director, National Institute of Technology, Tiruchirappalli 620 015, India" on or before 03.01.2014at 3.00 P.M.along with a Softcopy of the Technical Compliance form and Quotation Forms in MS-Excel file format in a CD/DVD or USB drive.
- 9. For any further clarifications, contact by E-Mail: anandachu@nitt.edu or by written request to "The Registrar, National Institute of Technology, Tiruchirappalli 620 015, India"
- 10. Prebid conference will be held on ...... at........

Last Date for receipt of tender at NIT-T : 03.01.2014up to 3.00 P.M. Opening Date for Tender : 03.01.2014at 3.30 P.M.

CHECKLIST TO BE FILLED IN BY BIDDER					
List of documents to be enclosed	Completed & Signed				
1. Terms and Conditions form	YES / NO				
2. Details of the Firm offering this Quote	YES / NO				
3. NIT-T's Quotation form (Technical & Price Bid)	YES / NO				
4. Currency Form(quoted on behalf of the foreign	YES / NO				
suppliers)					
5. Other technical specifications & pamphlets	YES / NO				

**Note:** 1. "Cover" should contain the following:

- a. Form of "Acceptance of Terms and Conditions".
- b. Form of "Firms details"
- c. Pamphlets, if any (in a separate sealed cover)
- 2. Quotation Form (Technical, Price Bid and Currency Form)

Please retain this page with you for your future reference.

#### Section 1. IN THE CASE OF TWO BID TENDERS

1.1 Bids are to be submitted under two cover system.

### 1.2 *Cover 1:*

### **Cover 1 should contain the following:**

a. EMD& Tender cost - Earnest Money Deposit (EMD)& Tender cost is to be remitted by way of Demand Draft /FDR/Bank Guarantee drawn on any Nationalised bank in Indiaby Demand Draft drawn on any scheduled bank in favour of "The Director, NIT, Trichy" payable at Trichy should be submitted. EMD & Tender cost shall bear no interest. Any bid not accompanying with EMD is liable to be treated as non-responsive and rejected.

### Cover 2:

- a. Technical pamphlets
- b. Detailed technical specification
- c. The agency should furnish copy of license certificate for manufacture/supply of the item\*
- d. The agency should furnish Income Tax PAN number & TIN number.\*
- e. The agency should furnish the last three years balance sheet approved by the CA and the IT clearance certificate.\*
- f. Warranty period offered for the tendered item to be specified. If the warranty period is not conforming with the schedule of requirements given in section 3 of the document, the bid is liable to be treated as non-responsive and rejected.
- g. Duly filled up technical questionnaire, if any
- h. Duly filled up deviation schedules to technical specification
- i. Copy of supply orders completed during the last three years
- j. If the prices are revealed in the cover 1, the offer will be summarily rejected
- 1.3 The cover 2 shall be super scribed as 'Technical cover' duly indicating the Tender reference No. and the due date of opening.
  - \* Appropriately pertaining to the country of origin.

### 1.4 Cover 3:

### Cover 3 should contain the following

Cover 3 shall contain Price only and shall be super scribed as 'Price Cover' duly indicating the Tender Reference No. and the due date of opening.

Each Cover shall be sent in a double sealed cover. The inner covers (Cover 1 and Cover 2) should be sealed individually with the Sellers's distinctive seal and super scribed with the tender reference no. and due date of opening. Both the inner covers shall be placed in a common outer cover which shall also be sealed with seller's distinctive seal and super scribed with the tender reference no. and due date of opening.

Mention "Kind Attention: <u>Dr. R. Anand& Dr. V. Arul MozhiSelvan, Asst. Professor(s), Mechanical Engineering</u>, and submit at the address given in the Notice Inviting Tender.

Cover 1 will be opened on the scheduled date and time mentioned in the tender enquiry.

Cover 2 of the technically and commercially suitable offers alone will be opened on a date which will be intimated to the qualified bidders.

### Section 2. "TERMS AND CONDITIONS FORM"

### IMPORTANT: READ ALL THE FOLLOWING TERMS AND CONDITIONS AND SIGN THE ACCEPTANCE CLAUSE FOLLOWING IT

- 1. The offers should be addressed to "The Director, National Institute of Technology, Tiruchirappalli 620015, India" and should be sent in a sealed envelope super scribed "QUOTATIONS AGAINST TENDER NOTIFICATION No.: NITT/F-No: UG-MOD 022/PLAN 2013-14/MECItem No.: 3" so as to reach us on or before 03.01.2014 up to 3.00 P.M.
- 2. Each offer should be sent in a sealed cover with the tender documents. <u>Tenders received through email or FAX will not be considered.</u> Softcopy of the Technical Compliance form and Quotation Forms should be submitted along with the tender in MS-Excel file format in a CD/DVD or USB drive. However, if there is any dispute between Hard copy and Soft copy, Hard copy will be taken.
- 3. The tenders will be opened on <u>03.01.2014 at 3.30 P.M.</u> in the presence of the vendors present with authorization letter from the respective companies / firms. Suppliers intending to attend the tender opening should intimate us in advance.
- 4. Full technical specifications and pamphlets should be sent along with the tenders. Offers without proper technical specifications will be rejected.
- 5. The rate quoted should be on unit basis(excluding taxes). Taxes and other charges should be quoted separately, considering exemptions if any.
- 6. All offers should indicate the taxes and duties applicable, if any. Additional charges for packing, forwarding, freight, insurance etc., if any, should be clearly mentioned. Clearance at Customs will be arranged by us.
- 7. NIT-T is paying concessional Customs & Excise duty under Government of India Notification No.51/96 for Central Customs and 10/97 for Central Excise Duty vide Certificate No.TU/V/RG-CDE(183)/2011 dt.10.10.11. Currently the purchaser is paying 5% Basic Customs Duty, 2% Educational Cess on Basic Customs Duty, 1% Higher Education Cess on EducationalCess, and 4% Import Additional Duty.
- 8. The Institute is not authorized to issue C and D forms of Sales tax certificate.
- 9. In case the offered items are to be imported, the rates should be quoted in foreign currency on C.I.F. Chennai Airport basis, and it should include the Freight up to Chennai airport and the insurance cover should be up to National Institute of Technology, Tiruchirappalli. NIT-T shall pay Customs duty if any.
- 10. If the price quoted is in foreign currency and if the order value is more than US\$10,000 then 100% payment will be made through Letter of Credit (LC) at sight on acceptance. If the order value is less than US\$10,000, then 100% payment will be through a Telegraphic Transfer (TT). The bank charges outside India should be borne by the Supplier / Beneficiary.Part shipment not allowed. If the price quoted is in Indian Rupees, then 100% payment will be made only after installation and commissioning. No advance payment will be made.
- 11. No revision of the price bid will be allowed once the price bids are opened. In case of foreign currency, the agency should mention the % of currency fluctuations they can bear.
- 12. No increase in price will be allowed after our firm orders are placed.
- 13. **Payment of excise duty and sales tax** / **VAT (on ultimate products)** as applicable on the closing date of tender will be to the supplier's / contractor's account. Any statutory variation (both plus and minus) in the rate of excise duty/sales tax/VAT after closing date of tender/revised price bid but before the expiry of the contractual delivery / completion period will be to the account of the office.
  - The bidder(s) will indicate, in their bid, the amount with exact rate of the Excise and Sales tax/VAT on ultimate finished product, as applicable at tendering stage, separately in the bid. In case the above information subsequently proves wrong, incorrect or misleading (a) this Institute will have no liability to reimburse the excess in the difference in rates of the item under which the duty/tax assessed finally (b) this Institute will have the right to recover the difference in case the rate of duty / tax finally assessed is on the lower side.

Any increase in excise duty, sales tax / VAT during extended period of the contract / supply order will be to supplier's / contractor's account where such extension in delivery of the materials/completion of the

- project was on the request of supplier / contractor. However, any decrease in excise duty/sales tax/ VAT during extended period of the contract / supply order, will be to the account of this Institute.
- 14. The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty should also be mentioned.
- 15. Quote should come from authorized dealer or distributor or reseller for each of the product quoted. An authorization letter should accompany your quote for each product quoted; otherwise it may lead to rejection.
- 16. The delivery period and other terms should be clearly mentioned.
- 17. Eligibility: Quotation from registered firms/company's / manufacturer under TNGST/CST / other statutory bodies alone be considered. Any Manufacturer / Supplier / Dealer who has been declared ineligible by World Bank/government of India shall not be eligible to participate in this bid. Any fraudulent practices including concealing of facts at the time of submission of bid and there after shall lead to disqualification. List of beneficiaries especially from Educational Institutions / R & D Institutions should also be enclosed with the quotations.
- 18. For those instruments Cost exceeding 5,00,000/- the company should have (i) Three similar works, each of value not less than 40% of the estimated cost put to tender, or(ii) Two similar works, each of value not less than 50% of the estimated cost, or(iii) One similar work of value not less than 80% of the estimated cost, all amounts rounded off to a convenient full figure, in the last 7 years ending on the last day of the month previous to theone in which the tenders are invited.
- 19. Complete user, technical and service documentation, and spare parts catalogue are to be provided along with the supply of the item.
- 20. The vendors are informed that they should not call us over phone or contact us in person. All clarifications can be obtained through E-Mail/FAX/Post. Vendors shall not make attempts to establish unsolicited and un-authorized contact with us after the opening of the offers and prior to the notification of the award. Any attempt by any vendor to bring to bear extraneous pressures on us shall be sufficient reason to disqualify the vendor.
- 21. Delay / loss in postal transit or due to other reasons will not be NIT-T's responsibility.
- 22. We are not responsible for accidental opening of the covers that are not properly super scribed and sealed before the time scheduled for opening.
- 23. The tender should be made only on the "Technical compliance form" & "Quotation form" which is available in our website, otherwise it shall lead to rejection. The technical compliance form & PRICE BID FORMshould be duly filled up (preferably TYPE WRITTEN IN CAPITAL LETTERS) and should clearly mention the features offered by the bidder against each specification.
- 24. Authorized signatory should sign on all the pages. Bids without authorized signatures will be rejected.
- 25. The manufacturers of the quoted make of the product must be of national / international repute and having ISO certificate.
- 26. **Liquidated damages:** If the bidder/supplier, after accepting the Purchase Order, fails to deliver any or all of the Goods within the period specified in the Order, NIT-T shall, without prejudice to its other remedies under the Rules of Purchase, proceed to cancel the order or agree to accept a delayed delivery on the condition of payment of liquidated damages by the bidder / supplier a sum equivalent to 0.50% of the total cost as indicated in the Purchase Order (which will be deemed as agreed price) for each week or part thereof of delay until actual delivery or performance is completed and such penal charges shall be limited to a maximum of 5% of the total cost. Once the maximum is reached NIT-T may proceed on its own to consider the termination / cancellation of the order.
- 27. The vendors are informed that they should sign a stamp paper agreement with us, for Warranty, AMC, etc. before placing the final purchase order as per our terms & conditions and 5% -10% of purchase order value in the form of bank guarantee towards performance security. The bank guarantee will be returned to the supplier after the successful completion of supply, installation, and the warranty period.
- 28. Failure to comply with all the terms and conditions mentioned herein would result in the tender being summarily rejected.
- 29. Vendors are informed that once the companies are shortlisted based on the technical specification, only then the price bids of the firms that meet NIT-T's Technical specification / requirements would be compared.

- 30. The order will be based on the actual requirement at the time of ordering, optional items may also be ordered based on the actual requirements at the time of ordering. Not quoting for this may result in disqualification.
- 31. NIT-T reserves the right to modify or alter the specifications after short listing of tenderers.
- 32. NIT-T reserves the right to change the order quantity or split the orders among multiple vendors without assigning any reason(s) whatsoever.
- 33. NIT-T reserves the right to reject any or all the tenders without assigning any reasons whatsoever.
- 34. NIT-T reserves the right to purchase decrease the number of quantity of the item to be purchased
- 35. The agencies should submit their rate as per the format given in Section 4 of the Notice Inviting Tender in this cover. All the pages of the bid should be signed affixing the seal. All corrections and overwriting should be initialed.
- 36. The tender will be acceptable only from the manufacturers or its authorized supplier.
- 37. The bid shall be in the format of price schedule given in Section 4. The contract form as per format given in section 5 shall be submitted. Incomplete or conditional tender will be rejected.
- 38. Details of quantity and the specifications are mentioned in Section 3 appended to this Notice Inviting Tender
- 39. The item to be used is strictly according to the specification and subject to test by the Institute/concerned authorities. It must be delivered and installed in good working condition.
- 40. The Contractor/Supplier shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the work/supply in full but he did not derive in consequence of the foreclosure of the whole or part of the works.
- 41. In case of dispute, the matter will be subject to Tiruchirappalli, Tamil Nadu Jurisdiction only.

**Release of EMD**: The EMD shall be released after receipt of performance security from successful bidder.

<u>Validity of bids</u>: The rate quote should be valid for a minimum of 120 days. No claim for escalation of rate will be considered after opening the Tender.

<u>Imports</u>: In case, goods are to be imported, the Indian agent should furnish authorization certificate by the principles abroad for submission of the bid in response to this Notice Inviting Tender.

<u>Clarification of Tender Document</u>: A prospective bidder requiring any clarification of the Tender document may communicate to the contact person given in this notice inviting tender.

**Amendment of tender document:** At any time prior to the last date of receipt of bids, Institute may for any reason, whether at its own initiative or in response to a clarification requested by prospective bidder, modify the Tender document by an amendment.

### The Institute may at its own discretion extend the last date for the receipt of bids.

The bids shall be written in English language and any information printed in other language shall be accompanied by an English translation, in which case for the purpose of interpretation of the bid, the English translation shall govern.

The Institute reserves the right of accepting any bid other than the lowest or even rejecting all the bids

without assigning any reasons therefor. The decision of the Institute Purchase Committee is final in all matters of tender and purchase.

The bidder should give the following declaration while submitting the Tender.

### **ACCEPTANCE**

We accept the above terms and conditions and shall comply with them strictly.

# NAME OF THE VENDOR: ADDRESS:

# "<u>DETAILS OF THE FIRM OFFERING THIS QUOTE</u>" (Write or print or type in block letters and please answer all the questions)

(write of print of type in block let	ters and preuse answer an the questions,
1. Name of the firm?	2. Date of incorporation?
3. Nature of the company - Government / Public / P	rivate Company / Partnership / Proprietorship:
4. Specify the number of years in this line of activity	y by the Company :.
5. Quantity of sales in the last three years for the "	
2009-2010 2010	<b>)-2011 2011-2012</b>
6. Turn over in the last three years (Figures should by	be in Indian Rupees in Lakhs):
2009-2010 2010	D-2011 2011-2012
7. Provide the postal address, telephone & fax numb	bers, and email address of the nearest service center.
,	ocation trained on the product quoted along with their tion (applicable only for instruments) and B) Assured
A)	B)
9. What would be the delivery period in days from t	the date we place an official purchase order.
ending 31/03/2012 with full postal address and	e supplied "" during the last 3 years name of the contact person with phone, FAX numbers, bry performance of the "" from the
3. Are you the authorized dealer or distributor or re	eseller for the products quoted:
4. Have you supplied "" to Nation years? If yes, specify the quantity supplied in the	onal Institute of Technology, Tiruchirappalli is the last 3 e last 3 years and last PO reference

5.	J 1 J 1	dered by NIT-T with your firm? If yes, provide details.	he
6.	On Manufacturer's Side to whom committed by the authorized dealer	NITT have to contact in case of delayed supply and othe / distributor / reseller :	r issues
	Contact Person Name : Address : E-mail ID :	Telephone / Cell Phone :	

### **DECLARATION**

I/we have not tampered/modified the tender forms in any manner. In case, if the same is found to be tampered/modified, I/we understand that my/our tender will be summarily rejected and full Earnest Money Deposit (EMD) will be forfeited and I/we am/are liable to be banned from doing business with NIT, Trichy and /or prosecuted.

Signature of the Bidder	:
Name and Designation	<b>:</b>
<b>Business Address</b>	:
	•••••••••••••••••••••••••••••••••••••••
Place :	
Date:	Seal of the Bidder's Firm

### SECTION: 3 SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS

Name of the Component to be procured: Single cylinder two stroke petrol engine

Specifications : Annexure I

Quantity : 02

Any other details/requirement : Annexure I

Warranty period required : One year or more

Delivery schedule expected after release of purchase order (in weeks)

EMD (in Rupees) : **Rs. 20,000/**-

Performance Security to be given by Successful bidder after release of purchase order (in Rupees) : 10% of the equipment Cost

3 weeks from PO

### **SECTION: 4 PRICE SCHEDULE**

[ To be used by the bidder for submission of the bid ]

1.	Component Name	:
2.	Specifications (confirming to Section 3 of Tender document-enclose additional sheets if necessary)	:
3.	Currency and Unit Price(excluding	:
	taxes)	
4.	Quantity	:
5.	Item cost (Sl.No.3 & Sl.No.4) (in Indian Rupee)	:
6.	Taxes and other charges	:
	<ul><li>(i) Specify the type of taxes and duties in percentages and also in figures</li><li>(ii) Specify other charges in</li></ul>	<b>:</b>
	figures	
7	Total Price (including taxes & other	
	charges)	
8.	Warranty period (confirming to the Section 3 of Tender document. This should be mentioned in Technical bid also in order to get qualified for Financial bid)	:
9.	Delivery Schedule (confirming to the	:
10.	Section 3 of Tender document) Name and address of the firm for placing purchase order	:
11.	Name and address of Indian authorized agent (in case of imports only)	:
Sign	nature of the Bidder :	
Nan	ne and Designation :	
Rus	iness Address :	
Dus	***************************************	••••••
Plac Dat		Seal of the Ridder's Firm

### **SECTION: 5 CONTRACT FORM**

[ To be provided by the bidder in the business letter head ]

1.	{Name of the Supplier's Firm) hereby abide to deliver the
2.	The item will be supplied conforming to the specifications stated in the tender document without any defect and deviations.
3.	Warranty will be given for the period mentioned in the tender document and service will be rendered to the satisfaction of NIT, Trichy during this period.
Sign	nature of the Bidder :
Nan	ne and Designation :
Bus	iness Address :
Plac	ee:
Date	e : Seal of the Bidder's Firm

### Annexure I

### Single cylinder two stroke petrol engine

### Specifications:

No of Cylinder Cooling Air Cooled Fuel Petrol Speed 2800 rev/m HP 2.5 HP Starting Kick start Lubrication Forced Dynamometer Type: Eddy Current Dynamometer Cooling Air Load Measurement method Max Speed HP Soupling Type Shell and Tube Material of Construction More Temp measuring points in test rig Type Water flow Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel More of Measurements Air Flow Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel More of Measurements Air Flow Type Square (Size: 500mm X 500mm) Material of Construction More of Measurements Air Flow Type/Description Burette with stop watch Engine Speed Type/Description Range O-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range I0-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted) Range O-999°C	Engine	
Cooling	_	Single
Fuel Speed 2800 rev/m HP 2.5 HP Starting Kick start Lubrication Forced  Dynamometer Type: Eddy Current Dynamometer Cooling Air Load Measurement method Load cell Max Speed 3000 rev/m HP 3 HP Coupling Type Direct Tyre Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel Method of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Fuel Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Fuel Flow Type/Description Digital (Panel Mounted)		-
Speed 2800 rev/m HP 2.5 HP Starting Kick start Lubrication Forced  Dynamometer  Type: Eddy Current Dynamometer Cooling Air Load Measurement method Load cell Max Speed 3000 rev/m HP 3 HP Coupling Type Direct Tyre  Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel Method of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Type/Description Digital (Panel Mounted)		Petrol
HP 2.5 HP Starting Kick start Lubrication Forced  Dynamometer  Type: Eddy Current Dynamometer  Cooling Air Load Measurement method Load cell Max Speed 3000 rev/m HP 3 HP Coupling Type Direct Tyre  Exhaust Gas Calorimeter  Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve Air Tank  Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel Material of Construction Mild Steel  Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel  Method of Measurements  Air Flow  Type/Description Glass tube manometer  Fuel Flow  Type/Description Burette with stop watch  Engine Speed  Type/Description Non-contact PNP sensor  Range 0-9999 RPM  Water Flow  Type/Description Acrylic Body Rotameter  Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Type/Description Digital (Panel Mounted)	Speed	2800 rev/m
Lubrication Forced  Dynamometer Type: Eddy Current Dynamometer Cooling Air Load Measurement method Load cell Max Speed 3000 rev/m HP 3 HP Coupling Type Direct Tyre  Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel Mothod of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)	-	2.5 HP
Lubrication Forced  Dynamometer Type: Eddy Current Dynamometer Cooling Air Load Measurement method Load cell Max Speed 3000 rev/m HP 3 HP Coupling Type Direct Tyre  Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel  Method of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM  Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer  Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)	Starting	Kick start
Type: Eddy Current Dynamometer Cooling Air Load Measurement method Load cell Max Speed 3000 rev/m HP 3 HP Coupling Type Direct Tyre Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel Method of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Type/Description Digital (Panel Mounted)		Forced
Cooling Air Load Measurement method Load cell Max Speed 3000 rev/m HP 3 HP Coupling Type Direct Tyre  Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve  Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel  Model Measurements  Air Flow Type/Description Glass tube manometer  Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM  Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer  Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)	Dynamometer	•
Cooling Air Load Measurement method Load cell Max Speed 3000 rev/m HP 3 HP Coupling Type Direct Tyre  Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel  Method of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)	Type:	Eddy Current Dynamometer
Load Measurement method Max Speed Max Speed HP By By Coupling Type Direct Tyre  Exhaust Gas Calorimeter Type Material of Construction No of Temp measuring points in test rig Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel No of Temp measuring points in test rig Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel Method of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)		·
HP 3 HP Coupling Type Direct Tyre  Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve Ari Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel  Method of Measurements Air Flow Type/Description Glass tube manometer  Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM  Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer  Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)		Load cell
HP Ocupling Type Direct Tyre  Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve  Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel  Method of Measurements  Air Flow Type/Description Glass tube manometer  Fuel Flow Type/Description Burette with stop watch  Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM  Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer  Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)	Max Speed	3000 rev/m
Exhaust Gas Calorimeter Type Shell and Tube Material of Construction Mild Steel No of Temp measuring points in test rig 6 Thermocouple Type "K" Water flow Control Valve Gate Valve Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel Method of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)		3 HP
Type Shell and Tube  Material of Construction Mild Steel  No of Temp measuring points in test rig 6 Thermocouple Type "K"  Water flow Control Valve Gate Valve  Air Tank  Type Square (Size: 500mm X 500mm)  Material of Construction Mild Steel  Method of Measurements  Air Flow  Type/Description Glass tube manometer  Fuel Flow  Type/Description Burette with stop watch  Engine Speed  Type/Description Non-contact PNP sensor  Range 0-9999 RPM  Water Flow  Type/Description Acrylic Body Rotameter  Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Coupling Type	Direct Tyre
Material of Construction  No of Temp measuring points in test rig Thermocouple Type Water flow Control Valve  Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel  Method of Measurements  Air Flow Type/Description Glass tube manometer  Fuel Flow Type/Description Burette with stop watch  Engine Speed Type/Description Non-contact PNP sensor  Range O-9999 RPM  Water Flow Type/Description Acrylic Body Rotameter Range I0-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer  Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)		
No of Temp measuring points in test rig Thermocouple Type Water flow Control Valve Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Method of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)	Туре	Shell and Tube
Thermocouple Type "K" Water flow Control Valve Gate Valve  Air Tank  Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel  Method of Measurements  Air Flow  Type/Description Glass tube manometer  Fuel Flow  Type/Description Burette with stop watch  Engine Speed  Type/Description Non-contact PNP sensor  Range 0-9999 RPM  Water Flow  Type/Description Acrylic Body Rotameter  Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Material of Construction	Mild Steel
Water flow Control Valve  Air Tank  Type Square (Size: 500mm X 500mm)  Material of Construction Method of Measurements  Air Flow  Type/Description Glass tube manometer  Fuel Flow  Type/Description Burette with stop watch  Engine Speed  Type/Description Non-contact PNP sensor  Range 0-9999 RPM  Water Flow  Type/Description Acrylic Body Rotameter  Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	No of Temp measuring points in test rig	6
Air Tank Type Square (Size: 500mm X 500mm) Material of Construction Mild Steel  Method of Measurements  Air Flow Type/Description Glass tube manometer  Fuel Flow Type/Description Burette with stop watch  Engine Speed Type/Description Non-contact PNP sensor  Range 0-9999 RPM  Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)		"K"
Type Square (Size: 500mm X 500mm)  Material of Construction Mild Steel  Method of Measurements  Air Flow  Type/Description Glass tube manometer  Fuel Flow  Type/Description Burette with stop watch  Engine Speed  Type/Description Non-contact PNP sensor  Range 0-9999 RPM  Water Flow  Type/Description Acrylic Body Rotameter  Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Water flow Control Valve	Gate Valve
Material of Construction  Method of Measurements  Air Flow  Type/Description  Glass tube manometer  Fuel Flow  Type/Description  Burette with stop watch  Engine Speed  Type/Description  Non-contact PNP sensor  Range  0-9999 RPM  Water Flow  Type/Description  Acrylic Body Rotameter  Range  10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank  Load Cell  Temperature  Type/Description  Digital (Panel Mounted)	Air Tank	
Method of Measurements Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)	Type	Square (Size: 500mm X 500mm)
Air Flow Type/Description Glass tube manometer Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)	Material of Construction	Mild Steel
Type/Description  Fuel Flow Type/Description  Burette with stop watch  Engine Speed  Type/Description  Non-contact PNP sensor  Range  0-9999 RPM  Water Flow  Type/Description  Acrylic Body Rotameter  Range  10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank  Load Cell  Temperature  Type/Description  Digital (Panel Mounted)	Method of Measurements	
Fuel Flow Type/Description Burette with stop watch Engine Speed Type/Description Non-contact PNP sensor Range 0-9999 RPM Water Flow Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling Load of Eddy Current Dynamometer Load Bank Load Cell Temperature Type/Description Digital (Panel Mounted)	Air Flow	
Type/Description  Engine Speed  Type/Description  Non-contact PNP sensor  Range  0-9999 RPM  Water Flow  Type/Description  Acrylic Body Rotameter  Range  10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank  Load Cell  Temperature  Type/Description  Digital (Panel Mounted)	Type/Description	Glass tube manometer
Engine Speed  Type/Description Non-contact PNP sensor  Range 0-9999 RPM  Water Flow  Type/Description Acrylic Body Rotameter  Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Fuel Flow	
Type/Description Non-contact PNP sensor  Range 0-9999 RPM  Water Flow  Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Type/Description	Burette with stop watch
Range 0-9999 RPM  Water Flow  Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Engine Speed	
Water Flow  Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Type/Description	Non-contact PNP sensor
Type/Description Acrylic Body Rotameter Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Range	0-9999 RPM
Range 10-100 LPH for calorimeter Cooling  Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Water Flow	•
Load of Eddy Current Dynamometer  Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Type/Description	Acrylic Body Rotameter
Load Bank Load Cell  Temperature  Type/Description Digital (Panel Mounted)	Range	10-100 LPH for calorimeter Cooling
Temperature  Type/Description Digital (Panel Mounted)	Load of Eddy Current Dynamometer	-
Type/Description Digital (Panel Mounted)	Load Bank	Load Cell
	Temperature	
Range 0-999°C	Type/Description	Digital (Panel Mounted)
	Range	0-999°C

Measurement of Temperatures at different points					
Туре	"K"				
Range	0-900°C				
Indication	Digital				
Location	Exhaust Smoke inlet to calorimeter				
Type	"K"				
Range	0-300°C				
Indication	Digital				
Location	Exhaust Smoke outlet from calorimeter				
Type	"K"				
Range	0-1500°C				
Indication	Digital				
Location	Water Inlet to Calorimeter				
Type	"K"				
Range	0-1500°C				
Indication	Digital				
Location	Water Outlet from Calorimeter				
Туре	"K"				
Range	0-300°C				
Indication	Digital				
Location	Water outlet from Auxiliary engine Head				
Type	"K"				
Range	0-300°C				
Indication	Digital				
Location	Ambient				
Data Acquisition module					
Processor Speed	16 MHz				
Number of Analog channels	7				
Number of Digital channels	2				
Connectivity	USB-2				
Power	USB powered				
Processor Speed	16 MHz				
Sensors					
Temperature Sensor, Type "K" thermocouple	0 – 1200°C				
with amplifier and signal conditioner					
(For measurement of Exhaust gas temperature					
immediately after engine head)					
Temperature Sensor, Type "K" thermocouple with	h 0-300°C				
amplifier and signal conditioner					
(For measurement of Exhaust gas temperature					
after calorimeter)	<u> </u>				
Temperature Sensor, Type "K" thermocouple with					
amplifier and signal conditioner (For measurement	of				
cooling water inlet temperature -engine and					
calorimeter)					
Temperature Sensor, Type "K" thermocouple with					
amplifier and signal conditioner (For measurement	of				
engine water outlet temperature)					
Temperature Sensor, Type "K" thermocouple with					
amplifier and signal conditioner (For measurement	of				
calorimeter water outlet temperature)					
Inductive PNP sensor and signal conditioner (For	0-10000rpm				

measurement of engine speed)				
Fully Automatic volumetric fuel flow meter with	_	0-8 liters/hr		
conditioner (For measurement of engine fuel flow	w rate )			
Differential Pressure transducer with signal cond	litioner	1-50 Kgs/hr		
(For measurement of engine Air flow rate)				
Software				
Windows based Real Time software capable of	Engine S	e Speed, Engine Fuel Flow Rate		
acquiring, processing and exporting data to	Engine A	e Air Flow Rate, Engine Exhaust		
Microsoft excel. The powerful software presents Tempera		, 0		
the key engine performance parameters both in Tempera		ture, Engine Water Outlet		
tabulated and graphical form. Tempera		ture, Calorimeter Exhaust Gas outlet		
Tempera		ture, Calorimeter Water Outlet		
	Temperat	Temperature, Engine Power ( upon manual		
entry of		Fengine load), Specific Fuel		
	Consump	ption, Brake Thermal Efficiency,		
	Volumetr	olumetric Efficiency, Heat Balance.		

### NATIONAL INSTITUTE OF TECHNOLOGY, TIRUCHIRAPALLI

Annexure-B

### PRICE BID FORMAT FOR INDIAN BIDDERS

il Io.	Description of item	Unit (SET /No)	QTY	Rate /Qty in Rs. (excluding of	ED in %	VAT/CST IN %	Service Tax in	Total Value in Rs. (inclusive of all taxes)
1)	(2)	(3)	(4)	all taxes) (5)	(6)	(7)	(8)	(9)
1	Supply portion (The price indicated shall be exclusive of all accessories, spares etc. as given in the scope of supply)							
2	Other accessories / spares etc as given in scope of supply (Individual item-wise break-up price shall be attached as an annexure to this price bid format.)							
3	Installation & Commissioning (extra, if any)							
4	Packing & Forwarding	charges	(extra,	if any) in percer	ntage (or) Lu	ımpsum		
5	FOR Dispatching station value in Rs.							
6	Freight & Transit insurance charges, extra, if any (Lumpsum or %)							
7	Total all inclusive price delivered, installed and commissioned at NITT							

Signature & Seal of Vendor The price bid should be submitted only as per the above format. No row shall be left blank. Please indicate NA, in case the item is "not applicable"The price bid will be rejected if any column is left emty.