

NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI – 620 015 ESTATE MAINTENANCE DEPARTMENT

Web site : www.nitt.edu

Ref: NITT/EM//Civil Works /No-4 / 12-13

Date.17.10.2012

The Chief of works, Estate Maintenance Department , NIT, Trichirappalli- 620 015 invites on behalf of The Director, NIT, Trichirappalli--620 015 sealed item rate tenders from the approved and eligible contractors of NITT/CPWD and those in the appropriate list of Tamil nadu state PWD, Railways, MES and BSNL for the following work. Sealed tenders will be received by the **Registrar**, **National Institute of Technology** at his Office at National Institute of technology, Trichirappalli--15 up to 3.00 p.m on 09.11.2012... The tender will be opened in the office of the Registrar.

Details

Enq No.	Id. No.	Name of work & Location	Estimate cost put to tender (Rs)	Earnest Money (Rs)	Tender cost (Rs)	Last date and time of submission of Tender	Time and date of opening of tender
04	54	Providing Aluminum partition, Gypboard false ceiling for Entrepreneurship and Incubation centre to room no.301 & 302 in New Library Building.	9,30,161/	18700/-	530/-	Up to 3.00 PM on 9.11.2012	At 3.30 PM on 9.11.2012

The tender should accompany, Earnest Money Deposit and Tender cost as detailed above through two different Demand Drafts payable at State Bank of India, NITT Branch in favor of The Director, National Institute of Technology, Trichy-15. This earnest money will be refunded to the unsuccessful tenderer or rejection of the tender or at the expiry of two months from date of tender, whichever is earlier. The earnest money will be retained in the case of the successful tenderer and will not carry any interest.

Tender must be submitted in sealed covers and should be addressed to The Director, National Institute of Technology, Trichirappalli-15 and the name of the tenderer, name of the work and Ref.No. being noted on the cover.

Sd

Chief of Works/EMD

Copy submitted to: The Director, NIT for kind information

NITT web site Details of tender may be seen at web http: www.nit.edu.

Estate maintenance Department Notice board

Providing Aluminum partition, Gypboard false ceiling for Entrepreneurship and Incubation centre to room no 301 & 302 in New

Name of Work:

Library Building

S.No.	DESCRIPTION OF ITEM	QTY		RATE	UNI T	AMOUNT
1	Providing and fixing IS: 3564 marked Aluminium die cast body tubular type universal hydraulic door closer with necessary accessories and screws etc. complete.	9	Nos		each	
2	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete:					
2.1	150x10 mm	11	Nos		each	
3	Providing and fixing aluminium hanging floor door stopper ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade with necessary screws etc. complete.					
3.1	Single rubber stopper	18	Nos		each	

4	Providing and fixing at all height false ceiling including providing and fixing of frame work made of special sections power pressed from M.S. sheet and galvanised in accordance with zinc coating of grade 350 as per IS: 277 and consisting of angle cleat			
4.1	12.5 mm thick tapered edge gypsum board conforming to IS: 2095- Part I,	390	sqm	sqm
		330	Sqiii	Sqiii
5	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade:			
5.1	Two or more coats on new work			
		500	sqm	sqm
6	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixed with rawl plugs and			
6.1	For fixed portion.			
6.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	800	kg	kg
6.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of PVC / neoprene gasket required (Fittings shall be paid for separately).			
6.2.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)			
		130	kg	kg

Providing and fixing 9 mm thick Pre-
laminated particle board flat pressed three
layer or graded wood particle board
conforming to IS: 12823 Grade I Type II, in
panelling fixed in aluminium doors,
windows shutters and partition frames
with C.P. brass / st

7

7.1	Pre-laminated particle board with decorative lamination on both sides.			
		170	sqm	sqm
8	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with PVC/ neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be			
8.1	With float glass panes of 5.00 mm thickness	90	sqm	sqm
9	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.			
		9	Nos	each
10	Providing and fixing Aluminum handle (American) etc complete.			
		36	Nos	each
		Total		

<u>Total</u>

Associate Dean

Chief of Works Estate Maintenance Department