


# NATIONAL INSTITUTE OF TECHNOLOGY

## TIRUCHIRAPPALLI – 15

**Department of Metallurgical and Materials Engineering**

**Web: [www.nitt.edu](http://www.nitt.edu)**

**Phone: +914312503462**



# TENDER DOCUMENT

**Tender Notification No.: NITT/F.No.:047/PLAN2012-13/MME**

**Dated: 05/02/2013**

Name of the component : Vacuum Emission Spectrometer - 80 Elements

Quantity required : 01 No.

EMD Amount : Rs.10000/-

Cost of the Tender Document : Rs.150

Delivery : 4 to 6 weeks from the date of purchase order

Last Date of submission of Tender : 18.03.2013 up to 3.00 p.m.

Address for submission of Tender : The Director,  
National Institute of Technology- Tiruchirappalli,  
Tiruchirappalli – 620015, Tamilnadu, India  
Kind ATTN to: Dr.S.P.Kumaresh Babu  
Associate Professor, Dept. of MME.

Date of opening of Technical Bid : **18.03.2013 at 3.30 p.m**  
The Date of opening for Commercial Bid will be communicated Through E-mail



**Tender Notification No.:** NITT/F.No.:047/PLAN2012-13/MME

Dated: 05/02/2013

**NOTICE INVITING TENDER**

The National Institute of Technology, Tiruchirappalli (NITT) is an autonomous body under MHRD, GOI, imparting Technical Education and engaged in Research Activities. It is proposed to procure the following component for the departmental academic/research activities.

Sealed Quotations under **two cover system** are invited for the following component subject to the following terms and conditions, from the reputed manufacturers or their authorized dealers so as to reach this office on or before scheduled date and time. The technical cover will be opened on the same day in the presence of bidders or their authorized agents who may choose to be present.

Name of the component : Vacuum Emission Spectrometer - 80 Elements

Quantity required : 01 No.

EMD : Rs.10000/-

Cost of the Tender Document : Rs.150

Time for completion of supply after placing purchase order : 4 to 6 weeks from the date of purchase order

Last Date of submission of Tender : 18.03.2013 up to 3.00 p.m.

Tender to be submitted at the following address : The Director,  
NIT- Tiruchirappalli – 620015,  
Kind ATTN to: Dr.S.P.Kumaresh Babu  
Associate Professor, Dept. of MME.

***Place, Date and time of opening of Technical Bid*** :

**Date:** 18.03.2013

**Time:** 3.30 pm

**Venue:** NITT - Stores

**Note :** The Institute shall not be responsible for any postal delay about non-receipt / non delivery of the bids or due to wrong addressee.

## INSTRUCTIONS TO BIDDERS

**BIDDER'S COPY**

1. This document set contains the following:
  - a) Terms and conditions of the Tender
  - b) Details of the Firm offering this Quote
  - c) Technical Compliance Form
  - c) Quotation form (Price Bid)
  - d) Currency Form (quoted on behalf of the foreign suppliers)
  - d) NIT-T's check list copy
2. The bidder's copy is for your future records. Please fill in and return only NIT-T's copy.
3. The bidder should give details of their technical soundness and provide list of customers of previous supply of similar items to Universities, Institutes or Government Departments/Undertakings/public sectors with contact details. The details of the agency/profile should be furnished along with the copy of all related documents.
4. Read through the terms and conditions given and affix your signature and seal if you find them acceptable. Any deviations may be recorded. Read carefully list of specifications that we have enclosed.
5. Fill in the questionnaire regarding the Firm.
6. The downloaded documents '**Technical Compliance Form**' and '**Quotation Form (Price Bid)**' should be **TYPE WRITTEN USING CAPITAL LETTERS ONLY**. At the time of filling the "**Quotation Form (Price Bid)**" make sure that you have not missed anything. Specify the model number & specification for each item. The form should be filled item-wise. Do not leave blank fields. If you are not quoting for a specific item, you should specify "**NOT QUOTING**".
7. **Do not use** ambiguous terms like "**yes**", "**complied**" or "**available**". Specifically mention the matching specification of the product offered by you. Make sure that you have affixed your signature with date and seal on all the documents.
8. Please send the tenders in a sealed envelope super scribed as "**QUOTATIONS AGAINST TENDER NOTIFICATION NO: NITT/F.No.:047/PLAN2012-13/MME Item No.: 047**" so as to reach "The Registrar, National Institute of Technology, Tiruchirappalli - 620 015, India" on or before **18.03.2013 at 3.00 pm** along with a **Softcopy of the Technical Compliance form and Quotation Forms in MS-Excel file format in a CD/DVD or USB drive**.
9. For any further clarifications, contact by E-Mail: [babu@nitt.edu](mailto:babu@nitt.edu) and [registrar@nitt.edu](mailto:registrar@nitt.edu) or by written request to "The Registrar, National Institute of Technology, Tiruchirappalli - 620 015, India"
10. Pre-bid meeting for the suppliers/manufacturers will be held on **02.03.2013, Saturday at 10.30 am**.

**Last Date for receipt of tender at NIT-T : 18.03.2013 at 3.00 pm**  
**Opening Date for Tender : 18.03.2013 at 3.30 pm**

### **CHECKLIST TO BE FILLED IN BY BIDDER**

List of documents to be enclosed	Completed & Signed
1. Terms and Conditions form	YES / NO
2. Details of the Firm offering this Quote	YES / NO
3. NIT-T's Quotation form (Technical & Price Bid)	YES / NO
4. Currency Form(quoted on behalf of the foreign suppliers)	YES / NO
5. Other technical specifications & pamphlets	YES / NO

- Note:** 1. "Cover" should contain the following:
- a. Form of "**Acceptance of Terms and Conditions**".
  - b. Form of "**Firms details**"
  - c. Pamphlets, if any (in a separate sealed cover)
2. Quotation Form (Technical, Price Bid and Currency Form)

**Please retain this page with you for your future reference.**

Section 1. IN THE CASE OF TWO BID TENDERS

1.1 *Bids are to be submitted under two cover system.*

1.2 Cover 1:

Cover 1 should contain the following:

- a. *EMD - Earnest Money Deposit (EMD) is to be remitted by way of Demand Draft drawn on any Nationalised bank in India by Demand Draft drawn on any scheduled bank in favour of “The Director, NIT, Trichy” payable at Trichy should be submitted. EMD shall bear no interest. Any bid not accompanying with EMD is liable to be treated as non-responsive and rejected.*
  - b. *Technical pamphlets*
  - c. *Detailed technical specification*
  - d. *The agency should furnish copy of license certificate for manufacture/supply of the item\**
  - e. *The agency should furnish Income Tax PAN number & TIN number.\**
  - f. *The agency should furnish the last three years balance sheet approved by the CA and the IT clearance certificate.\**
  - g. *Warranty period offered for the tendered item to be specified. If the warranty period is not conforming with the schedule of requirements given in section 3 of the document, the bid is liable to be treated as non-responsive and rejected.*
  - h. *Duly filled up technical questionnaire, if any*
  - i. *Duly filled up deviation schedules to technical specification*
  - j. *Copy of supply orders completed during the last three years*
  - k. *If the prices are revealed in the cover 1, the offer will be summarily rejected*
- 1.3 *The cover 1 shall be super scribed as ‘Technical cover’ duly indicating the Tender reference No. and the due date of opening.*

*\* Appropriately pertaining to the country of origin.*

1.3 Cover 2:

Cover 2 should contain the following

*Cover 2 shall contain Price only and shall be super scribed as ‘Price Cover’ duly indicating the Tender Reference No. and the due date of opening.*

*Each Cover shall be sent in a double sealed cover. The inner covers (Cover 1 and Cover 2) should be sealed individually with the Sellers’s distinctive seal and super scribed with the tender reference no. and due date of opening. Both the inner covers shall be placed in a common outer cover which shall also be sealed with seller’s distinctive seal and super scribed with the tender reference no. and due date of opening.*

*Mention “Kind Attention: Dr.S.P.Kumaresh Babu,Associate Professor, Dept. of MME, and submit at the address given in the Notice Inviting Tender.*

*Cover 1 will be opened on the scheduled date and time mentioned in the tender enquiry.*

*Cover 2 of the technically and commercially suitable offers alone will be opened on a date which will be intimated to the qualified bidders.*

## Section 2. “TERMS AND CONDITIONS FORM”

### **IMPORTANT: READ ALL THE FOLLOWING TERMS AND CONDITIONS AND SIGN THE ACCEPTANCE CLAUSE FOLLOWING IT**

1. The offers should be addressed to “The Registrar, National Institute of Technology, Tiruchirappalli 620015, India” and should be sent in a sealed envelope super scribed “**QUOTATIONS AGAINST TENDER NOTIFICATION No.: NITT/F.No.:047/PLAN2012-13/MME Item No.: 047**” so as to reach us **on or before 18.03.2013 at 3.00 pm**
2. Each offer should be sent in a sealed cover with the tender documents. Tenders received through email or FAX will not be considered. **Softcopy of the Technical Compliance form and Quotation Forms should be submitted along with the tender in MS-Excel file format in a CD/DVD or USB drive. However, if there is any dispute between Hard copy and Soft copy, Hard copy will be taken.**
3. The tenders will be opened on **18.03.2013 at 3.30 pm** in the presence of the vendors present with authorization letter from the respective companies / firms. Suppliers intending to attend the tender opening should intimate us in advance.
4. Full technical specifications and pamphlets should be sent along with the tenders. **Offers without proper technical specifications will be rejected.**
5. The rate quoted should be on unit basis excluding taxes. Taxes and other charges should be quoted separately, considering exemptions if any.
6. All offers should indicate the taxes and duties applicable, if any. Additional charges for packing, forwarding, freight, insurance etc., if any, should be clearly mentioned. Clearance at Customs will be arranged by us.
7. NIT-T is paying concessional Customs & Excise duty under Government of India Notification No.51/96 for Central Customs and 10/97 for Central Excise Duty vide Certificate No. TU/V/RG-CDE (183)/2011 dt.10.10.11. Currently the purchaser is paying 5% Basic Customs Duty, 2% Educational Cess on Basic Customs Duty, 1% Higher Education Cess on Educational Cess, and 4% Import Additional Duty.
8. The Institute is not authorized to issue C and D forms of Sales tax certificate.
9. In case the offered items are to be imported, the rates should be quoted in foreign currency on C.I.F. Chennai Airport basis, and it should include the Freight up to Chennai airport and the insurance cover should be up to National Institute of Technology, Tiruchirappalli. NIT-T shall pay Customs duty if any.
10. If the price quoted is in foreign currency and if the order value is more than US\$10,000 then 100% payment will be made through **Letter of Credit (LC) at sight on acceptance**. If the order value is less than US\$10,000, then 100% payment will be through a Telegraphic Transfer (TT). **The bank charges outside India should be borne by the Supplier / Beneficiary. Part shipment not allowed.** If the price quoted is in Indian Rupees, then 100% payment will be made only after installation and commissioning. **No advance payment will be made.**
11. No revision of the price bid will be allowed once the price bids are opened. In case of foreign currency, the agency should mention the % of currency fluctuations they can bear.
12. No increase in price will be allowed after our firm orders are placed.
13. **Payment of excise duty and sales tax / VAT (on ultimate products)** as applicable on the closing date of tender will be to the supplier’s / contractor’s account. Any statutory variation (both plus and minus) in the rate of excise duty/sales tax/VAT after closing date of tender/revised price bid but before the expiry of the contractual delivery / completion period will be to the account of the office.  
The bidder(s) will indicate, in their bid, the amount with exact rate of the Excise and Sales tax/VAT on ultimate finished product, as applicable at tendering stage, separately in the bid. In case the above information subsequently proves wrong, incorrect or misleading (a) this Institute will have no liability to reimburse the excess in the difference in rates of the item under which the duty/tax assessed finally (b) this Institute will have the right to recover the difference in case the rate of duty / tax finally assessed is on the lower side.  
Any increase in excise duty, sales tax / VAT during extended period of the contract / supply order will be to supplier’s / contractor’s account where such extension in delivery of the materials/completion of the project was on the request of supplier / contractor. However, any decrease in excise duty/sales tax/ VAT during extended period of the contract / supply order, will be to the account of this Institute.

14. The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty should also be mentioned.
15. Quote should come from authorized dealer or distributor or reseller for each of the product quoted. An authorization letter should accompany your quote for each product quoted; otherwise it may lead to rejection.
16. The delivery period and other terms should be clearly mentioned.
17. Eligibility: Quotation from registered firms/company's / manufacturer under TNGST/CST / other statutory bodies alone be considered. Any Manufacturer / Supplier / Dealer who has been declared ineligible by World Bank/government of India shall not be eligible to participate in this bid. Any fraudulent practices including concealing of facts at the time of submission of bid and there after shall lead to disqualification. List of beneficiaries especially from Educational Institutions / R & D Institutions should also be enclosed with the quotations.
18. For those instruments Cost exceeding 5,00,000/- the company should have (i) Three similar works, each of value not less than 40% of the estimated cost put to tender, or(ii) Two similar works, each of value not less than 50% of the estimated cost, or(iii) One similar work of value not less than 80% of the estimated cost, all amounts rounded off to a convenient full figure, in the last 7 years ending on the last day of the month previous to the one in which the tenders are invited.
19. Complete user, technical and service documentation, and spare parts catalogue are to be provided along with the supply of the item.
20. The vendors are informed that they should not call us over phone or contact us in person. All clarifications can be obtained through E-Mail/FAX/Post. Vendors shall not make attempts to establish unsolicited and un-authorized contact with us after the opening of the offers and prior to the notification of the award. Any attempt by any vendor to bring to bear extraneous pressures on us shall be sufficient reason to disqualify the vendor.
21. Delay / loss in postal transit or due to other reasons will not be NIT-T's responsibility.
22. We are not responsible for accidental opening of the covers that are not properly super scribed and sealed before the time scheduled for opening.
23. The tender should be made only on the "Technical compliance form" & "Quotation form" which is available in our website, otherwise it shall lead to rejection. The technical compliance form & PRICE BID FORM should be duly filled up (preferably **TYPE WRITTEN IN CAPITAL LETTERS**) and should clearly mention the features offered by the bidder against each specification.
24. Authorized signatory should sign on all the pages. Bids without authorized signatures will be rejected.
25. The manufacturers of the quoted make of the product must be of national / international repute and having ISO certificate.
26. **Liquidated damages:** If the bidder/supplier, after accepting the Purchase Order, fails to deliver any or all of the Goods within the period specified in the Order, NIT-T shall, without prejudice to its other remedies under the Rules of Purchase, proceed to cancel the order or agree to accept a delayed delivery on the condition of payment of liquidated damages by the bidder / supplier a sum equivalent to 0.50% of the total cost as indicated in the Purchase Order (which will be deemed as agreed price) for each week or part thereof of delay until actual delivery or performance is completed and such penal charges shall be limited to a maximum of 5% of the total cost. Once the maximum is reached NIT-T may proceed on its own to consider the termination / cancellation of the order.
27. **The vendors are informed that they should sign a stamp paper agreement with us, for Warranty, AMC, etc. before placing the final purchase order as per our terms & conditions and 5%–10% of purchase order value in the form of bank guarantee towards performance security. The bank guarantee will be returned to the supplier after the successful completion of supply, installation, and the warranty period.**
28. Failure to comply with all the terms and conditions mentioned herein would result in the tender being summarily rejected.
29. Vendors are informed that once the companies are shortlisted based on the technical specification, only then the price bids of the firms that meet NIT-T's Technical specification / requirements would be compared.
30. The order will be based on the actual requirement at the time of ordering, optional items may also be ordered based on the actual requirements at the time of ordering. Not quoting for this may result in disqualification.

31. NIT-T reserves the right to modify or alter the specifications after short listing of tenderers.
  32. NIT-T reserves the right to change the order quantity or split the orders among multiple vendors without assigning any reason(s) whatsoever.
  33. NIT-T reserves the right to reject any or all the tenders without assigning any reasons whatsoever.
  34. NIT-T reserves the right to reject any or all the tenders without assigning any reasons whatsoever.
  35. NIT-T reserves the right to purchase decrease the number of quantity of the item to be purchased
  36. The agencies should submit their rate as per the format given in Section 4 of the Notice Inviting Tender in this cover. All the pages of the bid should be signed affixing the seal. All corrections and overwriting should be initialed.
  37. The tender will be acceptable only from the manufacturers or its authorized supplier.
  38. The bid shall be in the format of price schedule given in Section 4. The contract form as per format given in section 5 shall be submitted. Incomplete or conditional tender will be rejected.
  39. Details of quantity and the specifications are mentioned in Section 3 appended to this Notice Inviting Tender
  40. The item to be used is strictly according to the specification and subject to test by the Institute/concerned authorities. It must be delivered and installed in good working condition.
- The Contractor/Supplier shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the work/supply in full but he did not derive in consequence of the foreclosure of the whole or part of the works.
41. In case of dispute, the matter will be subject to Tiruchirappalli, Tamil Nadu Jurisdiction only.

**Release of EMD:** The EMD shall be released after receipt of performance security from successful bidder.

**Validity of bids:** The rate quote should be valid for a minimum of 120 days. No claim for escalation of rate will be considered after opening the Tender.

**Imports:** In case, goods are to be imported, the Indian agent should furnish authorization certificate by the principles abroad for submission of the bid in response to this Notice Inviting Tender.

**Clarification of Tender Document:** A prospective bidder requiring any clarification of the Tender document may communicate to the contact person given in this notice inviting tender.

**Amendment of tender document:** At any time prior to the last date of receipt of bids, Institute may for any reason, whether at its own initiative or in response to a clarification requested by prospective bidder, modify the Tender document by an amendment.

***The Institute may at its own discretion extend the last date for the receipt of bids.***

The bids shall be written in English language and any information printed in other language shall be accompanied by an English translation, in which case for the purpose of interpretation of the bid, the English translation shall govern.

The Institute reserves the right of accepting any bid other than the lowest or even rejecting all the bids without assigning any reasons there for. The decision of the Institute Purchase Committee is final in all matters of tender and purchase.

The bidder should give the following declaration while submitting the Tender.

### **ACCEPTANCE**

We accept the above terms and conditions and shall comply with them strictly.

**NAME OF THE VENDOR:**

**ADDRESS:**

**“DETAILS OF THE FIRM OFFERING THIS QUOTE”**

**(Write or print or type in block letters and please answer all the questions)**

1. Name of the firm:  2. Date of incorporation:

3. Nature of the company - Government / Public / Private Company / Partnership / Proprietorship:

4. Specify the number of years in this line of activity by the Company:

5. Quantity of sales in the last three years for the “.....” (same model that you have quoted)

2009-2010	2010-2011	2011-2012
<input type="text"/>	<input type="text"/>	<input type="text"/>

6. Turnover in the last three years (Figures should be in Indian Rupees in Lakhs):

2009-2010	2010-2011	2011-2012
<input type="text"/>	<input type="text"/>	<input type="text"/>

7. Provide the postal address, telephone & fax numbers, and email address of the nearest service center.

8. A) Number of service engineers in the above location trained on the product quoted along with their educational qualification, certification and designation (applicable only for instruments) and B) Assured response time for service calls in hours:

A)

B)

9. What would be the delivery period in days from the date we place an official purchase order.

11. Enclose the list of customers to whom you have supplied “.....” during the last 3 years ending 31/03/2012 with full postal address and name of the contact person with phone, FAX numbers, and E-Mail id. Certificate regarding satisfactory performance of the “.....” from the minimum three end users should be furnished.

12. Are you the authorized dealer or distributor or reseller for the products quoted:

13. Have you supplied “.....” to National Institute of Technology, Tiruchirappalli in the last 3 years? If yes, specify the quantity supplied in the last 3 years and last PO reference

14. Was there any elapse or delay in supplying the goods ordered or any service related issue during the warranty period for the products ordered by NIT-T with your firm? If yes, provide details.

15. On Manufacturer’s Side to whom NITT have to contact in case of delayed supply and other issues committed by the authorized dealer / distributor / reseller :

Contact Person Name :	
Address :	
E-mail ID :	Telephone / Cell Phone :



**DECLARATION**

I/we have not tampered/modified the tender forms in any manner. In case, if the same is found to be tampered/modified, I/we understand that my/our tender will be summarily rejected and full Earnest Money Deposit (EMD) will be forfeited and I/we am/are liable to be banned from doing business with NIT, Trichy and /or prosecuted.

**Signature of the Bidder** : .....

**Name and Designation** : .....

**Business Address** : .....  
.....  
.....

**Place :**

**Date :**

**Seal of the Bidder's Firm**

### SECTION : 3 SCHEDULE OF REQUIREMENTS, SPECIFICATIONS AND ALLIED DETAILS

---

Name of the Component to be procured: Vacuum Emission Spectrometer - 80 Elements

**Specification for Vacuum Emission Spectrometer - 80 Elements**

Name of the Component to be procured : Vacuum Emission Spectrometer - 80 Elements

Specifications : Annexure I

Quantity : 01 No.

Any other details/requirement : Nil

Warranty period required : 2 years

Delivery schedule expected after release of purchase order (in weeks) : 4 to 6 weeks

EMD (in Rupees) : Rs. 10000/-

Performance Security to be given by Successful bidder after release of purchase order (in Rupees) : **10 % of the order value**

**SECTION: 4 PRICE SCHEDULE**

[To be used by the bidder for submission of the bid]

---

- 1. Component Name :
  
- 2. Specifications (confirming to Section 3 of Tender document-enclose additional sheets if necessary) :
- 3. Currency and Unit Price (excluding taxes) :
- 4. Quantity :
  
- 5. Item cost (Sl.No.3 & Sl.No.4) (in Indian Rupee) :
  
- 6. Taxes and other charges :
  - (i) Specify the type of taxes and duties in percentages and also in figures
  - (ii) Specify other charges in figures :
  
- 7. Warranty period (confirming to the Section 3 of Tender document. This should be mentioned in Technical bid also in order to get qualified for Financial bid) :
- 8. Delivery Schedule (confirming to the Section 3 of Tender document) :
- 9. Name and address of the firm for placing purchase order :
  
- 10. Name and address of Indian authorized agent (in case of imports only) :

**Signature of the Bidder** : .....

**Name and Designation** : .....

**Business Address** : .....  
.....  
.....

**Place :**

**Date :**

**Seal of the Bidder's Firm**

**SECTION: 5 CONTRACT FORM**

[To be provided by the bidder in the business letter head]

---

1. {Name of the Supplier’s Firm) hereby abide to deliver the .....by the delivery schedule mentioned in the Section 3 tender document for supply of the items if the purchase order is awarded.
2. The item will be supplied conforming to the specifications stated in the tender document without any defect and deviations.
3. Warranty will be given for the period mentioned in the tender document and service will be rendered to the satisfaction of NIT, Trichy during this period.

**Signature of the Bidder** : .....

**Name and Designation** : .....

**Business Address** : .....  
.....  
.....

**Place :**

**Date :**

**Seal of the Bidder’s Firm**

## ANNEXURE

### Specification for Optical Emission Vacuum Spectrometer

Area of Application	Spectrometer is to be used in composition analysis of alloys of Iron, nickel, Copper, Aluminium, Cobalt, Mg,Zn, etc.
Principle of Operation	OPTICAL EMISSION VACUUM SPECTROSCOPY or GAS FILLED OPTICAL SYSTEM
Design Base	Laboratory model Optical Emission Vacuum Spectrometer with Photo Multiplier/ Channel Photo multiplier Detector/ Charged Coupled Device Capable of analyzing Multi-base materials or Hybrid(CCD & PMT )
Equipment Configuration	The minimum desired features are enlisted below
Operating Parameter	Shall have operating parameters to ensure Accuracy, precision and other requirements as per ASTM E-1009. Certification of the instrument shall be as per this ASTM standard
Constructional Features	Shall be designed for measuring multi base materials and for high through put sample analysis
Optical system	Simultaneous and sequential system of focal length 750mm (minimum) Radius or suitable focal length Rowland circles engineered to self compensate for temperature induced by mechanical change.
Grating	Spectrometer should be provided with suitable grating or gratings appropriately selected for the analytical tasks listed in Annexure-A
Wave length Range & Channels	110 or 120 upto 800nm shall have required number of channels to perform the analytical programmes listed in Annexure A. To have provision for addition of analytical channels later.
Excitation stand & small sample adaptors	Argon flushed petry stand with pneumatic sample holder, automatic self cleaning and flushing
Excitation system	Digital current control source (CCS) with variable frequency upto 1000Hz or Latest digital source
Readout system	Built-in Time Resolved Spectroscopy- TRS
Detector	Photo Multiplier (PMT), Channel Photo Multiplier (CPMT)/CCD or Hybrid
Vacuum System	Shall have suitable Oil Free Vacuum Pumps BIDDER to give technical details of the Pumps/Gas filled
Typical Material Specifications	IRON, NICKEL, COPPER, ALUMINIUM, Mg, Zn Base & COBALT base, for both Quantitative and qualitative analysis Mode with SUS/CRM standards for all ranges
Operating Software	Windows based SOFTWARE, auto diagnostic mode which displays all the parameters like Vacuum, Temperature, Voltage, Gas-Flow and data Transfer to Excel, word or Customized Report generation facility, e-mail output and data base for storage, retrieval, statistical analysis, etc.
Calibration	In addition to factory calibration , facility for modification of factory calibration ( to include own standard and to extend calibration curve

**ANNEXURE (Contd.)**

**Specification for Optical Emission Vacuum Spectrometer**

Input Electric Power supply	230+- 10% V, 50Hz, Single Phase AC through a 3 wire system
Ambient Condition	The uncontrolled ambient room conditions are:- a) Temperature : 18 to 45 degree celcius b) Relative Humidity : 45 to 85% BIDDER to specify the atmospheric conditions, as the working environment for the offered Equipment to deliver precise results and serve for a prescribed life of the Equipment.
Data logging facility	To provide a suitable PC System (Computer and Accessories) with SOFTWARE compatible to WOS XP for acquiring and compiling of test data, and printing. Computer (PC) Configuration (minimum):- Intel core i7 Processor with HT technology ;6 GB RAM,4.00GHz ,Intel mother board, 320GB Hard Disk; COMBO CDRW-DVD; 17” LED Monitor,speakers,320 KBPS Internal Modem; Optical Mouse, Laser Color printer, etc.
Mandatory accessories	Following shall be supplied compulsorily with the Equipment: a) Necessary Standard Samples/SUS with Test Certificates traceable to National/ International Standards. b) Holders / Adaptors for small samples, wires with 0.8mm to 10mm dia, thin plates and pin samples. c) Voltage stabilizer, d) Ups and isolation transformers.
Spares for main equipment & accessories	Bidder has to include spares & accessories required for minimum three years operation with the main offer.
Performance Prove-out at NITT	The supplier’s service engineer has to conduct demonstration & calibration of the equipment with Accessories as per <b>ASTM E 1009</b> and to carry –out Performance Prove-out as per NITT specifications.
Documentation in English Language	3 copies of the operation and maintenance manuals containing electric schematics, circuit diagrams, PCB Drawings, Trouble Shooting Charts, Mechanical Sub-Assemblies, Rating of bought-out items, etc. Shall be supplied, at the time of inspection by NITT person. In addition, one SOFT copy in CD to be supplied.
Performance Guarantee	The equipment and Accessories (including brought-out items) are to be guaranteed for its performance for a minimum period of one year from the date of performance acceptance.
Service Support Requirements	Vendor shall ensure AMC service facilities in India after the guarantee period, through trained service personnel in India
Other accessories	Cleaning Equipment, storage racks, Argon purifier etc.

## ANNEXURE I

**Analytical Program for Optical Emission Spectrometer**  
**Fe - Base**

Elements	Wave Length	Fe-10	Fe-15	Fe-20	Fe-30	Fe-40
		Low Alloy Steel	Free Cutting Steel	Cast Iron	Cr-, Cr/Ni-steel	Tool Steel
C	193.092	0.00050 - 1.50	0.00050 - 1.50	0.500 - 4.30	0.00050 - 2.50	0.00050 - 2.50
Si	288.158	0.00015 - 0.150				
Si	288.16	0.00060 - 5.30	0.00060 - 5.30	0.00050 - 3.50	0.00060 - 4.10	
Si	212.412					0.00060 - 2.10
Si	390.553	4.50 - 20.00				
Mn	293.306	0.00020 - 2.30	0.00020 - 2.30	0.00020 - 4.00	0.00020 - 1.50	0.00020 - 2.10
Mn	263.817				1.30 - 15.20	
P	178.287	0.00020 - 0.120	0.00020 - 0.120	0.00020 - 2.40	0.00030 - 0.150	0.00020 - 0.0500
S	180.731	0.00010 - 0.120	0.00020 - 0.430	0.00010 - 0.240	0.00010 - 0.330	0.00010 - 0.0800
Cr	313.206	0.00030 - 2.20	0.00030 - 2.20	0.00030 - 1.00	0.00050 - 3.00	
Cr	267.716					0.00040 - 2.00
Cr	287.844			0.900 - 2.50		1.80 - 12.00
Cr	312.26	2.00 - 8.50	2.00 - 8.50		2.00 - 30.00	
Mo	281.615	0.00040 - 2.20	0.00040 - 2.20	0.00050 - 2.20	0.00080 - 2.50	0.00040 - 1.30
Ni	231.604	0.00040 - 0.800	0.00040 - 0.800	0.00040 - 1.10	0.00040 - 1.00	0.00040 - 1.50
Ni	227.728	0.700 - 5.40	0.700 - 5.40			
Ni	222.295			0.800 - 5.30		
Ni	218.55				0.900 - 13.00	
Al	396.153	0.000010 - 0.100		0.000010 - 0.100	0.00010 - 0.300	0.000030 - 0.130
Al	308.215	0.00050 - 1.90	0.00050 - 1.90	0.00040 - 0.100	0.00050 - 2.10	0.00050 - 0.130
Co	345.351	0.000030 - 0.120		0.000040 - 0.0700	0.000040 - 0.100	
Cu	510.554	***				
Cu	324.754	0.00015 - 0.220		0.00015 - 0.300	0.00010 - 0.350	0.00030 - 0.350
Cu	212.298	0.00050 - 1.20	0.00050 - 1.20	0.00050 - 0.800	0.00050 - 4.60	0.00050 - 0.350
Nb	319.498	***			1.50 - 3.00	
Nb	313.079	0.00020 - 0.320		0.00020 - 0.0600	0.00020 - 1.70	
Ti	308.804	0.00010 - 0.820		0.00010 - 0.450	0.00060 - 3.20	
V	310.23	0.00020 - 1.10	0.00020 - 1.10	0.00020 - 0.620	0.00020 - 0.520	
V	311.071					0.00030 - 2.20
V	313.493					2.00 - 10.00
W	400.875	0.00020 - 0.600		0.00020 - 0.0500	0.00010 - 0.520	0.00020 - 0.500
W	202.998	0.500 - 3.10	0.0020 - 3.10	0.0400 - 0.130	0.450 - 6.10	0.400 - 5.00
W	215.356					4.00 - 21.00
Pb	405.782	0.00020 - 0.0250	0.0500 - 0.350	0.00020 - 0.0600	0.00020 - 0.0700	

## ANNEXURE II

**Analytical Program for Optical Emission Spectrometer**  
**Fe – Base(Contd)**

Elements	Wave Length	Fe-10	Fe-15	Fe-20	Fe-30	Fe-40
		Low Alloy Steel	Free Cutting Steel	Cast Iron	Cr-, Cr/Ni-steel	Tool Steel
Mg	285.213	***		0.00010 - 0.0050		
Zr	468.78	0.00010 - 0.220		0.000040 - 0.0700		
Sb	217.581	0.00040 - 0.110		0.00040 - 0.240	0.00040 - 0.0600	
Se	196.09	0.00080 - 0.120		0.00080 - 0.0600	0.00060 - 0.320	
Ta	331.116	0.00050 - 0.200			0.0010 - 0.800	
B	182.64	0.00010 - 0.0140		0.00010 - 0.100	0.00010 - 0.0250	
Ag	328.068	0.000040 - 0.0040				
N	149.262	0.00040 - 0.0350	0.00040 - 0.0350	0.00040 - 0.0150	0.00040 - 0.500	0.00040 - 0.0700
Pr	422.533	***				
Nd	410.946	***		0.00010 - 0.0130		
O	130.217	0.0020 - 0.0550		0.0020 - 0.0100	0.0020 - 0.0100	
Cd	228.802	***				



ANNEXURE III

**Al – Base**

Elements	Wave Length	AI-01	AI-10	AI-20
		Global Program	Pure / low alloy aluminium	A/Si-alloys
Si	288.158		0.000050 - 0.170	
Si	288.16	0.00020 - 2.00	0.00020 - 1.80	
Si	390.553	1.80 - 24.00		1.00 - 24.00
Fe	371.994		0.000030 - 0.200	
Fe	275.574	0.00010 - 6.00	0.00010 - 6.00	0.00010 - 5.00
Cu	324.754		0.00010 - 0.100	
Cu	224.7	0.00040 - 0.700	0.0800 - 0.400	0.00040 - 0.700
Cu	510.554	0.500 - 9.50		0.500 - 5.60
Mn	293.931	0.00020 - 1.70	0.00010 - 1.10	0.00010 - 1.10
Mn	263.817	1.50 - 13.00		
Mg	279.553		0.000010 - 0.0600	
Mg	285.213	0.000050 - 0.200	0.00010 - 0.150	0.000050 - 0.200
Mg	277.669	0.150 - 10.50	0.120 - 1.20	0.150 - 1.60
Cr	267.716	0.00010 - 0.450	0.00010 - 0.180	0.00010 - 0.450
Ni	231.604	0.00030 - 2.80	0.00020 - 0.270	0.00040 - 2.80
Zn	206.2	0.00020 - 0.500	0.00010 - 0.250	0.00020 - 0.500
Zn	209.994	0.400 - 11.20		0.400 - 4.30
Ti	308.804	0.00040 - 0.530	0.00040 - 0.170	0.00040 - 0.530
Ag	328.068	0.000010 - 0.300	0.000050 - 0.0220	
Ca	422.673		0.000010 - 0.0100	0.000010 - 0.0070
Co	345.351		0.000020 - 0.0220	
Co	228.616	0.00020 - 1.60	0.00020 - 0.0220	0.00020 - 0.580
P	178.287	0.00020 - 0.0070	0.00020 - 0.0070	0.00020 - 0.0070
Pb	283.307		0.00010 - 0.0400	0.00010 - 0.0800
Pb	283.307	0.00030 - 1.40	0.0300 - 1.40	0.0700 - 0.520
V	310.23	0.00020 - 0.100	0.00010 - 0.0500	0.00020 - 0.100
W	400.875	***		
Zr	468.78	0.000050 - 0.240	0.000050 - 0.0260	0.000050 - 0.0500
Pr	422.533	***		
Nd	410.946	***		
Nd	410.946	***		
Se	196.09	***	***	
Th	322.129	***		

## ANNEXURE IV

**Cu – Base**

Elements	Wave Length	Cu-10	Cu-20	Cu-50
		Pure Cu	Brass	Gunmetal
Zn	472.216		2.00 - 45.00	0.0020 - 12.00
Pb	405.782	0.000050 - 0.0800	0.00010 - 0.300	
Pb	283.307	0.0600 - 1.50	0.200 - 4.60	0.0020 - 7.00
Sn	175.79	0.00010 - 0.330	0.00010 - 2.30	
P	178.287	0.000050 - 0.250	0.00010 - 0.250	0.00030 - 0.240
Mn	294.921	0.000030 - 0.120	0.00010 - 0.300	0.00010 - 0.240
Mn	263.817		0.200 - 6.00	
Fe	371.994	0.000030 - 0.230		
Fe	238.207	0.00010 - 0.230	0.00010 - 1.10	0.00010 - 0.600
Fe	271.441		0.700 - 4.60	
Ni	231.604	0.00010 - 0.150		0.00010 - 0.200
Ni	313.411		0.0010 - 3.10	
Ni	300.249	0.130 - 0.500		0.150 - 5.50
Si	288.158	0.000050 - 0.0900		
Si	288.158	0.00030 - 0.0900	0.00020 - 6.10	0.00040 - 0.0450
Mg	285.213		0.000010 - 0.0210	
Cr	267.716	0.00010 - 0.950	0.00010 - 0.0880	0.00010 - 0.0350
Sb	206.833	0.00020 - 0.340		
Sb	187.115		0.00050 - 0.790	0.0010 - 1.70
Cd	228.802		0.00010 - 0.0330	
Bi	293.83		0.0100 - 5.80	
Ag	328.068	0.000040 - 0.530	0.00010 - 0.0330	0.00010 - 0.0700
Co	345.351	0.000030 - 0.210		
Co	228.616	0.00030 - 0.210	0.00040 - 0.340	0.00030 - 0.420
Al	396.153	0.000020 - 0.0500		
Al	309.271	0.00020 - 0.0500	0.00020 - 3.00	0.00030 - 0.130
Al	308.215		2.70 - 8.30	
S	180.731	0.00010 - 0.0800	0.00010 - 0.0500 !	0.00020 - 0.230
Zr	468.78	0.000050 - 0.220		
Se	196.09	0.000050 - 0.120	0.00030 - 1.70	0.00050 - 1.70
O	130.217	0.0015 - 0.0400		
W	400.875	***		

ANNEXURE V

**Co – Base**

Elements	Wave Length	Co-01	Co-20
		Orientation	Co-alloys - (CoCrNiW)
C	193.092	0.00020 - 2.80	0.00020 - 2.80
Si	288.158	0.00010 - 0.250	
Si	288.16	0.00040 - 3.20	0.00040 - 3.20
Mn	293.306	0.00010 - 1.90	0.00010 - 1.90
P	178.287	0.00090 - 0.0420	0.00090 - 0.0420
S	180.731	0.00020 - 0.0500	0.00020 - 0.0500
Cr	313.206	0.00010 - 3.80	
Cr	312.26	3.40 - 34.00	10.00 - 34.00
Ni	231.604	0.0050 - 1.00	
Ni	218.55	0.900 - 10.00	
Ni	471.442	9.00 - 28.00	1.00 - 28.00
Mo	281.615	0.0020 - 10.00	0.0027 - 3.80
Fe	371.994	0.00010 - 2.90	0.00020 - 2.40
W	400.875	0.0010 - 1.00	
W	215.356	0.800 - 16.00	3.00 - 16.00
V	311.071	0.00020 - 1.10	0.00020 - 0.350
V	313.493	0.900 - 9.10	
Al	396.153	0.000050 - 0.100	
Al	309.271	0.0800 - 1.00	0.00020 - 0.220
Cu	324.754	0.00030 - 0.100	0.00030 - 0.0280
Nb	319.498	0.00020 - 4.20	0.00020 - 4.20
Sn	189.989	0.00020 - 0.110	
Ta	331.116	0.0030 - 0.800	0.0035 - 0.0510
Ta	301.254	0.0067 - 10.30	
Ti	308.804	0.00020 - 6.20	0.00020 - 0.0490
B	182.64	0.000050 - 0.0770	0.000050 - 0.0770
Pb	283.307	0.000050 - 0.0060	
Pb	405.782	0.00070 - 0.0240	
N	149.262	0.0040 - 0.170	0.0030 - 0.170
Zn	213.856	***	***

ANNEXURE VI

**Mg - Base**

Elements	Wave Length	Mg-01
		Orientation
Ag	328.068	0.00010 - 1.20
Ag	214.561	1.00 - 3.40
Nd	410.946	0.00050 - 2.00
Nd	410.946	1.80 - 3.50
Mn	294.921	0.00050 - 2.40
Ca	422.673	0.00020 - 0.420
Al	176.395	0.00020 - 0.300
Al	308.215	0.200 - 12.00
Fe	358.12	0.00020 - 0.0400
Ni	231.604	0.00040 - 0.0450
Zr	468.78	0.00030 - 0.750
Zn	213.856	0.000050 - 0.0600
Zn	209.994	0.0500 - 7.20
Cu	213.598	0.00030 - 0.200
Th	322.129	0.0100 - 3.50
Cd	228.802	0.00010 - 0.0700
Sn	189.989	0.00050 - 0.100
P	178.287	0.00030 - 0.0070
Si	251.612	0.00050 - 1.60
Pr	422.533	0.0015 - 0.320
Cr	313.206	***
Co	228.616	***
O	130.217	***
N	149.262	***

**Ni - Base**

Elements	Wave Length	Ni-01	Ni-20
		Orientation	Ni-Cu / Ni-Cu-Sn alloys
C	165.7	0.00030 - 1.10	0.00030 - 0.420
Si	288.16	0.00050 - 4.40	0.00050 - 1.50
Si	212.412		1.20 - 4.40
Mn	293.931	0.00020 - 3.90	0.00020 - 3.10
P	178.287	0.00030 - 1.90	0.00060 - 1.30
S	180.731	0.00030 - 0.310	0.00040 - 0.300
Cr	313.206	0.00040 - 2.10	0.00050 - 1.00
Cr	312.26	1.90 - 31.00	
Fe	275.574	0.0010 - 9.00	0.00060 - 5.20
Fe	302.107	8.00 - 52.0	
Mo	281.615	0.00080 - 9.50	
Mo	277.54	8.50 - 34.00	
V	311.071	0.00020 - 1.00	
Cu	212.298	0.0020 - 24.00	
Cu	282.437	21.00 - 41.00	20.00 - 41.00
W	400.875	0.00050 - 2.00	
W	209.475	0.0100 - 13.00	
Co	345.351		0.00030 - 0.150
Co	184.589	2.00 - 21.00	
Nb	319.498	0.00050 - 7.70	
Al	309.271	0.00020 - 1.20	
Al	308.215	1.00 - 6.60	0.00050 - 3.70
Ti	308.804	0.00040 - 6.00	0.00030 - 1.40
Zr	468.78	0.00010 - 0.300	
Sn	300.914	0.0500 - 16.00	0.0100 - 16.00
Zn	209.994	0.0500 - 0.520	0.0500 - 0.520
Mg	285.213		0.00010 - 0.750
Pb	405.782		0.00020 - 0.0750
Ta	331.116	0.0030 - 11.70	
N	149.262	0.00040 - 0.240	

ANNEXURE VII

**Zn – Base**

Elements	Wave Length	Zn-12 Refined Zn and spelter	Zn-40 Zamak	Zn-70 Zn Al 4-15%	Zn-80 Zn Al>15%
Al	396.153	0.000010 - 0.200			
Al	309.271		1.50 - 7.10		
Al	308.215			4.00 - 15.00	
Al	305.007				15.00 - 59.0
Cu	324.754	0.000010 - 0.200			
Cu	223.008		0.0010 - 0.200		
Cu	197.996		0.100 - 3.50	0.0020 - 3.20	0.200 - 3.20
Pb	405.782	0.000010 - 0.100	0.000010 - 0.100	0.000010 - 0.0810	0.000010 - 0.0120
Pb	283.305	0.0800 - 0.400			
Cd	226.502	0.000010 - 0.0100		0.000010 - 0.0210	0.00010 - 0.0100
Cd	228.802	0.0080 - 0.100	0.000050 - 0.0310		
Fe	371.994	0.000030 - 0.100	0.000030 - 0.0300	0.000010 - 0.0900	0.000050 - 0.150
Fe	238.204		0.00030 - 0.110		
Ag	328.068	0.000030 - 0.0120			
Mg	279.553	0.000010 - 0.0050			
Mg	279.078	0.0040 - 0.120	0.00020 - 0.200	0.00020 - 0.0550	0.00020 - 0.0610
Mn	293.306		0.00010 - 0.0500	0.00010 - 0.0170	0.00010 - 0.0100
Ni	300.248		0.00020 - 0.0500		
Si	288.158	0.000020 - 0.0070	0.000020 - 0.0800	0.000020 - 0.0200	0.000020 - 0.0210
Si	288.158		0.00020 - 0.0800		0.00020 - 0.0210
Cr	313.206			***	***
Cr	283.563		0.00010 - 0.0400		

**NATIONAL INSTITUTE OF TECHNOLOGY, TIRUCHIRAPALLI**

Annexure-B

**PRICE BID FORMAT FOR INDIAN BIDDERS**

Tender No. & Date:

Sl No.	Description of item	Unit (SET /No)	QTY	Rate /Qty in Rs. (excluding of all taxes)	ED in %	VAT/CST IN %	Service Tax in %	Total Value in Rs. (inclusive of all taxes)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1	<b>Supply portion</b> (The price indicated shall be exclusive of all accessories, spares etc. as given in the scope of supply)							
2	Other accessories / spares etc as given in scope of supply (Individual item-wise break-up price shall be attached as an annexure to this price bid format.)							
3	Installation & Commissioning (extra, if any)							
4	Packing & Forwarding charges (extra, if any) in percentage (or) Lumpsum							
5	FOR Dispatching station value in Rs.							
6	Freight & Transit insurance charges, extra, if any (Lumpsum or %)							
7	Total all inclusive price delivered, installed and commissioned at NITT							

Signature & Seal of Vendor

**The price bid should be submitted only as per the above format. No row shall be left blank. Please indicate NA, in case the item is "not applicable" The price bid will be rejected if any column is left empty.**