



NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI – 620 015

ESTATE MAINTENANCE DEPARTMENT

Ref:NITT/COW/EMD/Civil Works/Enq.No.06.

Date: 07.07.2015.

QUOTATION

Sealed quotations for the following work are called for on behalf of the Director, NIT, Tiruchirappalli up to **3.00 PM. on 15.07.2015**

The Quotations will be opened at 3.30. PM on 15.07.2015. at Registrar chamber in the presence of those present.

The format for submission of quotation can be obtained from Estate Maintenance Department on written request addressed to the Director, N.I.T.Trichy-15 at free of Cost.

The quotation must be submitted in sealed covers addressed to The Director, NIT and the name of the work being noted on the cover.

The Quotation document can be downloaded from this institute web site www.nitt.edu/home/others/tenders/.

The Director, NIT reserves the right to reject any or all the quotations without assigning any reason.

Enq. No.	Estimate ID. No.	Name of Work	Estimate Amount	Cost of Documents	Date from which bid documents will be available
06	43	Providing Aluminum door and Window to dining hall in OPAL Mess.	79,470/-	Free of Cost	From 07.07.2015 to 15.07.2015 up to 3.00 pm in all working days.

-Sd-
Chief of Works

TENDER DOCUMENT

Name of Work: Providing Aluminum door and Window to dining hall in OPAL Mess.

ITEM No	SUB-HEADS AND ITEM OF WORK	QTY	UNIT	RATE (Rs)	RATE (In Words)	AMOUNT(Rs)
1	Providing and fixing chromium plated brass 100 mm mortice latch and lock with 6 levers and a pair of lever handles of approved quality with necessary screws etc. complete.	2.00	Each			
2	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :	4.00	Each			
2.1	150x10 mm					
3	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.	2.00	Each			
3.1	Twin rubber stopper					

4	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :	56.00	Kg			
4.1	For fixed portion					
4.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)					
4.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	50.00	Kg			
4.2.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)					

5	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.	5.00	Sqm			
5.1	Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side					
6	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):	13.00	Sqm			
6.1	With float glass panes of 5.50 mm thickness					
7	Providing and fixing aluminium round shape handle of outer dia 100mm with SS screws etc. complete as per direction of Engineer- in-charge	8.00	Each			
7.1	Powder coated minimum thickness 50 micron aluminium					

8	Providing and Fixing of Mosquito Net with 20mm width powder coated aluminum frame. The frame shall be two vertical and three horizontal. The shutter made of stainless steel materials and frame operated with mini fibre hinges and with fibre stopper for 3 sides etc complete. The rate including cost of all materials and labour charges etc complete.	5.00	Sqm			
	TOTAL					

Signature of Contractor