## NATIONAL INSTITUTE OF TECHNOLOGY, TIRUCHIRAPPLLI- 620015 ESTATE MAINTENANCE DEPARTMANT

## **SCHDULE OF WORK**

Name of Work: Alumiium Partition works for SIF Lab -V

Ref: NITT/ CoW/EMD/Civil Works/ En. No.23(2)/14-15, Dt.19.12.2014

NAME OF THE CONTRACTOR / FIRM:

ITEM No	SUB-HEADS AND ITEM OF WORK	QTY	UNIT	RATE (Rs)	RATE (In Words)	AMOUNT(Rs)
1.1	WOOD AND P.V.C. WORK  Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.		Each			
1.2	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:	19.00	Each			
1.3	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:	19.00	Each			
1.4.1	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.  Single rubber stopper		Each			
1.4.1	Single rubber stopper					

ITEM No	SUB-HEADS AND ITEM OF WORK	QTY	UNIT	RATE (Rs)	RATE (In Words)	AMOUNT(Rs)
1.5	Providing and fixing bright finished brass 100 mm mortice latch and lock, ISI marked, with six levers and a pair of anodised (anodic coating not less than grade AC 10 as per IS: 1868) aluminium lever handles of approved quality with necessary screws etc. complete.	10.00	Each			
2	ALUMINIUM WORKS					
2.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):		kg			
2.1.1	For fixed portion					
2.1.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)					
2.2.1	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)  Powder coated aluminium (minimum thickness of powder coating 50 micron)		kg			

ITEM No	SUB-HEADS AND ITEM OF WORK	QTY	UNIT	RATE (Rs)	RATE (In Words)	AMOUNT(Rs)
2.3	Providing and fixing 12 mm thick prelaminated particle	160.00	sqm			
	board flat pressed three layer or graded wood particle					
	board conforming to IS: 12823 Grade 1 Type 11, in					
	panelling fixed in aluminum doors, windows shutters and					
	partition frames with C.P. brass / stainless steel screws etc.					
	complete as per architectural drawings and directions of					
	engineer-in-charge.					
2.3.1	Pre-laminated particle board with decorative lamination on					
	one side and balancing lamination on other side					
2.4	Providing and fixing glazing in aluminium door, window,	65.00	sqm			
	ventilator shutters and partitions etc. with EPDM rubber /					
	neoprene gasket etc. complete as per the architectural					
	drawings and the directions of engineer-in-charge . (Cost					
	of aluminium snap beading shall be paid in basic item):					
2.4.1	With float glass panes of 5.0 mm thickness					

SIGNATURE OF CONTRACTOR