

# DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING NOTICE INVITING QUOTATION

#### To

(Supplier Address)

Sealed quotations are invited from reputed Authorized Dealers /manufacturers for the supply of the Items.

Nar	ne of the Item	:	Power Electronics Lab Accessories						
Qua	antity Required	:	Mentioned in Technical specss						
Spe	ecification	:	(As per enclosed Schedule Annexure - I)						
1.	Quotation Reference No.	:	NITT/F.NO.020/CAPEX/2022-23/EEE						
2.	Last date and Time for receipt of quotation	:	06.09.2022 before 4.30 PM						
3.	Date &Time of opening of Quotation	:	07.09.2022at 03.00PM						
4.	EMD Amount	:	Rs 1,601 (2%)						
5.	Validity (Days)	:	90 Days						
6.	Address to which quotations are	:	The Director,						
	to be sent		National Institute of Technology,						
			Tiruchirappalli – 620 015, Tamil Nadu,						
			India						
	Kind attention to	:	Dr. Shelas Sathyan						
	Phone	:	0431 250 3275						
	E-mail	:	shelassathyan@nitt.edu						

- 1. Quotations should be submitted in the format given in Annexure I and Annexure-II
- 2. The envelope should contain the following details:

### "QUOTATION AGAINST ENQUIRY"

(Power Electronics Lab Accessories)- NITT/F.NO.020/CAPEX/2022-23/EEE

Kind attention to: Dr. Shelas Sathyan

Last date and Time for receipt of quotation : 06.09.2022 before 4.30 PM



#### Terms and Conditions:

The quotation must be in the format furnished by NIT Tiruchirappalli and should be free from corrections/erasures. In case there is any unavoidable correction it should be properly attested.lfnotthequotationwillnotbeconsidered.Quotationwritteninpencil and incompletewillbe rejected. Earnest Money Deposit (EMD) is to be submitted by way of Demand Draft drawn on any Nationalized bank in India in favor of "The Director, NIT, Tiruchirappalli" payable at Trichy. The bids submitted without EMD will be treated as nonresponsive and will be rejected. EMD shall bear no interest. Bidder must fill the EMD returning Form (Annexure-III) and submit along with the quotation. EMD amount of Rs 1,601 (2%) of estimate value is applicable, however UDYAM & NSIC registered Micro & small enterprises are exempted as per Govt. norms proof to be attached. You are invited to submit your most competitive quotation for the supply of goods according to the specifications and delivery terms as given. Bank guarantee submitted for EMD shall be valid for 45 days beyond bid validity Bidders may send the quotations in sealed covers with the quotation reference number and last date for receipt of quotations duly superscribed on the cover. Kind Attention to: as mentioned in the point No. 6 NB: Mention the company Contact Number / E-mail id on the cover. Quotation will be opened on due date at 07.09.2022- 3.00PM at the Store and Purchase Section, NIT, Tiruchirappalliin presence of the tenderers or their representatives who may wish to be present. (Any change in the date, time and venue of the quotation opening will be informed to the bidders through telephone / E-mail) The National Institute of Technology, Tiruchirappalli reserves the right to accept or reject any quotations, and to cancel the bidding process, and reject all quotations at any time prior to the award of order without assigning any specific reason thereof. Manufacturer's name and country of origin of materials offered must be clearly specified. 7. Printed brochures, Purchase preference is only for Micro & Small enterprises (MSE's) register in UDYAM Portal or NSIC as per Ministries policy for MSE's. Proof to be attached Samplesmustbesubmittedwherespecifiedalongwiththequotations. Samplesmustbe carefully packed, sealed and labelled clearly with enquiry number, subject and sender's nameforeasyidentification. Rejected samples will be returned a tyour cost if in sisted All supplies are subject to inspection and approval before acceptance. Manufacturer supplierwarrantycertificatesandmanufacturer Governmentapprovedlabtestcertificate shall be furnished along with the supply, whereverapplicable National of Technology, 10. Institute Tiruchirappalli reservestherighttomodifythequantityspecifiedinthisenquiry. Startup company exempted from prior turnover & prior experience (startup certificate registered with DIPP should be enclosed) The bidder has to submit the bids in sealed envelope, (separate for each tender). Further Bidder should not send clubbing many tenders in one envelope, in such case all the bids will be rejected.



#### 13. Bid Price

- a. The contract shall be for the full quantity Bidders must quote for entire quantity. Each bidder shall submit only one quotation in Indian Rupee only.
- b. Post work orders & completion certificate should be submitted, wherever applicable.
- c. The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- d. GST, packing, forwarding and delivering other allied items at the destination shall be included in the price. All such price components may be shown in the quotation. If there is no indication regarding above charges. It will be considered as inclusive of all charges.
- e. If any arithmetic mistake in total / GST calculation is observed, the same shall be corrected by the purchaser with an intimation to bidder
- f. In case the items in the enquiry are covered by any rate contract or anyotherstateorcentralGovernment, it shouldbespecified in your quotation and accepted contract rates should also be mentioned. It should be confirmed whether you could supply at the RC rates outside ratecontract
- g. Quotations containing conditions like "subject to prior sale" may not be considered.
- h. Delivery period required for supplying the material should be invariably specified inthe quotation
- i. Bids without quoting GST (unless exempted) will be treated as invalid & disqualified.
- j. If there is a discrepancy between unit price and total price, the unit price will be considered. If there is any mismatch between figure and word, the amount in word shall prevail.
- 14. **Evaluation of quotations:** Quotations will be evaluated item-wise or lump sum basis. The purchase committee will evaluate and compare the quotations determined to be substantially responsive i.e. (i) are properly signed; (ii) Conform to the terms & conditions and specifications; and (iii) price offered are competitive.

#### 15 Award of contract

- a. The National Institute of Technology, Tiruchirappalli will award the Order for supply of Goods / Services to the bidder whose quotation has been determined to be substantially responsive, and who has offered the lowest evaluated quotation price.
- b. The Bidder should furnish the contract agreement and performance security within 15 days from the date of receipt of the order for supply of goods / services, failing which the order will be cancelled without further notice and awarded to next eligible hidder.
- c. Notwithstanding the above, National Institute of Technology, Tiruchirappalli reserves the right to accept or reject any quotations, and to cancel the bidding process, and reject all quotations at any time prior to the award of order without assigning any specific reason thereof.
- d. National Institute of Technology, Tiruchirappalli, prior to the expiration of the quotation validity period, will notify the bidder whose bid is accepted for the award of contract. The terms of accepted offer shall be incorporated in the purchase order.
- 16. **Warranty:** 12 Months shall be applicable to the supplied goods and installation work. Bidder should clearly indicate the arrangements for support and maintenance during the period for which the warranty shall be in force.
- 17. **Performance Security:** Security deposit should be **3**% of purchase order value in case of Performance Bank Guarantee should be valid for 60 days beyond the guarantee & warranty. The successful bidder need to submit performance security (As mentioned in Annexure –I) of purchase order value either in the



form of bank guarantee or crossed demand draft drawn on any Nationalized bank in India in favor of "The Director, NIT, Tiruchirappalli" payable at Trichy. The bank guarantee / Demand Draft will be returned to the supplier after 60 days from date of successful completion of supply, installation, and the warranty period.

18. **Payment:** 100% will be paid after Installation and satisfactory working/date of completion of service if the documents are in order. The bill should be raised in favor of "The Director, National Institute of Technology, Tiruchirappalli, Tamil Nadu, India." with institute GST No. 33AAATN5491Q1ZZ.No advance will be provided to the supplier and installer.

### 19. Liquidity damages

If the bidder / supplier, after accepting the Purchase Order or supply of Goods / Services, fails to deliver any or all of the Goods or to perform Services within the period(s) specified in the Order, The National Institute of Technology, Tiruchirappalli shall impose penalty withoutassigninganyreasons to the bidder / supplier a sum equivalent to 0.50 % of the total cost as indicated in the Purchase Order (which will be deemed as agreed price) for each week or part thereof of delay until actual delivery or performance is completed and such penal charges shall be limited to a maximum of 5% of the agreed price. Once the maximum is reached The National Institute of Technology, Tiruchirappalli, may proceed on its own to consider the termination / cancellation of the Order and may inform the bidder about the cancellation of the said purchase order. unless extension is obtained in writing from the office / Department on valid ground before expiry of deliveryperiod

- 20. If the deliveries are not maintained and due to that account Procuring Entity is forced to buy the material at your risk and cost from elsewhere, the loss or damage that may be sustained there by will be recovered from the defaultingsupplier
- 21. Disputeclause: Any dispute relating to the Enquiring /Tender of the indented item shall be under the Hon'ble Court having its jurisdiction over Tiruchirappalli only
- 22. Startup company exempted from Prior Turnover & Prior Experience (Startup certificate registered with DIPP should be enclosed)

#### 23. **GST** as applicable

- 24. Performance Bank guarantee should be valid for 60 days beyond the guarantee & warranty and the BG submitted for EMD shall be valid for 45 days beyond bid validity period.
- 25. Bids submitted without EMD (unless exempted) will be treated as disqualified.
- 26. The successful bidder should submit **Security Deposit/PBG** within 15 days from the date of placement of order. The **EMD** shall be returned only after receipt of SD. If the bidder fails to deliver the material, then the **EMD/SD** shall be forfeited.



### **ACCEPTANCE BY THE BIDDER**

We hereby certify that I/We shall abide hereby the terms and conditions and the Annexures of this limited quotation.

### Signature & Seal of Vendor with Date

For any details/clarifications regarding could be obtained from Stores and Purchase Section on all working days during 10 AM to 5 PM.

For further detail related to Technical specifications kindly contact: Dr. Shelas Sathyan (Purchase initiator), DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING, shelassathyan@nitt.edu, 0431 250 3274 (NB: Mention the Contact Number / E-mail on the cover. Any change in the date, time and venue of the tender opening will be informed to the bidders through telephone/E-mail)

**Enclosures:** 1)Specifications of the equipment Annexure – I

2) Price Format Annexure - II
 3) EMD Return Format Annexure - III
 4) Bank Mandate Form Annexure - IV



### DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING

**Annexure-I** 

# **Specifications of the Equipment**

**Ref:** NITT/F.NO.020/CAPEX/2022-23/EEE **Date:**17.08.2022

S.No.   Range   Quantity	S. No	Specif	ication o	of NIT-T Specification	of the Supplier
1.       SCR-BTW38-1200       50         2.       MOSFET-IRF 640       50         3.       MOSFET-IRF 620       50         4.       IGBT TYN612       50         5.       Table Fan (50W, 400MM)       5         Fan Regulator       6.       (360 Rotation, TRIAC inbulid, Electronics type)       5         7.       IC-555       50         8.       Power Diode       50         9.       1/22 Single Strand wire       5         10.       16A Female Banana Jack       50         11.       Heat Sink for mounting MOSFET IRF540       20         12.       Speed sensing reflecting sticker       5         13.       Multicore copper wire(1sqmm)       2         14.       Tester       10         15.       Screw Driver (star & minus)       5         16.       Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)       10         17.       Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)       10         18.       Small Plastic Box (10cm x 6cm)       100         19.       Medium Plastic Box (10cm x 6cm)       100         Switch Box with Hilam Sheet including 5A switch & socket cutting (18"x8"x4.5")       2         Switch Box with Hilam Sheet i	1.	Specification		'	
2.       MOSFET-IRF 640       50         3.       MOSFET-IRF 620       50         4.       IGBT TYN612       50         5.       Table Fan (50W, 400MM)       5         Fan Regulator       6.       (360 Rotation, TRIAC inbulid, 5       5         Electronics type)       7.       IC-555       50         8.       Power Diode       50         9.       1/22 Single Strand wire       5         10.       16A Female Banana Jack       50         11.       Heat Sink for mounting MOSFET IRF540       20         12.       Speed sensing reflecting sticker       5         13.       Multicore copper wire(1sqmm)       2         14.       Tester       10         15.       Screw Driver (star & minus)       5         16.       18 Screw Driver (star & minus)       5         17.       Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)       10         17.       Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)       10         18.       Small Plastic Box (10cm x 3.5cm)       100         19.       Medium Plastic Box (10cm x 6cm)       100         Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5")       2		-	S.No.	Range	Quantity
3.       MOSFET-IRF 620       50         4.       IGBT TYN612       50         5.       Table Fan (50W, 400MM)       5         Fan Regulator       6. (360 Rotation, TRIAC inbulid, Electronics type)       7. IC-555         7.       IC-555       50         8.       Power Diode       50         9.       1/22 Single Strand wire       5         10.       16A Female Banana Jack       50         11.       Heat Sink for mounting MOSFET IRF540       20         12.       Speed sensing reflecting sticker       5         13.       Multicore copper wire(1sqmm)       2         14.       Tester       10         15.       Screw Driver (star & minus)       5         Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)       10         17.       Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)       10         18.       Small Plastic Box (13.5cm x 9.5cm x 3.5cm)       100         19.       Medium Plastic Box (10cm x 6cm)       100         Switch Box with Hilam Sheet including 5A switch & socket cutting (18"x8"x4.5")       Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2")         22.       9V Battery       15	ļ		1.	SCR-BTW38-1200	50
4. IGBT TYN612 5. Table Fan (50W, 400MM) 5 Fan Regulator 6. (360 Rotation, TRIAC inbulid, Electronics type) 7. IC-555 8. Power Diode 9. 1/22 Single Strand wire 10. 16A Female Banana Jack 11. Heat Sink for mounting MOSFET IRF540 12. Speed sensing reflecting sticker 13. Multicore copper wire(1sqmm) 14. Tester 15. Screw Driver (star & minus) 16. Plastic Box-12 Compartment (30cm x 25 cm x 6cm) 17. Plastic Box-9 Compartment (25cm x 20.50 cm x 6cm) 18. Small Plastic Box (13.5cm x 9.5cm x 3.5cm) 19. Medium Plastic Box (10cm x 10cm x 6cm) Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5") Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2") 22. 9V Battery 15	ļ		2.	MOSFET-IRF 640	50
5. Table Fan (50W, 400MM)  Fan Regulator  6. (360 Rotation, TRIAC inbulid, 5 Electronics type)  7. IC-555 50  8. Power Diode 50  9. 1/22 Single Strand wire 5  10. 16A Female Banana Jack 50  Heat Sink for mounting MOSFET IRF540  12. Speed sensing reflecting sticker 5  13. Multicore copper wire(1sqmm) 2  14. Tester 10  15. Screw Driver (star & minus) 5  Plastic Box- 12 Compartment (30cm x 25 cm x 6cm) 10  (25cm x 20.50 cm x 6cm) 10  Small Plastic Box (13.5cm x 9.5cm x 3.5cm) 100  18. Small Plastic Box (10cm x 10cm x 6cm) 5  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5") 5  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2") 15			3.	MOSFET-IRF 620	50
Fan Regulator	ļ		4.	IGBT TYN612	50
6. (360 Řotation, TRIAC inbulid, Electronics type)  7. IC-555 50  8. Power Diode 50  9. 1/22 Single Strand wire 5  10. 16A Female Banana Jack 50  11. Heat Sink for mounting MOSFET IRF540  12. Speed sensing reflecting sticker 5  13. Multicore copper wire(1sqmm) 2  14. Tester 10  15. Screw Driver (star & minus) 5  16. Plastic Box- 12 Compartment (30cm x 25 cm x 6cm) 10  17. Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm) 10  18. Small Plastic Box (13.5cm x 9.5cm x 3.5cm) 100  19. Medium Plastic Box (10cm x 10cm x 6cm) 100  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5") Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2") 15			5.	Table Fan (50W, 400MM)	5
8.       Power Diode       50         9.       1/22 Single Strand wire       5         10.       16A Female Banana Jack       50         11.       Heat Sink for mounting MOSFET IRF540       20         12.       Speed sensing reflecting sticker       5         13.       Multicore copper wire(1sqmm)       2         14.       Tester       10         15.       Screw Driver (star & minus)       5         16.       Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)       10         17.       Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)       10         18.       Small Plastic Box (13.5cm x 9.5cm x 3.5cm)       100         19.       Medium Plastic Box (10cm x 10cm x 6cm)       100         Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5")       4         Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2")       4         22.       9V Battery       15			6.	(360 Rotation, TRIAC inbulid,	5
9.       1/22 Single Strand wire       5         10.       16A Female Banana Jack       50         11.       Heat Sink for mounting MOSFET IRF540       20         12.       Speed sensing reflecting sticker       5         13.       Multicore copper wire(1sqmm)       2         14.       Tester       10         15.       Screw Driver (star & minus)       5         16.       Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)       10         17.       Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)       10         18.       Small Plastic Box (13.5cm x 9.5cm x 3.5cm)       100         19.       Medium Plastic Box (10cm x 10cm x 6cm)       100         Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5")       4         Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2")       4         22.       9V Battery       15	ļ		7.	IC-555	50
10. 16A Female Banana Jack 11. Heat Sink for mounting MOSFET IRF540 12. Speed sensing reflecting sticker 5 13. Multicore copper wire(1sqmm) 2 14. Tester 10 15. Screw Driver (star & minus) 5 16. Plastic Box- 12 Compartment (30cm x 25 cm x 6cm) 10 17. Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm) 10 18. Small Plastic Box (13.5cm x 9.5cm x 3.5cm) 100 19. Medium Plastic Box (10cm x 10cm x 6cm) 100 Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5") Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2") 15	ļ		8.	Power Diode	50
11. Heat Sink for mounting MOSFET IRF540  12. Speed sensing reflecting sticker  13. Multicore copper wire(1sqmm)  14. Tester  15. Screw Driver (star & minus)  16. Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)  17. Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)  18. Small Plastic Box (13.5cm x 9.5cm x 3.5cm)  19. Medium Plastic Box (10cm x 10cm x 6cm)  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5")  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2")  22. 9V Battery  10. Speed sensing reflecting sticker  5	ļ		9.	1/22 Single Strand wire	5
11.   IRF540   12.   Speed sensing reflecting sticker   5   13.   Multicore copper wire(1sqmm)   2   14.   Tester   10   15.   Screw Driver (star & minus)   5   16.   Plastic Box- 12 Compartment   (30cm x 25 cm x 6cm)   10   17.   Plastic Box- 9 Compartment   (25cm x 20.50 cm x 6cm)   18.   Small Plastic Box   (13.5cm x 9.5cm x 3.5cm)   100   19.   Medium Plastic Box   (10cm x 10cm x 6cm)   Switch Box with Hilam Sheet   20.   including 5A switch & socket 4   cutting (18"x8"x4.5")   Switch Box with Hilam Sheet   21.   including 5A switch & socket 4   cutting (16"x8"x2")   22.   9V Battery   15			10.	16A Female Banana Jack	50
13.       Multicore copper wire(1sqmm)       2         14.       Tester       10         15.       Screw Driver (star & minus)       5         16.       Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)       10         17.       Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)       10         18.       Small Plastic Box (13.5cm x 9.5cm x 3.5cm)       100         19.       Medium Plastic Box (10cm x 10cm x 6cm)       100         Switch Box with Hilam Sheet including 5A switch & socket cutting (18"x8"x4.5")       4         Switch Box with Hilam Sheet including 5A switch & socket cutting (16"x8"x2")       4         22.       9V Battery       15			11.	3	20
14.       Tester       10         15.       Screw Driver (star & minus)       5         16.       Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)       10         17.       Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)       10         18.       Small Plastic Box (13.5cm x 9.5cm x 3.5cm)       100         19.       Medium Plastic Box (10cm x 10cm x 6cm)       100         Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5")       4         Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2")       4         22.       9V Battery       15	ļ		12.	Speed sensing reflecting sticker	
15. Screw Driver (star & minus)  16. Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)  17. Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)  18. Small Plastic Box (13.5cm x 9.5cm x 3.5cm)  19. Medium Plastic Box (10cm x 10cm x 6cm)  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5")  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2")  22. 9V Battery  10	ļ		13.	Multicore copper wire(1sqmm)	2
16. Plastic Box- 12 Compartment (30cm x 25 cm x 6cm)  17. Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)  18. Small Plastic Box (13.5cm x 9.5cm x 3.5cm)  19. Medium Plastic Box (10cm x 10cm x 6cm)  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (18"x8"x4.5")  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x4.5")  Switch Box with Hilam Sheet 21. including 5A switch & socket 4 cutting (16"x8"x2")  22. 9V Battery	ļ		14.	Tester	10
16. (30cm x 25 cm x 6cm)  17. Plastic Box- 9 Compartment (25cm x 20.50 cm x 6cm)  18. Small Plastic Box (13.5cm x 9.5cm x 3.5cm)  19. Medium Plastic Box (10cm x 10cm x 6cm)  Switch Box with Hilam Sheet 20. including 5A switch & socket 4 cutting (18"x8"x4.5")  Switch Box with Hilam Sheet 21. including 5A switch & socket 4 cutting (16"x8"x2")  22. 9V Battery  10  10  10  10  10  10  10  100  100			15.	Screw Driver (star & minus)	5
17. (25cm x 20.50 cm x 6cm)  18. Small Plastic Box (13.5cm x 9.5cm x 3.5cm)  19. Medium Plastic Box (10cm x 10cm x 6cm)  Switch Box with Hilam Sheet  20. including 5A switch & socket 4 cutting (18"x8"x4.5")  Switch Box with Hilam Sheet  21. including 5A switch & socket 4 cutting (16"x8"x2")  22. 9V Battery  100			16.	<u>.                                      </u>	10
18. (13.5cm x 9.5cm x 3.5cm)  19. Medium Plastic Box (10cm x 10cm x 6cm)  Switch Box with Hilam Sheet 20. including 5A switch & socket 4 cutting (18"x8"x4.5")  Switch Box with Hilam Sheet including 5A switch & socket 4 cutting (16"x8"x2")  21. including 5A switch & socket 4 cutting (16"x8"x2")  22. 9V Battery  100			17.	•	10
19. Medium Plastic Box (10cm x 10cm x 6cm)  Switch Box with Hilam Sheet 20. including 5A switch & socket 4 cutting (18"x8"x4.5")  Switch Box with Hilam Sheet 21. including 5A switch & socket 4 cutting (16"x8"x2")  22. 9V Battery  100			18.		100
Switch Box with Hilam Sheet  20. including 5A switch & socket 4 cutting (18"x8"x4.5")  Switch Box with Hilam Sheet 21. including 5A switch & socket 4 cutting (16"x8"x2")  22. 9V Battery  15			19.	Medium Plastic Box	100
21. including 5A switch & socket 4 cutting (16"x8"x2")  22. 9V Battery 15			20.	Switch Box with Hilam Sheet including 5A switch & socket	4
			21.	Switch Box with Hilam Sheet including 5A switch & socket	
			22.	9V Battery	15
23.   1.5V AAA Battery			23.	1.5V AAA Battery	50
24. Polish/Sand Paper 2			24.	Polish/Sand Paper	2
25. Lug-I Hole type (Dia-5mm for 1.5sqmm wire) 200			25.	•	200
26. Lug-U type(for 1.5sqmm wire) 200			26.		200
Note: IC's should be packed in plastic boxes			No		ooxes
Model					



		(No hand written)						
Reasons (if there is difference in specification)								
1.								
2.								

S.No	Other requirements related to the equipment	NITT Requirement	Supplier commitment
1.	Installation required	Yes	
2.	Warranty (in Month)	12 Months	
3.	Comprehensive AMC required	No	
4.	Delivery Period (Weeks)	8 Weeks	
5.		Shipment terms	At NIT-T
6.	Performa	3%	
7.		100% Payment after satisfactory delivery/Installation	
8.	EMD	Amount (2 to 5)%	Rs 1,601 (2%)

## Signature & Seal of Vendor with Date

## Note:

Specification of the Supplier should be given in detail, single word confirmation like Complied / Yes / same will be treated as non - responsive Bid and summarily rejected.

Proof for the supplier's specification must be enclosed along with the quotations. (catalogue, brochure, and product website link if any)



#### DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING

Annexure- II

### PRICE BID FORMAT FOR BIDDERS

Quotation reference No. & Date: NITT/F.NO.020/CAPEX/2022-23/EEE

Bidder's Offer No. & Date:

S.No.	Description of item	Unit (Set /No)	QTY	Rate /Qty in Rs.	G	Total Value + GST in		
		·		(excl uding GST)	SGST	CGST	IGST	Rs.
1.	Supply portion (The price indicated shall be exclusive of all accessories, spares etc. as given in the scope of supply)	Nos	Mentione d in Tech specs					
2.	Other accessories / spares etc. as given in scope of supply (Individual item-wise break-up price shall be attached as an annexure to this price bid format.)							
3.	Installation and Commissioning (extra, if any)	<u>Yes</u>						
4.	Packing & Forwarding any)	charges	s (extra, if					
5.	Freight & Transit insurar if any	rges, extra,						
6.	Total price							
7.	Value of Annual Mainten	ance C	ontract					
8.	Net cost to be paid by							

Signature & Seal of Vendor

Note: The price quoted should be in Typed format only as per the above form. Hand written quotes will be rejected. No row shall be left blank, Kindly mention NA in case the item is "Not Applicable". If this format is not used or any column is left blank, then the bid will be rejected. AMC Value will not consider for arriving L1 bidder.



# (TO BE PRINTED IN LETTER PAD OF THE FIRM) EMD Returning Form

То
The Director
National Institute of Technology,
Tiruchirappalli - 620 015

Sub: Returning EMD amount

Sir / Madam,

Our firm has participated in the tender / quotation enquiry No mentioned below and produced the EMD amount through DD, details of the DD are given below.

Tender / Quotation Reference No	
EMD amount	
DD Number	
DD issued Bank	
Date of DD	

It is requested to return the EMD amount to our firm after completion of the purchase to the below mentioned Bank account.

Account Name	
Bank Account Number	
IFSC code	
Bank	

Signature with Seal and Date



## (TO BE PRINTED IN LETTER PAD OF THE FIRM)

Annexure – IV

### MANDATE FORM FOR ELECTRONIC FUND TRANSFER/RTGS TRANSFER

То													Da	ite:	/	/			
Nat	iona	ector, I Institute of Te appalli – 620 0				ladu	I												
Sub	) :	Authorization Technology, Transfer.	for Tiru	rel uchi	eas rap <sub>l</sub>	e c palli	of p th	ayr	nent ugh	/ Eld	due ectr	s f onic	rom F	Na una	atior d	nal Trar	Insti nsfe	tute r/RT	of GS
2 3 4. 5.	Name of theParty/Firm/Company/Institute :  Address of theParty :  CityPinCode  E-MailMobileNo:  Permanent AccountNumber  Particulars ofBank:																		
	Ba	nk Name:						В	ranc	h N	lam	e:							
		Code:							Branch Code:										
		Code:(11 digi				eric	COC	de)											
		count Type	Sa	vin	gs	ı		1	Cu	rren	nt			Cash Credit					
Ĺ	AC	count Number:																	
						DE	CL	AR	ATIO	N									
I hereby declare that the particulars given above are correct and complete. If any transaction delayed and not effected for reasons of incomplete or incorrect information I shall not hold Director, National Institute of Technology Tiruchirappalli responsible. I also undertake to advise any change in the particulars of my account to facilitate updating of records for purpose of credit of amount through NEFT/RTGS Transfer.  Place:																			