

NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI – 620 015 ESTATE MAINTENANCE DEPARTMENT

NOTICE INVITING TENDERS TENDER EXTENSION NOTIFICATION

Ref: NIT-T/EO/EMD/En. No 32/ 2015 -16

Date.13.11.2015

The **Estate Officer**, Estate Maintenance Department, NIT-Trichy - 620 015 invites on behalf of The Director, NIT, Trichy-620 015 sealed item rate tenders from the approved and eligible contractors of NITT/CPWD and those in the appropriate list of Tamil Nadu state PWD, Railways, MES and BSNL for the following work. Sealed tenders will be received by the Registrar, National Institute of Technology, Tiruchirappalli-15 up to **3.00 p.m on 20.11.2015**. The tender will be **opened at 3.30.p.m** on **20.11.2015** at **Registrar Office**, in the presence of tenders who choose to present.

En.No	Est. Id No	Name of work	Estimate Cost Rs.	E.M.D Rs.	Extended Date for submission of tenders	Tender cost
32	80	Providing aluminum partition wall for room no 332 in OJAS for Physics Department	1,77,715-	3,600/-	20.11.2015	150/-

Tender details in this regard may also be seen in the Notice board of office of the Estate office, Estate Maintenance Department, NIT, Trichy -15 during office hours on any working days.

The tender document can be downloaded from the Institute Web Site www.nitt.edu/home/others/tenders/.

The tender cost and Earnest money should be enclosed along with tender schedule in the form of separate

Demand Draft of any Nationalized bank Drawn in favour of "The Director, NIT, Trichy – 15."

Estate Officer(i/c)

NAIONAL INSTITUTE OF TECHNOLOGY, TIRUCHIRAPPALLI - 620015 DEPARTMENT OF ESTATE MAINTRNANCE

TENDER DOCUMENT

N/W: Providing aluminium partition wall for room no 332 in OJAS for Physics Dept.

Ref: NITT/EMD/EO/Civil Works/En. No.32(80) /15-16,dated 30.10.2015 & 13.10.2015

Due On – 20.11.2015

Name of the Agency:

ITEM	SUB-HEADS AND ITEM OF WORK	QUANTITY	UNIT	RATE (Rs)	RATE (In Words)	AMOUNT(Rs)
No		1.00				
1.1	Providing and fixing aluminium extruded section body	1.00	Each			
	tubular type universal hydraulic door closer (having brand					
	logo with ISI, IS: 3564, embossed on the body, door weight					
	upto 36 kg to 80 kg and door width from 701 mm to 1000					
	mm), with double speed adjustment with necessary					
	accessories and screws etc. complete					
1.2	Providing and fixing aluminium tower bolts, ISI marked,	2.00	Each			
	anodised (anodic coating not less than grade AC 10 as per					
	IS: 1868) transparent or dyed to required colour or shade,					
	with necessary screws etc. complete:					
1.2.1	150 x 10 mm					
1.3	Providing and fixing aluminium handles, ISI marked,	2.00	Each			
	anodised (anodic coating not less than grade AC 10 as per					
	IS: 1868) transparent or dyed to required colour or shade,					
	with necessary screws etc. complete:					
1.3.1	100 mm					
1.4	Providing and fixing bright finished brass 100 mm mortice	1.00	Each			
	latch and lock, ISI marked, with six levers and a pair of					
	anodised (anodic coating not less than grade AC 10 as per					
	IS: 1868) aluminium lever handles of approved quality with					
	necessary screws etc. complete					

1.5	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete.	1.00	Each		
1.5.1	Triple strip vertical type				
2.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-incharge. (Glazing, paneling and dash fasteners to be paid for separately):	270.00	Kg		
2.1.1	For Fixed portion				
2.1.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)				
2.1.2	For shutters of doors, windows & ventilators including providing and fixing hinges/pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	33.00	Kg		
2.1.2.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)				
2.2	For shutters of doors, windows & ventilators including providing and fixing hinges/pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	35.00	Sqm		

2.2.1	Pre-laminated particle board with decorative lamination on				
	both sides				
2.3	Providing and fixing glazing in aluminium door, window,	21.00	Sqm		
	ventilator shutters and partitions etc. with EPDM rubber /				
	neoprene gasket etc. complete as per the architectural				
	drawings and the directions of engineer-in-charge (Cost of				
	aluminium snap beading shall be paid in basic item):				
2.3.1	With float glass panes of 5.50 mm thickness				

SIGNATURE OF CONTRACTOR