



NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI – 620 015

ESTATE MAINTENANCE DEPARTMENT

NOTICE INVITING TENDERS NO: NITT/EMD//Civil works / 2015-16

EXENSION OF TENDER NOTIFICATION

Ref: NITT/EMD/EO/Civil works/15-16

Date.27.01.2016.

The **Estate Officer** of NIT on behalf of The Director, NIT invites sealed item rate tenders from the appropriate list of Tamil Nadu state PWD, Railways, CPWD, MES and BSNL for the following work. Sealed tenders will be received by the Registrar, National Institute of Technology, Tiruchirappalli-15 up to **3.00 p.m. on 04.02.2016**. The tender will be **opened at 3.30. P.M. on 04.02.2016** at Registrar Office, in the presence of tenderers who choose to present.

Enq No.	Est Id. No	Name of work	Estimate cost Rs.	Earnest Money Rs.	Last date for Submission of the tenders	Tender cost
40	102	Providing paver block pathway to 'F' Mess.	3,50,652/-	7,100/-	04.02.2016	Rs.150/-

Tender details in this regard may also be seen in the Notice board of office of the Estate office, Estate Maintenance Dept, NIT, Trichy-15 during office hours on any working days.

The tender document can be downloaded from this institute web site www.nitt.edu/home/others/tenders/. The tender cost and the Earnest money should be enclosed along with tender schedule in the form of separate **Demand Draft** from any Nationalized Bank drawn in favor of **“The Director, NIT, Trichy-15”**

-Sd-
Estate Officer

NAIONAL INSTITUTE OF TECHNOLOGY, TIRUCHIRAPPALLI - 620015
DEPARTMENT OF ESTATE MAINTRNANCE

TENDER DOCUMENT

N/W : Providing paver block pathway to 'F' Mess.

Ref : NITT/EMD/EO/Civil Works/Enq.No.40(102)/15-16,dated 13.01.2016

Due On – 04.02.2016

Name of the Agency :

ITEM No	SUB-HEADS AND ITEM OF WORK	QTY	UNIT	RATE (Rs)	RATE (In Words)	AMOUNT(Rs)
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.	25	Cum			
1.1	All kinds of soil.					

2	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	60	Cum			
3	Surface dressing of the ground including removing vegetation and in- equalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m.	400	100 sqm			
	All kinds of soil					
4	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :	40	Sqm			
4.1	Two or more coats on new work					
5	Providing and laying 60mm thick factory made cement concrete interlocking paver block of M - 30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer-in-charge.	400	Sqm			

6	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	11	Cum			
7	Supplying and stacking of good earth at site including royalty and carriage up to 1 km (earth measured in stacks will be reduced by 20% for payment).	60	Cum			
TOTAL						

Signature of Contractor

