NATIONAL INSTITUTE OF TECHNOLOGY

TIRUCHIRAPPALLI – 15

Department of Civil Engineering

Web: <u>www.nitt.edu</u> Phone: 0431 - 2503150



TENDER DOCUMENT

Tender Notification No.: Ref. No.: NITT/F.No.UG 28, 29, 30, 31, 32/PLAN 2013-14/CIV

Dated: 23-05-2013

F.No.UG 32

Rs. 8,000/-

F.No.UG 31

Rs. 6,000/-

Name of the component : Triaxial Shear Test Equipment, Direct Shear Test Equipment,

Consolidation Equipment, Soil Resistivity Equipment,

F.No.UG 29

Rs. 12,000/-

Inclinometer.

F.No.UG 28

Rs. 12,000/-

Quantity required : Each One (PLEASE QUOTE SEPARATELY FOR EACH

: Rs. 150/- for each equipment

ITEM)

Delivery : 6-8 Weeks

EMD Amount

Cost of the Tender Document

Last Date of submission of Tender : 12.06.2013 at 3.00 p.m.

Address for submission of Tender : The Director

National Institute of Technology, Tiruchirappalli- 620 015

F.No.UG 30

Rs. 10,000/-

Tamilnadu, India.

Kind ATTN to: Dr. P. Jayabalan

Professor and Head

Department of Civil Engineering

National Institute of Technology, Tiruchirappalli- 620 015

Tamilnadu, India.

Date of opening of bid : **12.06.2013 at 3.30 p.m.**



NATIONAL INSTITUTE OF TECHNOLOGY TIRUCHIRAPPALLI – 15

DEPARTMENT OF CIVIL ENGINEERING

Tender Notification No.: Ref. No.: NITT/F.No.UG 28, 29, 30, 31, 32/PLAN 2013-14/CIV

Dated: 23-05-2013

NOTICE INVITING TENDER

The National Institute of Technology, Tiruchirappalli (NITT) is an autonomous body under MHRD, GOI, imparting Technical Education and engaged in Research Activities. It is proposed to procure the following component for the departmental academic/research activities.

Sealed Quotations under *TWO COVER SYSTEMS* are invited for the following component subject to the following terms and conditions, from the reputed manufacturers or their authorized dealers so as to reach this office on or before scheduled date and time. The technical cover will be opened on the same day in the presence of bidders or their authorized agents who may choose to be present.

Name of the component : Triaxial Shear Test Equipment, Direct Shear Test Equipment,

Consolidation Equipment, Soil Resistivity Equipment,

Inclinometer.

F.No.UG 28

Quantity required : Each One

EMD : Rs. 12,000/- Rs. 12,000/- Rs. 10,000/- Rs. 6,000/- Rs. 8,000/-

F.No.UG 29

Cost of the Tender Document : Rs. 150/- for each equipment.

Time for completion of supply after placing purchase order: 6-8 weeks

Last Date of submission of Tender : 12.06.2013 at 3.00 p.m.

Tender to be submitted at the following address: The Director

National Institute of Technology, Tiruchirappalli- 620 015

F.No.UG 30

F.No.UG 31

F.No.UG 32

Tamilnadu, India.

Kind ATTN to: Dr. P. Jayabalan

Professor and Head

Department of Civil Engineering

National Institute of Technology, Tiruchirappalli- 620 015

Tamilnadu, India.

Place, Date and time of opening of bid

<u>Date:</u>12.06.2013 <u>Time:</u>3.30 p.m. <u>Venue:</u> Central Stores

Note: The Institute shall not be responsible for any postal delay about non-receipt / non delivery of the bids or due to wrong addressee.

INSTRUCTIONS TO BIDDERS

- 1. This document set contains the following:
 - a) Terms and conditions of the Tender.
 - b) Details of the Firm offering this Quote.
 - c) Technical Compliance Form
 - c) Ouotation form (Price Bid).
 - d) Currency Form (quoted on behalf of the foreign suppliers).
 - d) NIT-T's check list copy.
- 2. The bidder's copy is for your future records. Please fill in and return only NIT-T's copy.
- 3. The bidder should give details of their technical soundness and provide list of customers of previous supply of similar items to Universities, Institutes or Government Departments/Undertakings/public sectors with contact details. The details of the agency/profile should be furnished along with the copy of all related documents.
- 4. Read through the terms and conditions given and affix your signature and seal if you find them acceptable. Any deviations may be recorded. Read carefully list of specifications that we have enclosed.
- 5. Fill in the questionnaire regarding the Firm.
- 6. The downloaded documents 'Technical Compliance Form' and 'Quotation Form (Price Bid)' should be TYPE WRITTEN USING CAPITAL LETTERS ONLY. At the time of filling the "Quotation Form (Price Bid)" make sure that you have not missed anything. Specify the model number & specification for each item. The form should be filled item-wise. Do not leave blank fields. If you are not quoting for a specific item, you should specify "NOT QUOTING".
- 7. **Do not use** ambiguous terms like "yes", "complied" or "available". Specifically mention the matching specification of the product offered by you. Make sure that you have affixed your signature with date and seal on all the documents
- 8. Please send the tenders in a sealed envelope super scribed as "QUOTATIONS AGAINST TENDER NOTIFICATION NO: Item No. It
- 9. For any further clarifications, contact by E-Mail: registrar@nitt.edu or by written request to "The Registrar, National Institute of Technology, Tiruchirappalli 620 015, India."

Last Date for receipt of tender at NIT-T : 12.06.2013 at 3.00PM Opening Date for Tender : 12.06.2013 at 3.30PM

CHECKLIST TO BE FILLE	D IN BY BIDDER					
List of documents to be enclosed Completed & Signed						
1. Terms and Conditions form	YES / NO					
2. Details of the Firm offering this Quote	YES / NO					
3. NIT-T's Quotation form (Technical & Price Bid)	YES / NO					
4. Currency Form(quoted on behalf of the foreign	YES / NO					
suppliers)						
5. Other technical specifications & pamphlets	YES / NO					

Note: 1. "Cover" should contain the following:

- a. Form of "Acceptance of Terms and Conditions".
- b. Form of "Firms details"
- c. Pamphlets, if any (in a separate sealed cover)
- 2. Quotation Form (Technical, Price Bid and Currency Form)

Please retain this page with you for your future reference.

Section 1: "IN THE CASE OF TWO BID TENDERS"

1. Bids are to be submitted under two cover system.

1.1 Cover 1:

Cover 1 should contain the following:

- a. EMD Earnest Money Deposit (EMD) is to be remitted by way of Demand Draft drawn on any Nationalized bank in India by Demand Draft drawn on any scheduled bank in favor of "The Director, NIT, Trichy" payable at Trichy should be submitted. EMD shall bear no interest. Any bid not accompanying with EMD is liable to be treated as non-responsive and rejected.
- b. Technical pamphlets
- c. Detailed technical specification
- d. The agency should furnish copy of license certificate for manufacture/supply of the item*
- e. The agency should furnish Income Tax PAN number & TIN number.*
- f. The agency should furnish the last three years balance sheet approved by the CA and the IT clearance certificate.*
- g. Warranty period offered for the tendered item to be specified. If the warranty period is not conforming to the schedule of requirements given in section 3 of the document, the bid is liable to be treated as non-responsive and rejected.
- h. Duly filled up technical questionnaire, if any
- i. Duly filled up deviation schedules to technical specification
- j. Copy of supply orders completed during the last three years
- k. If the prices are revealed in the cover 1, the offer will be summarily rejected The cover 1 shall be super scribed as 'Technical cover' duly indicating the Tender reference No. and the due date of opening.
- * Appropriately pertaining to the country of origin.

1.2 Cover 2:

Cover 2 should contain the following

Cover 2 shall contain Price only and shall be super scribed as 'Price Cover' duly indicating the Tender Reference No. and the due date of opening.

Each Cover shall be sent in a double sealed cover. The inner covers (Cover 1 and Cover 2) should be sealed individually with the Sellers's distinctive seal and super scribed with the tender reference no. and due date of opening. Both the inner covers shall be placed in a common outer cover which shall also be sealed with seller's distinctive seal and super scribed with the tender reference no. and due date of opening.

Mention "Kind Attention:, and submit at the address given in the Notice Inviting Tender.

NOTE:

Cover 1 will be opened on the scheduled date and time mentioned in the tender enquiry.

Cover 2 of the technically and commercially suitable offers alone will be opened on a date which will be intimated to the qualified bidders.

Section 2: "TERMS AND CONDITIONS FORM"

IMPORTANT: READ ALL THE FOLLOWING TERMS AND CONDITIONS AND SIGN THE ACCEPTANCE CLAUSE FOLLOWING IT

- 2. Each offer should be sent in a sealed cover with the tender documents. <u>Tenders received through email or FAX will not be considered.</u> Softcopy of the Technical Compliance form and Quotation Forms should be submitted along with the tender in MS-Excel file format in a CD/DVD or USB drive. However, if there is any dispute between Hard copy and Soft copy, Hard copy will be taken.
- 3. The tenders will be opened on 12.06.2013 at 3.30PM in the presence of the vendors present with authorization letter from the respective companies / firms. Suppliers intending to attend the tender opening should intimate us in advance.
- 4. Full technical specifications and pamphlets should be sent along with the tenders. <u>Offers without proper technical specifications will be rejected.</u>
- 5. The rate quoted should be on unit basis excluding Taxes. Taxes and other charges should be quoted separately, considering exemptions if any.
- 6. All offers should indicate the taxes and duties applicable, if any. Additional charges for packing, forwarding, freight, insurance etc., if any, should be clearly mentioned. Clearance at Customs will be arranged by us.
- 7. NIT-T is paying concessional Customs & Excise duty under Government of India Notification No.51/96 for Central Customs and 10/97 for Central Excise Duty vide Certificate No.TU/V/RG-CDE(183)/2011 dt.10.10.11. Currently the purchaser is paying 5% Basic Customs Duty, 2% Educational Cess on Basic Customs Duty, 1% Higher Education Cess on Educational Cess, and 4% Import Additional Duty.
- 8. The Institute is not authorized to issue C and D forms of Sales tax certificate.
- 9. In case the offered items are to be imported, the rates should be quoted in foreign currency on C.I.F. Chennai Airport basis, and it should include the Freight up to Chennai airport and the insurance cover should be up to National Institute of Technology, Tiruchirappalli. NIT-T shall pay Customs duty if any.
- 10. If the price quoted is in foreign currency and if the order value is more than US\$10,000 then 100% payment will be made through **Letter of Credit (LC) at sight on acceptance**. If the order value is less than US\$10,000, then 100% payment will be through a Telegraphic Transfer (TT). **The bank charges outside India should be borne by the Supplier / Beneficiary. Part shipment not allowed**. If the price quoted is in Indian Rupees, then 100% payment will be made only after installation and commissioning. **No advance payment will be made.**
- 11. No revision of the price bid will be allowed once the price bids are opened. In case of foreign currency, the agency should mention the % of currency fluctuations they can bear.
- 12. No increase in price will be allowed after our firm orders are placed.
- 13. **Payment of excise duty and sales tax / VAT (on ultimate products)** as applicable on the closing date of tender will be to the supplier's / contractor's account. Any statutory variation (both plus and minus) in the rate of excise duty/sales tax/VAT after closing date of tender/revised price bid but before the expiry of the contractual delivery / completion period will be to the account of the office.
 - The bidder(s) will indicate, in their bid, the amount with exact rate of the Excise and Sales tax/VAT on ultimate finished product, as applicable at tendering stage, separately in the bid. In case the above information subsequently proves wrong, incorrect or misleading (a) this Institute will have no liability to reimburse the excess in the difference in rates of the item under which the duty/tax assessed finally (b) this Institute will have the right to recover the difference in case the rate of duty / tax finally assessed is on the lower side.
 - Any increase in excise duty, sales tax / VAT during extended period of the contract / supply order will be to supplier's / contractor's account where such extension in delivery of the materials/completion of the project was on the request of supplier / contractor. However, any decrease in excise duty/sales tax/ VAT during extended period of the contract / supply order, will be to the account of this Institute.
- 14. The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty should also be mentioned.

- 15. Quote should come from authorized dealer or distributor or reseller for each of the product quoted. An authorization letter should accompany your quote for each product quoted; otherwise it may lead to rejection.
- 16. The delivery period and other terms should be clearly mentioned.
- 17. Eligibility: Quotation from registered firms/company's / manufacturer under TNGST/CST / other statutory bodies alone be considered. Any Manufacturer / Supplier / Dealer who has been declared ineligible by World Bank/government of India shall not be eligible to participate in this bid. Any fraudulent practices including concealing of facts at the time of submission of bid and there after shall lead to disqualification. List of beneficiaries especially from Educational Institutions / R & D Institutions should also be enclosed with the quotations.
- 18. For those instruments Cost exceeding 5,00,000/- the company should have (i) Three similar works, each of value not less than 40% of the estimated cost put to tender, or (ii) Two similar works, each of value not less than 50% of the estimated cost, or (iii) One similar work of value not less than 80% of the estimated cost, all amounts rounded off to a convenient full figure, in the last 7 years ending on the last day of the month previous to the one in which the tenders are invited.
- 19. Complete user, technical and service documentation, and spare parts catalogue are to be provided along with the supply of the item.
- 20. The vendors are informed that they should not call us over phone or contact us in person. All clarifications can be obtained through E-Mail/FAX/Post. Vendors shall not make attempts to establish unsolicited and un-authorized contact with us after the opening of the offers and prior to the notification of the award. Any attempt by any vendor to bring to bear extraneous pressures on us shall be sufficient reason to disqualify the vendor.
- 21. Delay / loss in postal transit or due to other reasons will not be NIT-T's responsibility.
- 22. We are not responsible for accidental opening of the covers that are not properly super scribed and sealed before the time scheduled for opening.
- 23. The tender should be made only on the "Technical compliance form" & "Quotation form" which is available in our website, otherwise it shall lead to rejection. The technical compliance form & PRICE BID FORM should be duly filled up (preferably TYPE WRITTEN IN CAPITAL LETTERS) and should clearly mention the features offered by the bidder against each specification.
- 24. Authorized signatory should sign on all the pages. Bids without authorized signatures will be rejected.
- 25. The manufacturers of the quoted make of the product must be of national / international repute and having ISO /BIS certificate.
- 26. **Liquidated damages:** If the bidder/supplier, after accepting the Purchase Order, fails to deliver any or all of the Goods within the period specified in the Order, NIT-T shall, without prejudice to its other remedies under the Rules of Purchase, proceed to cancel the order or agree to accept a delayed delivery on the condition of payment of liquidated damages by the bidder / supplier a sum equivalent to 0.50% of the total cost as indicated in the Purchase Order (which will be deemed as agreed price) for each week or part thereof of delay until actual delivery or performance is completed and such penal charges shall be limited to a maximum of 5% of the total cost. Once the maximum is reached NIT-T may proceed on its own to consider the termination / cancellation of the order.
- 27. The vendors are informed that they should sign a stamp paper agreement with us, for Warranty, AMC, etc. before placing the final purchase order as per our terms & conditions and 5% -10% of purchase order value in the form of bank guarantee towards performance security. The bank guarantee will be returned to the supplier after the successful completion of supply, installation, and the warranty period.
- 28. Failure to comply with all the terms and conditions mentioned herein would result in the tender being summarily rejected.
- 29. Vendors are informed that once the companies are shortlisted based on the technical specification, only then the price bids of the firms that meet NIT-T's Technical specification / requirements would be compared.
- 30. The order will be based on the actual requirement at the time of ordering, optional items may also be ordered based on the actual requirements at the time of ordering. Not quoting for this may result in disqualification.
- 31. NIT-T reserves the right to modify or alter the specifications after short listing of tenderers.

- 32. NIT-T reserves the right to change the order quantity or split the orders among multiple vendors without assigning any reason(s) whatsoever.
- 33. NIT-T reserves the right to reject any or all the tenders without assigning any reasons whatsoever.
- 34. NIT-T reserves the right to purchase decreased number of quantity of the item to be purchased
- 35. The agencies should submit their rate as per the format given in Section 4 of the Notice Inviting Tender in this cover. All the pages of the bid should be signed affixing the seal. All corrections and overwriting should be initialed.
- 36. The tender will be acceptable only from the manufacturers or its authorized supplier.
- 37. The bid shall be in the format of price schedule given in Section 4. The contract form as per format given in section 5 shall be submitted. Incomplete or conditional tender will be rejected.
- 38. Details of quantity and the specifications are mentioned in Section 3 appended to this Notice Inviting
- 39. The item to be used is strictly according to the specification and subject to test by the Institute/concerned authorities. It must be delivered and installed in good working condition.
- 40. The Contractor/Supplier shall have no claim to any payment of compensation or otherwise whatsoever, on account of any profit or advantage which he might have derived from the execution of the work/supply in full but he did not derive in consequence of the foreclosure of the whole or part of the works.
- 41. In case of dispute, the matter will be subject to Tiruchirappalli, Tamil Nadu Jurisdiction only.

Release of EMD: The EMD shall be released after receipt of performance security from successful bidder.

<u>Validity of bids</u>: The rate quote should be valid for a minimum of 120 days. No claim for escalation of rate will be considered after opening the Tender.

<u>Imports</u>: In case, goods are to be imported, the Indian agent should furnish authorization certificate by the principles abroad for submission of the bid in response to this Notice Inviting Tender.

<u>Clarification of Tender Document</u>: A prospective bidder requiring any clarification of the Tender document may communicate to the contact person given in this notice inviting tender.

<u>Amendment of tender document:</u> At any time prior to the last date of receipt of bids, Institute may for any reason, whether at its own initiative or in response to a clarification requested by prospective bidder, modify the Tender document by an amendment.

The Institute may at its own discretion extend the last date for the receipt of bids.

The bids shall be written in English language and any information printed in other language shall be accompanied by an English translation, in which case for the purpose of interpretation of the bid, the English translation shall govern.

The Institute reserves the right of accepting any bid other than the lowest or even rejecting all the bids without assigning any reasons therefor. The decision of the Institute Purchase Committee is final in all matters of tender and purchase.

The bidder should give the following declaration while submitting the Tender.

ACCEPTANCE

We accept the above terms and conditions and shall comply with them strictly.

NAME OF THE VENDOR:

ADDRESS:

"<u>DETAILS OF THE FIRM OFFERING THIS QUOTE</u>" (Write or print or type in block letters and please answer all the questions)

Ι.	Name of the firm:
2.	Date of incorporation:
3.	Nature of the company: Government / Public / Private Company / Partnership / Proprietorship:
4.	Specify the number of years in this line of activity by the Company:
5.	Quantity of sales in the last three years for the "" (Same model that you have quoted)
	2009-2010 2010-2011 2011-2012
6.	Turnover in the last three years (Figures should be in Indian Rupees in lakhs):
	2009-2010 2010-2011 2011-2012
7.	Provide the postal address, telephone & fax numbers, and email address of the nearest service center.
8.	A) Number of service engineers in the above location trained on the product quoted along with their educational qualification, certification and designation (applicable only for instruments) and B) Assured response time for service calls in hours:
	(A)
9.	What would be the delivery period in days from the date we place an official purchase order.
ene E-l	Enclose the list of customers to whom you have supplied "" during the last 3 years ding 31/03/2012 with full postal address and name of the contact person with phone, FAX numbers, and Mail id. Certificate regarding satisfactory performance of the "" from the minimum ee end users should be furnished.
10	
10	Are you the authorized dealer or distributor or reseller for the products quoted:

Have you supplied "" to National lyears? If yes, specify the quantity supplied in the last		e last 3
Was there any elapse or delay in supplying the goods warranty period for the products ordered by NIT-T v		he
On Manufacturer's Side to whom NITT have to committed by the authorized dealer / distributor / res	3 11 3	r issues
Contact Person Name:		
Address:		
E-mail ID:	Telephone / Cell Phone:	
I		

DECLARATION

I/we have not tampered/modified the tender forms in any manner. In case, if the same is found to be tampered/modified, I/we understand that my/our tender will be summarily rejected and full Earnest Money Deposit (EMD) will be forfeited and I/we am/are liable to be banned from doing business with NIT, Trichy and /or prosecuted.

Signature o	f the Bidder:
Name and I	Designation:
Business Ac	ldress:
	•••••••••••••••••••••••••••••••••••••••
Place :	
Date :	Seal of the Bidder's Firm

Date:

Section 3: <u>SCHEDULE OF EQUIREMENTS</u>, <u>SPECIFICATIONS AND ALLIED DETAILS</u> (PLEASE QUOTE SEPARATELY FOR EACH ITEM)

Name of the Component to be procured : Triaxial Shear Test Equipment, Direct Shear Test

Equipment, Consolidation Equipment,

Soil Resistivity Equipment, Inclinometer.

Specification for

Name of the Component to be procured : Triaxial Shear Test Equipment, Direct Shear Test

Equipment, Consolidation Equipment,

Soil Resistivity Equipment, Inclinometer.

Specifications : List attached

Quantity : As per the List

Any other details/requirement : List attached

Warranty period required : 2 years

Delivery schedule expected after

release of purchase order (in weeks)

EMD (in Rupees) : As per the list

Performance Security to be given by Successful bidder after release of

purchase order (in Rupees)

5 % of the equipment Cost

Specifications

6-8 Weeks

File Ref. No.	Name of Equipment	Required Quantity	EMD Amount	Technical Specification
F- No:UG 028	Triaxial Shear Test Equipment	1	Rs. 12,000/-	TRIAXIAL SHEAR TEST APPARATUS (STATIC) As per IS-2720 (Part-XII) and BS-1377. The system should able to perform tests under the following conditions: 1 Shear in UC, UU, CU, CU & CD 2 Stress path triaxial test 3 K0 consolidation and swelling test Load Frame It should be a two-pillar type load frame that can accommodate triaxial cell up to 100mm dia. specimen. Rate of strain is precisely controlled through micro stepper motor of fractional

				horsepower operating at 220volts, 50Hz single phase supply i) Capacity of the load frame: 50 kN ii) Rate of strain: 0.00001 - 9.9999 mm/min iii) Travel: 100 mm Limit switches and L.E.D are incorporated in the hardware to arrest the travel limits and also to indicate the direction of movement (up/down). Triaxial Cells Cell should be light weight cells. Transfer bar (loading ram) passes through linear bearing making it friction free. Base should have four no-volume change valves one each for back pressure/pore pressure, confining pressure and top drainage. Specimen size: 38, 50 & 100mm diameter Pressure control System Range: 10 kg/cm² Resolution: 0.1 kg/cm² Accuracy: ±1% of the indicated pressure with Pressure Gauge, Flow valves, connecting pressure hose and suitable operating at 220volts, 50Hz single phase AC supply. Readout Unit Mode of Display: micro controller multi line alpha numeric VFD display for all simultaneous channels Power supply voltage: 220V, 50Hz, Single Phase Load cell Capacity: 10kN Max.overload capacity: 10% of the rated Load cell excitation: 5V, DC Resolution: 0.01kN Sensing element: Strain gauges in full bridge configuration Pore Pressure Transducer: Capacity: 20 kg/cm² Max.overload capacity: 150% of the rated Load cell excitation: 5V, DC Resolution: 0.01 kg/cm²
				Load cell excitation: 5V, DC Resolution: 0.01 kg/cm ² Sensing element: Strain gauges in full bridge configuration Displacement Transducer: Range: 0-20mm
F- No:UG 029	Direct Shear Test Equipment	1	Rs. 12,000/-	Direct Shear Outfit, 2kN, with Microprocessor loading unit, Electronic with data Acquisition system & software with computer and printer (Standard size 60x60x25mm shear box) Ref: Standard IS: 2720 (Part XIII); ASTM D3080; BS 1377 Microprocessor control Large on -board 40x2 line LCD screen display Direct data entry via membrane keypad Rapid approach and return to start datum Fully variable speed, 0.00001 to 9.99999mm/min. Load Cell Mode of Display: Micro controller multi line alpha numeric VFD display for all simultaneous channel

				Capacity: 2 kN Universal Type, TCPR with 3 meter long
				cable without hooks.
				Max. overload: 110% of the rated capacity
				Sensing element : Strain Gauges in full bridge
				Configuration
				Displacement Sensor
				Range: ± 20 mm. Displacement sensor with 3 meter long
				cable
				Sensing element : LVDT
				Consolidation Test Apparatus
				1
				Digital consolidation test apparatus conforms to essential
				requirements of IS 2720 PT (XV) and BS1377.
				It should be fully automatic, loading and unloading is
				controlled through very strong window based software.
				Stress should be maintained by controlling the rotation of
				micro stepper motor.
				Loading Frame - 20kN capacity - 1 No.
				Consolidation cell 60mm x 20mm ht - 1 No.
				Dedicated Computer - 1 No.
				Displacement Sensor 10 x 0.001mm - 1 No.
_				Load cell capacity 20kN - 1 No.
F-	Consolidation	4	Rs.	Software for consolidation
No:UG	Equipment	1	10,000/-	i) Calculates dry density, initial void ratio and moisture
030	Equipment		10,000	content of specimen.
				ii) Plots t vs deformation.
				iii) Plots void ratio vs effective stress and also values in
				tabular form.
				iv) Calculates cc, av, mv and cv values for all stress
				increments.
				v) Desired load and unloading cycles can be performed.
				vi) It should give past consolidation pressure for the soil.
				vii) It should have the option for manual as well as
				automatic recording.
				Dedicated Computer with Controlling and Data
				Acquisition Card.
				Super digital DC Soil resistivity/IP meter
				Voltage-±24V(24 bit A/D)
				Vp accuracy - If $Vp \ge 10 \text{mV}, \pm 5\% \pm 1 \text{LSB};$
				if $Vp < 10mV, \pm 1\% \pm 1LSB$.
				Input impedance - $>50M\Omega$
				Apparent Polarizability Accuracy - ±1% ±1 LSB
				SP compensation range - 10V
				Current - 6A (24 bit A/D)
				Ip accuracy - If Ip \geq 10 mA, \pm 5% \pm 1 LSB;
F-	Soil		Rs.	
No:UG	Resistivity	1	6,000/-	if Ip < 10 mA, $\pm 1\%$ ± 1 LSB.
031	Equipment		0,000/-	Suppression - >80dB, for 50Hz (industrial frequency
				interference) either in common modeor
				differential mode interference
				Transmitting
				Max power - 6600W
				Max voltage - 1100V
				Max current - 6A
				Power pulse width - 1~60s, duty cycle is 1:1
				Other
				Power source-Built in 7.4V4Ah or external 12V last more

				than 20hrs PDX-1,External Power Source, rechargeable-Output Voltage 48V, 96V,144 V DC, Max current 2A. Digital Inclinometer System: Digital Inclinometer consists of Vertical Inclinometer
F- No:UG 032	Inclinometer	1	Rs. 8,000/-	probe, mobile phone Data logger and Interconnecting cable reel with 100 meter cable length. Vertical Probe: System Accuracy: +/- 4mm/30m Cable: 6mm dia, 2 core polyurethane sheathed Cable reel: 300mm diameter (flange) Measuring Range: +/- 30 degree of Vertical Resolution; +/- 0.008mm/500mm Temperature limit: -20 to 70°C Wheel distance: 500mm Dimensions: 25.5mm dia. X 685mm long (excluding wheel arm) Probe weight: 1.4 kg Inclinometer casing: self aligning ABS tubing for monitoring the lateral deflection. Access tube ABS plastic self aligning 70mm OD 60mm ID with internal keyways at 90 degree to each other with coupling, top & bottom cap along with jointing rivets. An integral part of inclinometer system used for measurement of lateral movement of soil, rock and structures. (of maximum 100m length casing) With digital inclinometer analysis software

Note: Price should include Customs duty, Clearance, Transportation, Delivery up to National Institute of Technology – Tiruchirappalli and Installation Charges.

Section 4: PRICE SCHEDULE

[To be used by the bidder for submission of the bid]

1.	Component Name		:
2.	additional sheets if n	locument-enclose necessary)	:
3.	Currency and Unit P Taxes)	rice(excluding	:
4.	Quantity		:
5.	Item cost (Sl.No.3 & (in Indian Rupee)	z Sl.No.4)	:
6.	Taxes and other char	rges	:
			:
	figures	_	
7.8.9.	Warranty period (consection 3 of Tender should be mention bid also in order to Financial bid) Delivery Schedule (consection 3 of Tender Name and address placing purchase order	document. This ed in Technical get qualified for confirming to the document) of the firm for	: :
10.	Name and address of authorized agent (in only)		:
Sign	nature of the Bidder	:	
Nar	ne and Designation	:	••••••
Bus	siness Address	•••••	•••••••••••••••••••••••••••••••••••••••
Plac Dat			Seal of the Bidder's Firm

Section 5: CONTRACT FORM

[To be provided by the bidder in the business letter head]

1.	` 11	r's Firm) hereby abide to deliver theby the ntioned in the Section 3 tender document for supply of the items if the ded.
2.	The item will be suppl any defect and deviation	ied conforming to the specifications stated in the tender document without ons.
3.	•	en for the period mentioned in the tender document and service will be etion of NIT, Trichy during this period.
Sigr	nature of the Bidder	:
Nan	ne and Designation	:
Bus	iness Address	:
Plac	ce:	
Dat	e :	Seal of the Bidder's Firm

NATIONAL INSTITUTE OF TECHNOLOGY, TIRUCHIRAPALLI Annexure-B

PRICE BID FORMAT FOR INDIAN BIDDERS

Tender No. & Date:

SI No.	Description of item	Unit (SET /No)	QTY	Rate /Qty in Rs. (excluding of	ED in %	VAT/CST IN %	Service Tax in	Total Value in Rs. (inclusive of all taxes)
1)	(2)	(3)	(4)	all taxes) (5)	(6)	(7)	(8)	(9)
1	Supply portion (The price indicated shall be exclusive of all accessories, spares etc. as given in the scope of supply)							
2	Other accessories / spares etc as given in scope of supply (Individual item-wise break-up price shall be attached as an annexure to this price bid format.)							
3	Installation & Commissioning (extra, if any)							
4	Packing & Forwarding	charges	(extra,	if any) in percer	ntage (or) Lu	ımpsum		
5	FOR Dispatching station value in Rs.							
6	Freight & Transit insura	ance cha	arges, e	ktra, if any (Lun	npsum or %)	1		
7	Total all inclusive price delivered, installed and commissioned at NITT							

Signature & Seal of Vendor The price bid should be submitted only as per the above format. No row shall be left blank. Please indicate NA, in case the item is "not applicable" The price bid will be rejected if any column is left emty.